Hydrogeologic Framework and Ground Water Conditions in the North Carolina Southern Coastal Plain

By: Jeff C. Lautier

North Carolina Department of Environment and Natural Resources Division of Water Resources March 2006

TABLE OF CONTENTS

	Page Number
Executive Summary	i
Introduction	1
Previous Studies	1
Acknowledgements	3
Hydrogeologic Setting	3
General Description of the Ground Water System	6
Methods Used for Investigation of the Subsurface	10
Hydrogeologic Framework of the Study Area	12
Surficial Aquifer	12
Castle Hayne Confining Unit	14
Castle Hayne Aquifer	14
Peedee Confining Unit	16
Peedee Aquifer	16
Black Creek Confining Unit	19
Black Creek Aquifer	19
Upper Cape Fear Confining Unit	22
Upper Cape Fear Aquifer	22
Lower Cape Fear Confining Unit	24
Lower Cape Fear Aquifer	24
Basement	28
Summary and Conclusions	29

References 30

FIGURES

Figure	No
1 iguic	110

i	Southern Coastal Plain Study Area	ii
ii	Relation of Hydrogeologic and Geologic Units in the Southern Coastal Plain	iv
iii	West to East Hydrogeologic Cross Section showing idealized ground water	V
	flowlines and saltwater interfaces	
1	Southern Coastal Plain Study Area	2
2	Relation of Hydrogeologic and Geologic Units in the Southern Coastal Plain	5
3	West to East Hydrogeologic Cross Section showing idealized ground water	7
	flowlines and saltwater interfaces	
4	Generalized Water Budget Model for the Southern Coastal Plain	8

TABLES

Table No.

- National Climatic Data Center Precipitation Data for the Southern Coastal Plain
- 2 Aquifer Test Data from the NC Southern Coastal Plain
- Methane Concentration by Volume at Selected Well Locations in the NC Southern Coastal Plain

APPENDIX

Index of wells used for identification and correlation of hydrogeologic units

A-1

ILLUSTRATIONS

Plate No.

- 1 Map showing locations of hydrogeologic cross sections
- 2 Hydrogeologic Cross Section A-A'
- 3 Hydrogeologic Cross Section B-B'
- 4 Hydrogeologic Cross Section C-C'
- 5 Hydrogeologic Cross Section D-D'
- 6 Hydrogeologic Cross Section E-E'
- 7 Hydrogeologic Cross Section F-F'
- 8 Hydrogeologic Cross Section F'-F"
- 9 Hydrogeologic Cross Section G-G'
- 10 Hydrogeologic Cross Section H-H'

- 11 Hydrogeologic Cross Section I-I'
- 12 Hydrogeologic Cross Section J-J'
- 13 Hydrogeologic Cross Section K-K'
- 14 Hydrogeologic Cross Section L-L'
- 15 Hydrogeologic Cross Section N-N'
- 16 Hydrogeologic Cross Section O-O'
- 17 Hydrogeologic Cross Section P-P'
- 18 Hydrogeologic Cross Section Q-Q'
- 19 Hydrogeologic Cross Section R-R'
- 20 Hydrogeologic Cross Section S-S'
- 21 Hydrogeologic Cross Section T-T'
- 21 Hydrogeologic Cross Section 1-1
- 22 Hydrogeologic Cross Section U-U'
- 23 Map showing TDEM Survey Locations and Transect Lines
- TDEM Transect a-a'
- TDEM Transect b-b'
- 26 TDEM Transect c-c'
- 27 Base Map Showing Framework Well Locations and Well Numbers
- 28 Regional Elevation Map: Top of the Castle Hayne Confining Unit
- 29 Thickness of the Castle Hayne Confining Unit
- 30 Regional Elevation Map: Top of the Castle Hayne Aquifer
- 31 Thickness of the Castle Hayne Aquifer
- Regional Elevation Map: Top of the Peedee Confining Unit
- 33 Thickness of the Peedee Confining Unit
- 34 Regional Elevation Map: Top of the Peedee Aquifer
- 35 Thickness of the Peedee Aquifer
- 36 Regional Elevation Map: Top of the Black Creek Confining Unit
- 37 Thickness of the Black Creek Confining Unit
- 38 Regional Elevation Map: Top of the Black Creek Aquifer
- 39 Thickness of the Black Creek Aquifer
- 40 Regional Elevation Map: Top of the Upper Cape Fear Confining Unit
- 41 Thickness of the Upper Cape Fear Confining Unit
- 42 Regional Elevation Map: Top of the Upper Cape Fear Aquifer
- Thickness of the Upper Cape Fear Aquifer
- 44 Regional Elevation Map: Top of the Lower Cape Fear Confining Unit
- Thickness of the Lower Cape Fear Confining Unit
- 46 Regional Elevation Map: Top of the Lower Cape Fear Aquifer
- 47 Thickness of the Lower Cape Fear Aquifer
- 48 Regional Elevation Map: Top of Crystalline Basement
- 49 August, 2005 Potentiometric Surface Map: Peedee Aquifer
- 50 August, 2005 Potentiometric Surface Map: Black Creek Aquifer
- August, 2005 Potentiometric Surface Map: Upper Cape Fear Aquifer
- August, 2005 Poetntiometric Surface Map: Lower Cape Fear Aquifer

Executive Summary

The area covered by this report encompasses ten counties of the North Carolina Southern Coastal Plain, including Bladen, Robeson, Scotland, Hoke, Cumberland, Sampson, Pender, Brunswick, New Hanover, and Columbus Counties. The southwestern part of Duplin County is included as well (figure i). This report continues and connects with a previous regional study of the North Carolina Central Coastal Plain by Lautier, 2001, entitled Hydrogeologic Framework and Groundwater Conditions in the North Carolina Central Coastal Plain.


As is the case in the Central Coastal Plain, population growth in the southern counties of the coastal plain has led to increased reliance on ground water for water supply needs. This has fueled the need to understand in more detail, the system of aquifers and confining beds that underlie the region, and in particular how the aquifers are being affected by current pumping conditions. A better and more detailed understanding of hydrogeologic conditions will allow for development of strategies for dealing with water level declines in the confined aquifers of the Southern Coastal Plain.


In December, 2002, the Division of Water Resources was asked by the North Carolina Environmental Management Commission to conduct a capacity use investigation of Bladen, Robeson and surrounding counties in order to assess the impact of ground water withdrawals from the Cretaceous aquifers. The results of that study were presented in a report entitled "Southern Coastal Plain Capacity Use Investigation," 2004. This report expands the area and scope of the previous study to include the complete hydrogeologic framework of the aforementioned ten county area.

The study was accomplished by correlation and interpretation of borehole geophysical and lithologic logs, water level and chloride measurements taken from a network of observation wells, aquifer test data, and time domain electromagnetic soundings. Much additional information has been made available from new ground water monitoring station sites that have been added to the North Carolina ground water monitoring network by the Division of Water Resources. In addition, new information has been made available through public and private water system wells that have been drilled in the past few years.

The geology of the North Carolina Southern Coastal Plain may be characterized as a gently southeastward dipping, and southeastward thickening wedge of sediments and sedimentary rock ranging in age from Recent through Cretaceous which rests on an underlying basement complex of Paleozoic age rocks. The basement surface ranges in elevation between 96 and 1,515 feet below sea level within the area of study, and dips southeast at a rate of 40 feet per mile in the northwestern part of the area to 72 feet per mile in the southeast. The sediment wedge is comprised of layers and lenses of sand, clay, silt, limestone, gravel, shell material and combinations thereof which range in total thickness from zero at the fall line to in excess of 1,515 feet in the southern tip of New

Figure i. Study Area: Southern Coastal Plain Hydrogeologic Framework





Hanover County and southeastern-most part of Brunswick County. In a successive manner, older stratigraphic units outcrop or subcrop immediately west of the updip limit of the next younger unit. Deposition occurred in cyclic fashion during alternating transgressions and regressions of the Atlantic Ocean, in marine to non-marine environments.

The sedimentary column of the Southern Coastal Plain is subdivided into geologic formations and formation members based upon position of layers in the sequence of sediments, lithology, and faunal composition. The subdivision of these deposits into aquifers and confining units is based on the delineation of non-permeable versus hydraulically connected permeable units, the boundaries of which sometimes, and sometimes do not, correspond to geologic formation boundaries. Aquifers and confining units are commonly made up of more than one formation, or may include only part of a formation or parts of several formations due to the discontinuous distribution of strata in the Southern Coastal Plain. The relationship of the geologic column to the system of hydrogeologic subdivisions as defined by this study is depicted in figure ii.

The hydrogeologic system in the study region, from basement to land surface, consists of six regionally significant aquifers and the intervening confining units that separate them. They are mentioned from oldest to youngest as follows:

The Lower Cape Fear aquifer, which is comprised along with its confining unit, of the lower part of the Cape Fear Formation of Cretaceous age.

The Upper Cape Fear aquifer, which corresponds to the upper part of the Cape Fear Formation and sometimes the lower part of the Cretaceous Black Creek Formation. The confining unit is composed of clay or silt beds present in the lower part of the Black Creek or upper part of the Cape Fear Formation.

The Black Creek aquifer, which corresponds primarily to the Black Creek Formation. In some areas the aquifer includes the upper part of the Cape Fear Formation and the lower part of the Cretaceous Peedee Formation. The confining unit is made up of clay or silt beds in the upper part of the Black Creek or lower part of the Peedee Formations. To the northwest of the pinchout of the Peedee Formation, the confining unit of the Black Creek aquifer may include Pliocene age Yorktown or younger age deposits which directly overly the Black Creek Formation. In this area, the Black Creek aquifer can include permeable beds in the lower part of these younger formations.

The Peedee aquifer, which is made up of the Peedee Formation. In the southeastern corner of the study area, the aquifer includes all, or part of, the Paleocene age Beaufort Formation. The confining unit is generally present in the Beaufort Formation or upper part of the Peedee Formation.

The Castle Hayne aquifer is comprised primarily of the Eocene age Castle Hayne Formation. The confining unit occurs in the Quaternary age units that overly the aquifer.

Figure iiRelationship of Geologic and Hydrogeologic Units in the North Carolina Southern Coastal Plain			
North Car Geologic	rolina Southern C Units	Coastal Plain	North Carolina Southern Coastal Plain Hydrogeologic Units
System	Series	Formation	Aquifers and Confining Units
Quaternary	Holocene	Undifferentiated	Surficial Aquifer
Quarernary	Pleistocene		
	Pliocene	Yorktown Formation	(note: the Yorktown Formation does not overly the Castle Hayne in the study area and is not part of the Castle Hayne confining unit)) Castle Hayne Confining Unit
Tertiary	Middle Eocene	Castle Hayne Formation	Castle Hayne Aquifer
	Upper Paleocene	Beaufort Formation	Peedee Confining Unit
		Peedee Fm.	Peedee Aquifer
		Black Creek Formation	Black Creek Confining Unit Black Creek Aquifer Upper Cape Fear Confining Unit
Cretaceous		Cape Fear Formation	Upper Cape Fear Aquifer Lower Cape Fear Confining Unit Lower Cape Fear Aquifer

The surficial, or water table aquifer, which is made up primarily of Quaternary age sediments. It also includes parts of older formations depending on the varying age of underlying sediments and the varying stratigraphic position of the uppermost confining layer.

A typical hydrogeologic cross section through the Southern Coastal Plain is shown in figure iii, exhibiting the complexity of ground water flow patterns and salt water interfaces in relation to hydrogeologic units. Ground water flows in a rather complex three dimensional pattern through the subsurface in a multilayered Coastal Plain environment. Flow occurs laterally through aquifers from recharge to discharge areas along flowlines which parallel directions of steepest hydraulic gradient. Flow also occurs vertically upward to discharge areas or downward in recharge areas in response to differences in hydraulic head between aquifers.

All of the aquifers contain salt water over regions of varying extent, due to fluctuations of sea level that occurred during deposition of coastal plain sediments. The surficial aquifer contains salt water on the barrier islands along the coast of New Hanover and Pender Counties, as well as along the fringes of the coastline, and other areas where high tides cause natural intrusion of salt water. As recognized by Winner and Coble (1989), the position of fresh water-salt water interfaces within North Carolina Coastal Plain aquifers has a very complex pattern. Sediments were deposited during cyclic fluctuations of sea level over geologic time. The seaward limit of fresh water is unique for each aquifer as governed by variations in hydraulic properties, position and rates of recharge, thickness and hydraulic conductivity of overlying confining beds, and hydraulic gradients. Salt water interfaces are not sharply defined, but occur as transition zones of variable width due to diffusion between salty and fresh water. The movement of fresh ground water through deeper confined aquifers in the coastal plain causes interfaces to retreat slowly seaward over geologic time. However, in areas of heavy ground water pumping and resultant water level declines, saline ground water can move toward pumping centers due to a reversal of hydraulic gradient.

The system of six regional aquifers and intervening confining units found in the Quaternary through Cretaceous age sedimentary wedge in the Central Coastal Plain were delineated in terms of their lateral distribution, thickness, hydraulic properties, and relationship to stratigraphic units. Moreover, aquifers were described in regard to ground water flow interactions, distribution of salt water and chloride concentrations, and natural or pump induced ground water movement.

The results of this study indicate that ample ground water supplies exist in the Southern Coastal Plain to provide for present and future needs, in balance with surface water use. However, it is also clear that careful consideration must be taken in the placement and design of new well fields in order to avoid excessive drawdown situations such as what has occurred in Bladen County in the Black Creek and Upper Cape Fear





Figure iii. Northwest to Southeast Hydrogeologic Cross Section through Robeson and Bladen Counties, NC showing idealized ground water flow lines and salt water interfaces



Aquifers. Confined aquifers in areas such as Bladen County are particularly sensitive to relatively small pumping volumes due to low aquifer transmissivity. Excessive drawdown can lead to dewatering of a confined aquifer, which will result in compaction, loss of pore space, and permanent loss of yield ability. Moreover, excessive drawdown can lead to salt water encroachment if salt water sources are within reach of a cone of depression, or if a source exists below the zone of pumping. Careful monitoring of aquifers in the Southern Coastal Plain via the Division of Water Resources monitoring network is necessary in order to track water level decline rates, the growth of cones of depression, and changes in chloride concentration in areas affected by pumping. Expansion of this network is badly needed in order to gain adequate coverage of areas experiencing water level declines.

Additional ground water monitoring stations are needed near the cities of Elizabethtown, White Lake and Tarheel in Bladen County to monitor water level declines in the Black Creek and Upper Cape Fear aquifers. Additional monitoring stations are needed in the vicinity of Lumberton in Robeson County to monitor declines in the Black Creek aquifer. Wells are needed in Scotland and Hoke Counties in order to better understand the hydrogeologic framework and monitor Black Creek and Upper Cape Fear aquifer water levels. The Turkey Station in Sampson County needs to be replaced because of well construction problems along with the Magnolia and Red Banks stations in Robeson County. A big gap in the Division of Water Resources monitoring network exists in Pender County, where there is only one station at Burgaw. Additional stations are needed there in order to gain a better understanding of ground water conditions. Monitoring stations are badly needed in New Hanover County on order to monitor stresses on the Peedee and Castle Hayne aquifers, particularly in the northern half where the majority of the population lives and where ground water withdrawals are heaviest.

Introduction

The area covered by this report encompasses ten counties of the North Carolina Southern Coastal Plain, including Bladen, Robeson, Scotland, Hoke, Cumberland, Sampson, Pender, Brunswick, New Hanover, and Columbus Counties. The southwestern part of Duplin County is included as well (figure 1). This report continues and connects with a previous regional study of the North Carolina Central Coastal Plain by Lautier, 2001, entitled Hydrogeologic Framework and Groundwater Conditions in the North Carolina Central Coastal Plain.

As is the case in the Central Coastal Plain, population growth in the southern counties of the coastal plain has led to increased reliance on ground water for water supply needs. This has fueled the need to understand in more detail, the system of aquifers and confining beds that underlie the region, and in particular how the aquifers are being affected by current pumping conditions. A better and more detailed understanding of hydrogeologic conditions will allow for development of strategies for dealing with water level declines in the confined aquifers of the Southern Coastal Plain.

In December, 2002, the Division of Water Resources was asked by the North Carolina Environmental Management Commission to conduct a capacity use investigation of Bladen, Robeson and surrounding counties in order to assess the impact of ground water withdrawals from the Cretaceous aquifers. The results of that study were presented in a report entitled "Southern Coastal Plain Capacity Use Investigation," 2004. This report expands the area and scope of the previous study to include the complete hydrogeologic framework of the aforementioned ten county area.


The study was accomplished by correlation and interpretation of borehole geophysical and lithologic logs, water level, and chloride measurements taken from a network of observation wells, aquifer test data, and time domain electromagnetic soundings. Much additional information has been made available from new ground water monitoring station sites that have been added to the North Carolina ground water monitoring network by the Division of Water Resources. In addition, new information has been made available through public and private water system wells that have been drilled in the past few years.


Previous Studies

Of the numerous local and regional geologic and hydrogeologic studies concerning this region that have been published, the ones that most relate to this study are mentioned as follows:

The Wooten Company and Groundwater Management Associates, 2004, A regional study of ground and surface water resources of Bladen, Robeson, Sampson, Columbus, Scotland and Hoke Counties.







Harden, S.L., Fine, J.M., and Spruill, T.B., 2003, A study of the hydrogeology and Ground Water Quality of Brunswick County.

Strickland, A.G., 2000, A study of water level conditions in the Southern Coastal Plain Black Creek aquifer covering the period of 1992 through 1998.

Strickland, A.G., 2000, A study of water level conditions in the Southern Coastal Plain Upper Cape Fear aquifer covering the period of 1994 through 1998.

Lautier, J.C., 1998, A study of New Hanover and eastern Brunswick Counties related specifically to an assessment of potential ground water system impacts from deepening the Wilmington Harbor shipping channel.

Lawrence and Hoffman 1993, A geologic study of basement rocks present beneath the North Carolina coastal plain.

Zarry. L., A., 1991, A subsurface stratigraphic framework study of Cenozoic strata in Brunswick and New Hanover Counties.

Winner and Coble, 1989. A regional hydrogeologic framework study of the NC Coastal Plain aquifer system.

Brown, Miller and Swain, 1972, A regional structural and stratigraphic study of the Atlantic Coastal Plain.

Bain, 1970, A study of the hydrogeology of New Hanover County.

LeGrand, H.E., 1960, A study of the geology and ground water resources of the Wilmington-New Berne area.

Acknowledgements

The author would like to thank the following colleagues in the North Carolina Division of Water Resources-Ground Water Allocation Section, who contributed to this report, either by review, data collection and data entry, assistance with data analysis, discussion, etc.: Nat Wilson, Stephen Webb, Gabrielle Chianese, Blake Rouse, Keith Robertson, Michael Bauer, John Barr, and Mark Gamble.

Hydrogeologic Setting

The geology of the North Carolina Southern Coastal Plain may be characterized as a gently southeastward dipping, and southeastward thickening wedge of sediments and sedimentary rock ranging in age from Recent through Cretaceous which rests on an

underlying basement complex of Paleozoic age rocks. The basement surface ranges in elevation between 96 and 1,515 feet below sea level within the area of study, and dips southeast at a rate of 40 feet per mile in the northwestern part of the area to 72 feet per mile in the southeast. The sediment wedge is comprised of layers and lenses of sand, clay, silt, limestone, gravel, shell material and combinations thereof which range in total thickness from zero at the fall line to in excess of 1,515 feet in the southern tip of New Hanover County and southeastern-most part of Brunswick County. In a successive manner, older stratigraphic units outcrop or subcrop immediately west of the updip limit of the next younger unit. Deposition occurred in cyclic fashion during alternating transgressions and regressions of the Atlantic Ocean, in marine to non-marine environments.

The sedimentary column of the Southern Coastal Plain is subdivided into geologic formations and formation members based upon position of layers in the sequence of sediments, lithology, and faunal composition. The subdivision of these deposits into aquifers and confining units is based on the delineation of non-permeable versus hydraulically connected permeable units, the boundaries of which sometimes, and sometimes do not, correspond to geologic formation boundaries. Aquifers and confining units are commonly made up of more than one formation, or may include only part of a formation or parts of several formations due to the discontinuous distribution of strata in the Southern Coastal Plain. The relationship of the geologic column to the system of hydrogeologic subdivisions as defined by this study is depicted in figure 2.

The hydrogeologic system in the study region, from basement to land surface, consists of six regionally significant aquifers and the intervening confining units that separate them. They are mentioned from oldest to youngest as follows:

The Lower Cape Fear aquifer, which is comprised along with its confining unit, of the lower part of the Cape Fear Formation of Cretaceous age.

The Upper Cape Fear aquifer, which corresponds to the upper part of the Cape Fear Formation and sometimes the lower part of the Cretaceous Black Creek Formation. The confining unit is composed of clay or silt beds present in the lower part of the Black Creek or upper part of the Cape Fear Formation.

The Black Creek aquifer, which corresponds primarily to the Black Creek Formation. In some areas the aquifer includes the upper part of the Cape Fear Formation and the lower part of the Cretaceous Peedee Formation. The confining unit is made up of clay or silt beds in the upper part of the Black Creek or lower part of the Peedee Formations. To the northwest of the pinchout of the Peedee Formation, the confining unit of the Black Creek aquifer may include Pliocene age Yorktown or younger age deposits which directly overly the Black Creek Formation. In this area, the Black Creek aquifer can include permeable beds in the lower part of these younger formations.

Figure 2Relationship of Geologic and Hydrogeologic Units in the North Carolina Southern Coastal Plain			
North Car Geologic	rolina Southern C Units	Coastal Plain	North Carolina Southern Coastal Plain Hydrogeologic Units
System	Series	Formation	Aquifers and Confining Units
Quaternary	Holocene	Undifferentiated	Surficial Aquifer
Quarernary	Pleistocene		
	Pliocene	Yorktown Formation	(note: the Yorktown Formation does not overly the Castle Hayne in the study area and is not part of the Castle Hayne confining unit)) Castle Hayne Confining Unit
Tertiary	Middle Eocene	Castle Hayne Formation	Castle Hayne Aquifer
	Upper Paleocene	Beaufort Formation	Peedee Confining Unit
		Peedee Fm.	Peedee Aquifer
		Black Creek Formation	Black Creek Confining Unit Black Creek Aquifer Upper Cape Fear Confining Unit
Cretaceous		Cape Fear Formation	Upper Cape Fear Aquifer Lower Cape Fear Confining Unit Lower Cape Fear Aquifer

The Peedee aquifer, which is made up of the Peedee Formation. In the southeastern corner of the study area, the aquifer includes all, or part of, the Paleocene age Beaufort Formation. The confining unit is generally present in the Beaufort Formation or upper part of the Peedee Formation.

The Castle Hayne aquifer is comprised primarily of the Eocene age Castle Hayne Formation. The confining unit occurs in the Quaternary age units that overly the aquifer.

The surficial, or water table aquifer, which is made up primarily of Quaternary age sediments. It also includes parts of older formations depending on the varying age of underlying sediments and the varying stratigraphic position of the uppermost confining layer.

General Description of the Ground Water System

A typical hydrogeologic cross section through the Southern Coastal Plain is shown in figure 3, exhibiting the complexity of ground water flow patterns and salt water interfaces in relation to hydrogeologic units. Ground water flows in a rather complex three dimensional pattern through the subsurface in a multilayered Coastal Plain environment. Flow occurs laterally through aquifers from recharge to discharge areas along flowlines which parallel directions of steepest hydraulic gradient. Flow also occurs vertically upward to discharge areas or downward in recharge areas in response to differences in hydraulic head between aquifers.

All of the aquifers contain salt water over regions of varying extent, due to fluctuations of sea level that occurred during deposition of coastal plain sediments. The surficial aquifer contains salt water on the barrier islands along the coast of New Hanover and Pender Counties, as well as along the fringes of the coastline, and other areas where high tides cause natural intrusion of salt water. As recognized by Winner and Coble (1989), the position of fresh water-salt water interfaces within North Carolina Coastal Plain aquifers has a very complex pattern. Sediments were deposited during cyclic fluctuations of sea level over geologic time. The seaward limit of fresh water is unique for each aquifer as governed by variations in hydraulic properties, position and rates of recharge, thickness and hydraulic conductivity of overlying confining beds, and hydraulic gradients. Salt water interfaces are not sharply defined, but occur as transition zones of variable width due to diffusion between salty and fresh water. The movement of fresh ground water through deeper confined aquifers in the coastal plain causes interfaces to retreat slowly seaward over geologic time. However, in areas of heavy ground water pumping and resultant water level declines, saline ground water can move toward pumping centers due to a reversal of hydraulic gradient.

As illustrated by a generalized annual water budget model for the Southern Coastal Plain (figure 4), recharge occurs predominantly through rainfall, which enters the surficial (or water table) aquifer in the interstream areas. The ten county area receives an





Figure 3: Northwest to Southeast Hydrogeologic Cross Section through Robeson and Bladen Counties, NC showing idealized ground water flow lines and salt water interfaces






Figure 4. Generalized average water budget model for the NC Southern Coastal Plain ground water system (adapted from Hardin, Fine, and Spruill, U.S. Geological Survey, 2003 and Wilder, 1978)

average of 50 inches of total precipitation per year based on historical records covering the years between 1971 to 2000 (Southeast Regional Climate Center, table 1). Based on a water budget model developed by the U.S. Geological Survey for Brunswick County (Harden, Fine and Spruill, 2003), and using precipitation data averaged for the whole ten county area, it was determined that about 8 inches of the 50 inches of total annual precipitation is lost to overland flow to nearby surface water bodies. Another 32 inches are taken up annually through evapo-transpiration. Of the 10 inches of water that enters the water table as recharge, 9 inches per year flows from recharge to discharge areas such as the Cape Fear, Lumber, South, and Waccamaw Rivers, associated floodplains, and the Boiling Springs Lakes. One inch or less of ground water per year enters the deeper confined aquifers as recharge. This water budget model assumes steady state conditions in which no pumping from the ground water system is occurring.

COUNTY	ANNUAL PRECIPITATION IN INCHES

Brunswick	57.96
New Hanover	57.07
Columbus	50.22
Bladen	48.53
Robeson	47.98
Scotland	48.17
Cumberland	46.6
Sampson	48.58
Pender	54.2
Hoke	no data
Duplin	56.98
10 county average:	51.63

source: Southeast Regional

Climate Center

Table 1: Average of Total Annual Precipitation (in inches) from 1971 to 2000 for the North Carolina Southern Coastal Plain

In certain areas of the Southern Coastal Plain deeper confined aquifers are easily over-pumped, and susceptible to excessive drawdown and formation of large cones of depression due to various reasons:

- 1. Low rates of available recharge water as indicated by the water budget model (one inch or less per year).
- 2. The presence of thick, low permeability confining layers which slow down the rate of recharge.
- 3. Low aguifer transmissivity.
- 4. Poor well field design.

Examples of this have occurred in Bladen County, where pumping of over 3 million gallons per day of ground water from the Black Creek and Upper Cape Fear aquifers at Elizabethtown, White Lake and the Tarheel area produced overlapping cones of depression that cover most of the county, and parts of surrounding counties. The Black Creek aquifer in the Tarheel region is most likely being dewatered as indicated by comparison of the elevation of the top of the aquifer and a map of the potentiomentric surface.

Methods Used for Investigation of the Subsurface

The following tools and techniques were used to separate the Quaternary through Cretaceous sedimentary section into component hydrogeologic units and to map and describe them across the study area.

- 1. Observation of significant differences in water levels across confining units, indicating hydraulic separation between aquifers, or the lateral persistence of water levels indicating the continuity of an aquifer.
- 2. Interpretation and correlation of borehole geophysical logs, including spontaneous potential, gamma ray, single point resistance, and resistivity logs. The spontaneous potential (SP) log is a recording versus depth of the difference between the potential of a movable electrode in the borehole and the fixed potential of a surface electrode. The SP is the resulting effect of several electromotive forces, including clay potential, liquid junction potential, and electrokinetic potential. The right-hand boundary of the curve generally indicates impermeable formations such as clay. The left-hand boundary generally indicates formations of higher permeability such as those made up of sand or porous limestone. The SP log was used in this study to determine permeable bed boundaries, and to estimate thickness and percentage of permeable materials. In addition, it permitted correlation of beds from well to well, in conjunction with gamma ray, resistivity and lithologic logs.

The gamma ray curve is a measurement of natural gamma radiation emitted by a geologic formation. Higher curve values are reflective of higher amounts of clay and phosphate minerals in the area of study, whereas lower curve values were indicative of the presence of limestone and sand in the geologic section. Gamma ray curves in many cases were valuable for correlation, by virtue of having produced distinctive signatures across zones of phosphate mineralization.

The single point resistance log is a measurement of electrical resistance, measured in ohms, between an electrode in a well and an electrode at the land surface, or between two electrodes in a well. The measurement does not take into account the length or cross-sectional area of the current travel path, and thus cannot be used for quantitative

interpretation (Keyes, 1990). However, the single point resistance curve was useful for interpreting lithology and for thin bed detection.

Normal resistivity logs measure formation resistivity in ohm-meters, which takes into account the length and cross sectional area of the current travel path. Thus, short and long normal measurements take into account the intrinsic properties of the material and can be used for quantitative interpretation of formation fluids. The long normal curve provides a reading beyond the flushed zone of the borehole where formation fluids are generally undisturbed by drilling fluid.

Resistivity curves in combination with SP and gamma ray curves helped to distinguish between fresh water and salt water bearing strata, and between permeable and non-permeable strata. The combination of log types were used to identify and correlate aquifer and confining unit tops and bases, and to calculate the percentage of permeable material, and the net thickness, in feet, of permeable material in each aquifer.

- 3. Interpretation and correlation of lithologic logs from both core and cutting samples. Lithologic logs were used in combination with borehole geophysical logs to define vertical and lateral stratigraphic variations in the subsurface. Formation tops from North Carolina Geologic Survey litho-stratigraphic logs were used in accordance with well log correlations to determine the relationship between stratigraphic and hydrogeologic units. Formation tops were plotted on a network of hydrogeologic cross sections (plates 2-22) prepared for this report.
- 4. Observation of differences in chloride concentrations across confining units, and chloride concentration similarities within the same aquifer.
- 5. Observation of drawdown effects observed from pump test data.
- 6. Observation of the lateral transmission of drawdown effects from pumping, indicating the lateral continuity of an aquifer. Pump test data was used to determine transmissivity, specific capacity, hydraulic conductivity, and storativity of aquifers, and vertical hydraulic conductivity of confining beds.
- 7. Interpretation of apparent resistivity measurements from Time Domain Electromagnetic Soundings (TDEM). This is a surface geophysical technique by which an electromagnetic field is induced at land surface. As soon as the transmitter current is stopped, eddy currents are propagated into the subsurface from a transmitter loop. A secondary magnetic field is generated that changes with time as the eddy currents propagate downward through the subsurface. A central receiver coil measures changes in the magnetic field, which are recorded by the TDEM system over the course of the sounding time. The velocity and decay rate of the eddy currents are directly related to the electrical resistivity of the subsurface, and are converted by TEMIX XL software into apparent resistivity values. The resistivity of a geologic formation is affected by the fluid contained within the formation, its effective porosity, and the percentage of clay (Keyes,

1990). Increases in fluid salinity, effective porosity, and clay content all have the effect of causing decreased resistivity values. Decreases in the same produce increased resistivity values. Therefore, it is important to understand how changes in these variables are affecting TDEM response. Employed in conjunction with borehole geophysical logs and chloride sample data, TDEM profiles provided information which allowed for interpretation of chloride distribution patterns between areas of well control. A limitation of TDEM is that TEMIX XL smooth modeling allows for a maximum of 19 layers. TEMIX uses statistical analysis to arrive at the average resistivity value of each layer, which limits the resolution for the purposes of stratigraphic definition. For this reason, TDEM is not always useful for mapping of hydrogeologic units.

A regional network of cross sections was constructed across the study area in order to trace the lateral distribution and thickness of hydrogeologic units. Lines representing the elevation of land surface were superimposed on each cross section in order to show recharge-discharge relationships. Land surface elevation data was used from a USGS digital elevation model by plotting the lines of section on the model surface. Maps of the elevation of the tops of units were constructed, along with maps of the thickness of aquifers and confining beds. Potentiometric surface maps were prepared for the Castle Hayne, Peedee, Black Creek, Upper and Lower Cape Fear aquifers using water level data collected by the North Carolina Division of Water Resources in July and August of 2005.

Hydrogeologic Framework of the Study Area

The system of six regional aquifers and intervening confining units found in the Quaternary through Cretaceous age sedimentary wedge in the Central Coastal Plain were delineated in terms of their lateral distribution, thickness, hydraulic properties, and relationship to stratigraphic units. Moreover, aquifers were described in regard to ground water flow interactions, distribution of salt water and chloride concentrations, and natural or pump induced ground water movement.

Aquifers and confining layers are described as follows:

Surficial Aquifer

The surficial aquifer is the uppermost aquifer in the system of aquifers and confining units that comprise the hydrogeologic framework of the Southern Coastal Plain. The surficial aquifer is unconfined and thus, the water table is able to fluctuate with changes in ground water storage. It is the first aquifer to receive recharge, storing water as it moves laterally to rivers, lakes and other discharge areas, and downward in small quantities to deeper, confined aquifers. The rate at which recharge occurs in any given area in the study region is dependant on several factors, including:

- differences in precipitation rates from one area to another.
- variations in soil types and their differing infiltration capacities.
- the position of the water table relative to land surface, which varies over time.
- the slope of the land surface.
- evapotranspiration rates, which vary across the region, and over time.

Heath (1997) reported recharge rates as low as 4 inches per year for the wet, flat uplands which occupy much of the northern and southeastern parts of Brunswick County. In these areas the soil zone is composed of sandy, silty, and clayey loams that range from three to four feet in thickness. The soil surface consists of low to nonpermeable organic matter. Similar rates would apply to much of Columbus, southwestern Bladen, and northwestern Pender Counties according to a North Carolina coastal plain soils map by Tant and others (1974). Heath (1997) indicates that the dry, flat, sloping upland areas that border the wet, flat uplands receive up to 12 inches of recharge per year. The sand hills region of the eastern portion of the study area has highly permeable soils, containing abundant, coarse to medium grained fluvial sands. Recharge rates of 12 inches per year or greater are applicable in this region. The barrier island system along the coastline of New Hanover, Brunswick, and Pender Counties receives recharge rates ranging from 17 to 20 inches per year, assuming similarity to the Cape Hatteras area from a study by Winner (1975).

Over the wide range of the study area, the surficial aquifer is primarily made up of Quaternary age sands with interbedded silts and clays, but can also be composed of older units depending on the stratigraphic position of the first confining bed and where the various, older units are present in the shallow subsurface. The Pleistocene age Waccamaw Formation is part of the surficial aquifer in parts of Brunswick and Columbus Counties as well as the Pliocene age Yorktown Formation in southern Robeson, southwestern Bladen, and easternmost Columbus Counties. The Waccamaw formation is made up of shelly sand with silt and clay, bluish gray to tan in color. The Yorktown formation consists of fine grained sands, shell material, and bluish gray silts and clays. In northern New Hanover County and part of eastern Brunswick County the Castle Hayne formation is part of the surficial aquifer where its confining unit is absent. Uppermost Peedee and Black Creek age sediments can sometimes be a part of the surficial aquifer in their subcrop areas where confining beds are positioned below the tops of the formations. The thickness of the aquifer varies between a minimum of 4 feet and a maximum of 200 feet at Carolina Beach in New Hanover County, where no significant shallow clay layers are present, as indicated by geophysical and lithologic logs.

The presence of saltwater in the surficial aquifer is limited to the Tidewater region of the report area, and is found on the coastal barrier islands that fringe Pender, New Hanover, and Brunswick Counties, the shoreline of sounds behind the barrier islands, and along the upstream limits of saltwater in streams and rivers.

Usage is limited primarily to domestic, as yield and drawdown limitations do not make it viable for municipal, industrial or large-scale agricultural use. The quality of the water is generally poor. The surficial aquifer is, however, used by the town of Salemburg in Sampson County where sands are thick and highly transmissive (Wooten, GMA 2004).

Castle Hayne Confining Unit

The Castle Hayne confining unit is made up of clay, sandy clay, and silt beds that are present in the lower part of the Plio-Pleistocene, the River Bend Formation in southern New Hanover County, and sometimes in the upper part of the Castle Hayne Formation. As illustrated in plate 30, this unit is present only in the eastern-most part of the study area, pinching out along a line trending through eastern Brunswick, northern New Hanover, eastern Pender, and southeastern Duplin Counties. The unit appears to be absent in a large section of northern New Hanover County. Permeable beds that make up the Castle Hayne aquifer extend in some areas, beyond of the limit of the confining unit, and are considered to be part of the surficial aquifer where this occurs.

The confining unit ranges in thickness between zero along its approximate zero thickness line, to 51 feet at Kure Beach in New Hanover County (plate 30).

Castle Hayne Aquifer

The presence of the Castle Hayne aquifer is limited to the eastern part of the study area in eastern Brunswick, New Hanover, and eastern Pender Counties. It is much thinner in the southeastern Coastal Plain than in the central Coastal Plain, achieving a maximum known thickness of 90 feet in eastern Pender and northeastern New Hanover Counties (plate 32). The top of the aquifer dips gently from northwest to southeast at a rate of about 12 feet per mile, and ranges in elevation from between 18 feet above sea level to 130 feet below sea level at Carolina Beach in New Hanover County (plate 31).

The aquifer consists primarily of light gray to white moldic limestones, and bryozoan rich limestones of the Eocene age Castle Hayne Formation, grading downward to calcareous, fine-grained sandstone in the deeper subsurface. It also contains the uppermost part of the Peedee Formation of Cretaceous age in central New Hanover County, the lower part of the River Bend Formation of Oligocene age in southern New Hanover County, and the upper part of the Beaufort Formation of Paleocene age in southeastern Brunswick County. Where these formations are included the aquifer may also contain gray to light brown, silty, fine grained quartz sand, sandy moldic limestone or fine-grained shelly sandstone.

The Castle Hayne limestone is highly prone to sinkhole formation in southeastern Brunswick County, and in Pender and Duplin Counties. The collapse of overlying

younger deposits into depressions formed by sinkholes may allow for localized and direct circulation of ground water between the Castle Hayne aquifer and younger, surficial deposits.

The aquifer is recharged by water moving downward from the surficial aquifer at a rate that varies from place to place over the study region. Rates of recharge are dependent on the thickness and vertical hydraulic conductivity of the overlying confining unit, and how much higher the water table elevation is above the elevation of the Castle Hayne potentiometric surface in recharge areas. Analysis of several monitoring station hydrographs showing long term water level trends in both the surficial and Castle Hayne aquifers indicate similar patterns of water level variation (plates 14 and 20). It is apparent that the Castle Hayne aquifer in areas where monitoring data is available is affected by seasonal recharge variations in a similar way as the surficial aquifer, indicating fairly quick recharge from the surficial to the Castle Hayne. Along its western margins where the aquifer is present in the shallow subsurface, direct discharge may occur where stream and river channels incise into the aquifer. In the deeper subsurface upward leakage may occur into surface water bodies where the head is higher in the aquifer. Water level data over the extent of the study region is not sufficient to define the regional potentiometric surface of the aquifer.

Lautier (1998) determined the range of transmissivity of the Castle Hayne aquifer in New Hanover and eastern Brunswick Counties to be between 250 and 10,888 ft² per day, with a hydraulic conductivity range of 3.66 to 108.8 ft per day. Storativity varied between .00006 and .0097. This was based on aquifer test analysis of 23 wells and well nests. The U.S Geological Survey (Harden, Fine and Spruill, 2003) determined a transmissivity range of 1,000 to 5,000 ft² per day for the Castle Hayne in Brunswick County, based on analysis of 9 aquifer tests. Bain (1970) reported specific capacities in New Hanover County to be in the range of 4 to 50 gallons per minute per foot of drawdown.

The aquifer is used for water supply in many municipal well fields in New Hanover County, including the beach towns, the City of Wilmington, and the County system. There is also some limited industrial and agricultural usage. In Brunswick County, the Castle Hayne is pumped for water supply in the County well field, the City of Southport and at a limited number of other locations for domestic and agricultural purposes. There is some industrial usage of the aquifer in the Southport area. In Pender County, the coastal towns of Topsail Island and Surf City use the aquifer for water supply.

The presence of salt water in the Castle Hayne is limited to areas where pump-induced intrusion and some natural intrusion has occurred along the coastline. It is also likely that the aquifer contains salt water along the fringes of the tidal influenced zone of the Cape Fear River and various streams and creeks in the region.

Peedee Confining Unit

The Peedee confining unit consists of clay and silt beds with some interbedded sand in the upper part of the Cretaceous age Peedee Formation. Overlying beds of the same lithology in the lower part of the Quaternary are also part of the confining unit over portions of the study area, as well as the Paleocene Beaufort Formation in the southeastern parts of Brunswick and New Hanover Counties. Beds of Pliocene Yorktown age may be part of the confining unit in a small southwestern section of the area in Bladen, Robeson and Columbus Counties. The unit ranges in thickness between zero, where it pinches out through the central part of the study area (plate 34) to a maximum of 70 feet in eastern Pender County. Its average thickness is 20 feet. The unit is absent in some down dip wells in New Hanover and Brunswick County as shown on an isopach map of its thickness, allowing direct movement of ground water from overlying sediments.

Peedee Aquifer

The Peedee aquifer is present throughout the southeastern half of the study area, pinching out approximately along a line through southern Robeson, central Bladen, the southern tip of Sampson, and into central Duplin County. It dips to the southeast at a rate of 5 feet per mile, increasing to a rate of 24 feet per mile in New Hanover County (plate 35). The elevation of the top of the aquifer ranges from 38 feet above sea level in southern Robeson County to 219 feet below sea level at Kure Beach in New Hanover County. The top surface of the aquifer is rather hummocky in the central part of the study area, apparently due to an erosional cut and fill surface between Quaternary and Peedee age deposits. The aquifer is generally wedge shaped in profile, thickening toward the southeast to a known maximum of 404 feet in eastern Brunswick County (plate 36).

The aquifer is primarily composed of the Upper Cretaceous age Peedee Formation, the lithology of the which consists of gray or light brown, silty, fine to very fine grained quartz sand with trace quantities of glauconite, phosphorite, oyster shells, and pyrite. In southeastern Brunswick and north central New Hanover Counties, the Rocky Point Member makes up the uppermost part of the Peedee Formation, consisting of gray, sandy, moldic limestone, grading downward to a very calcareous sandstone. The updip limit of the Peedee aquifer extends in some areas, a few miles further to the northwest than the limit of the Peedee Formation as delineated on the North Carolina Geologic Map. The reason for this is that the aquifer contains some upper sands of the Black Creek Formation and probably some lower sands of Quaternary age that directly overly the Peedee Formation.

To the west of the limit of the Castle Hayne aquifer, the Peedee aquifer is directly overlain by the surfical aquifer, and recharge occurs from water moving downward from the surficial aquifer. Some of the ground water monitoring station hydrographs in this

area indicate semi-confined conditions, as the water levels in the surficial aquifer are only a few feet higher than the Peedee in recharge areas, and a few feet lower in discharge areas, with similar seasonal effect patterns apparent in the Peedee hydrographs. Examples of this are seen at Rowland, Marietta, Bear Pen, Bolivia, Kelly and other monitoring stations (cross sections I-I', K-K', H-H', and L-L', plates 11, 13, 10, and 14). In the few locations where water level data is available from deeper sands in the Peedee aquifer it is clear that there is a basis for designation of more than one aquifer within the Peedee. Well to well correlation along cross-section lines indicates the widespread continuity of thick clay beds, which probably cause significant hydraulic head differences between interconnected bodies of sand. This is clearly the case at Bear Pen monitoring station (plate 13) where there is a significant head difference between upper and lower Peedee sands. Unfortunately, there is not enough water level data from deeper sands to map the Peedee system in its true complexity.

A regional potentiometric surface map of the Peedee aquifer is presented in plate 50. Comparison of a map of the elevation of the top of the aquifer with the potentiometric surface map indicates a close relationship of highs and lows between the two surfaces. In the area of the Green Swamp in north central Brunswick and eastern Columbus County, water levels are very close to land surface, and are the highest in the eastern section of the study area. This corresponds to higher topographic elevations in an area of wet, flat uplands. Although wet, flat uplands generally correspond to areas of very low recharge (approximately 4 inches per year) as defined by Heath (1997), topographic controls seem to dominate water levels in the Peedee. The potentiometric surface is also affected by cones of depression that have formed in eastern Brunswick County due to the County well field, and pumping from the Peedee in northern Columbus County.

Harden, Fine and Spruill (2003) estimated transmissivity values for the Peedee aquifer in Brunswick County at 21 sites. They found the range to be between 3,000 and 6,000 ft² per day, with the highest measurements found in the east central part of the county. Lautier (1998) determined a transmissivity range of 128 to 18,620 ft² per day, hydraulic conductivity range of 1 to 243 feet per day, and storativity range of 0.00002 to 0.1 for New Hanover and eastern Brunswick Counties based on measurements at 85 sites. An analysis of aquifer tests for this study indicates a transmissivity range of 42 to 337 ft² per day, hydraulic conductivity range of .86 to .975 feet per day, and storativity of 0.00016 to 0.000463 for the Peedee aquifer from three sites (table 2).

The lower part of the Peedee aquifer contains salt water in the eastern part of the study area as defined by isochlors representing the approximate intersection of the 250 ppm chloride transition zone with the top and base of the aquifer (plate 35). The transition zone is broad and fairly flat lying, underlying virtually all of Brunswick and New Hanover Counties, southeastern-most Columbus, and southeastern Pender Counties. The interface was defined by chloride analysis of water samples and by use of Time Domain Electromagnetic soundings. TDEM cross sectional profiles a-a', b-b' and c-c' (plates 25, 26 and 27) indicate resistivity value ranges of 18 to 288 ohm-meters in the

Table 2. Aquifer Test Data from the Southern Coastal Plain

County	Well/Monitoring Station Name	Screened Interval (in ft.)	Aquifer	Analysis Method Type of Well Transmissivity	Type of Well	Transmissivity	S	K (ft/day)	Specific Capacity
						in ft2/day			gpm/ft.
Robeson	LITTLEFIELD Y42f4	310-315	Black Creek	Theis	Observation	560	0.000017	14	2.94
Robeson	LITTLEFIELD Y42f6	145-165	Black Creek	Theis	Observation	2941	0.00092	147	25
Bladen	WHITE LAKE PRISON Y38b7	90-100	Black Creek	Theis	Observation	289	0.000104	1.7	4.64
Robeson	REX RENNERT SCHOOL V45u3	06-59	Black Creek	Theis	Observation	1770	0.000122	11.56	19.5
Columbus	LAKE WACCAMAW CC38b10	112-122	Peedee	Theis	Observation	119	0.000463	0.975	3.5
Brunswick	Brunswick DWR SUNSET HARBOR STATION	84-102	Peedee	Theis	Observation	337	0.00016	98.0	5
Brunswick	DWR CALABASH STATION	496-506	Peedee	Hantush-Jacobs	Pumping	42			6.0
Sampson	DWR MINGO STATION	90-09	Black Creek	Theis	Pumping	294			6.0

fresh water area of the Peedee aquifer and 0 to 15 ohm-meters in the salt water portions of the aquifer. The position of the transition zone is fairly clear due to large differences in resistivity on opposite sides. Resistivities are much higher in the fresh water bearing zone of the Peedee aquifer than in deeper aquifers in this area due to low clay content in the Peedee. The fresh water portions of deeper aquifers have much lower average resistivity due to higher clay content, as recognized on TDEM profiles.

The shallow presence of salt water in this area is probably attributable to low rates of recharge, and the presence of fairly large areas where ground water discharge predominates. Flow occurs down gradient to rivers, floodplains and marshes from the surficial as well as from the Peedee aquifer, and to a lesser extent from deeper aquifers. These conditions allow salt water to remain present in the shallow subsurface because very little water is able to move downward over geologic time to push the salt water interface eastward. Another factor to consider is the position of the shoreline during Pleistocene sea-level fluctuations in the North Carolina Coastal Plain. Meisler (1989) documented a number of areas of shallow salt water occurrence along the coastal plain of the eastern United States and attributed them to the above mentioned factors.

The Peedee aquifer is the principal aquifer used in Brunswick County for municipal water supply via a central county well field. It is also used by New Hanover County through a system of well fields, in conjunction with the Castle Hayne aquifer. In Columbus County the Peedee is used by a number of towns for water supply, including Fair Bluff, Chadbourne, Whiteville, and Bolton. In Bladen County it is used by the towns of Bladenboro and Clarkton.

Black Creek Confining Unit

The Black Creek confining unit is uniformly present over the study area except where it has been incised by streams and rivers in the eastern-most counties. It achieves a maximum thickness of 168 feet in eastern Brunswick County. Over the extent of the study region it maintains an average thickness of 34 feet based on 107 well penetrations.

The confining unit is made up of clay, silt and thin sand interbeds that are present in the upper part of the Black Creek Formation and the lower part of the Peedee Formation. Northwest of the updip limit of the Peedee aquifer, clay and silt beds present in the lower part of the Quaternary make up part of the confining unit.

Black Creek Aquifer

The Black Creek aquifer is present over the entirety of the study region, and is made up of alternating beds of sand and clay of the Upper Cretaceous Black Creek Formation. The sands are generally gray to olive gray in color, fine to medium grained,

poorly sorted, and contain variable amounts of glauconite, phosphorite, shell fragments, lignite, and traces of mica, pyrite and marcasite. Clays are generally gray to black in color, and lignitic. Individual sand and clay beds generally range between 10 and 20 feet in thickness across the region. The aquifer includes the Middendorf Formation in Scotland, Hoke, and western Cumberland Counties where it interfingers into the Black Creek Formation and appears to be connected hydraulically. Due to a lack of water level data, it is somewhat uncertain as to whether the aquifer is confined in these counties, or part of the surficial aquifer. Correlation of geophysical logs along cross section O-O' (plate 16) indicates the persistance of clay beds in the upper part of the Middendorf Formation or lower part of the Quaternary. For this reason, the aquifer appears to be confined in the interfluvial areas and under water table conditions in the fluvial valleys where confining beds have been eroded.

The top of the aquifer dips to the southeast at a rate of 8 to 10 feet per mile as exhibited by elevation contours shown in plate 39. It ranges in elevation between 318 feet above sea level in northern Hoke County, to 641 feet below sea level at Kure Beach in southern New Hanover County. The aquifer varies in thickness between 34 feet in central Cumberland County to 312 feet in southern Robeson County with an overall average of 164 feet. The aquifer is unusually thick in central Robeson County due to an apparent embayment in the basement surface as exhibited in cross sections B-B' and C-C' (plates 3 and 4) and an isopach map (plate 40). The thickness of the aquifer changes in irregular patterns due to facies variations between sand and clay that affect where the top and base of the unit is determined from geophysical log correlation.

The Black Creek aquifer is recharged by water moving downward from the Peedee aquifer in the portion of the study area where the Peedee is present. Where the Black Creek is well confined, it is recharged at rates of less than one inch per year (or less than 47,610 gallons per day per square mile). To the northwest of the area where the Peedee aquifer pinches out, the thickness of sediments that overly the Black Creek is reduced, the confining unit is generally thinner, and recharge rates are assumed to be much higher. This depends of course, on the other factors that control recharge to confined aquifers, such as vertical hydraulic conductivity, and hydraulic gradients. In Scotland, Hoke, Robeson and Cumberland Counties, the Black Creek aquifer occurs at a shallow enough level in the subsurface to be incised by rivers and streams, allowing direct discharge of ground water. This is indicated by hydrogeologic cross sections A-A' and O-O' (plates 2 and 16). This relationship is also present along the Cape Fear river in Bladen County as illustrated on cross section H-H' (plate 10).

The aquifer contains salt water in the southeastern part of the study area as defined by isochlors representing the approximate intersection of the 250 ppm chloride transition zone with the top and base of the aquifer (plate 39). Except for its northwestern fringe, virtually all of Brunswick County lies within the salt water zone of the aquifer. All of New Hanover County and the southern half of Pender County lie to the west of the transition zone, and the Black Creek contains only salt water (plate 39). The transition zone was defined by chloride analysis of water samples and by use of

Time Domain Electromagnetic soundings. TDEM cross sectional profiles a-a', b-b' and c-c' (plates 25, 26 and 27) indicate resistivity value ranges of 3.5 to 18.5 ohm-meters in the fresh water area of the Black Creek aquifer and 0 to 6 ohm-meters in the salt water portions of the aquifer (lower resistivity values occur within the freshwater zone due to the presence of clay beds). The position of the transition zone is clear on profile a-a' due to large differences in resistivity on opposite sides.

A potentiometric surface map prepared from water level data collected in July and August of 2005 indicates two areas in Bladen County where prominent cones of depression have developed. In the northwestern part of Bladen County, withdrawals in the area of the Town of Tarheel by Smithfield Foods Inc. have lowered the Black Creek potentiometric surface to a minimum of 36 feet above sea level in an area where the top of the aquifer is 81 feet above sea level. Although water levels within the well field are not reflective of true static conditions, it appears that localized dewatering is taking place at this location. Another cone of depression is evident at Elizabethtown in the central part of Bladen County due to pumping from the city well field and from the nearby town of White Lake. Black Creek water levels appear to be rebounding in this area due to closure of Alamac Knit Fabrics Inc., which was a heavy ground water user. In the eastern part of the study area where the Black Creek is close to the surface, ground water flows in patterns similar to the surficial aquifer, from areas of recharge in the inter-stream areas to discharge areas such as streams, rivers and wetland areas. This natural pattern of flow is disturbed in areas affected by cones of depression. Where the aquifer is deeper and well confined, ground water flow paths are toward the coast in a southeastward direction with some upward flow to the Cape Fear River and other major surface water bodies.

The aquifer is most heavily used in Robeson County, where it is the chief water supply source for the county water system, and the cities of Lumberton, Pembroke, Red Springs, etc., as well as for several industries. Despite the high volume of withdrawals in Robeson County, water levels are not being severely impacted. In Bladen County, the aquifer is sensitive to relatively small volumes of pumping, as evidenced by the aforementioned cones of depression that developed at Tarheel and Elizabethtown. Aguifer tests analyzed for this study are shown in table 2. According to this data, the Black Creek aquifer has a transmissivity range of 289 to 2,941 ft² per day. Data from an unpublished GMA/Wooten Company report (2003) indicates an overall range of 500 to 7,209 ft2 per day for Black Creek in the Southern Coastal Plain. This range was calculated from 20 aquifer tests. A test at White Lake Prison monitoring station in Bladen County indicated a very low transmissivity value of 289 ft² per day for the Black Creek, in the area of the cone of depression that formed in the Elizabethtown-White Lake area. High transmissivity values in Robeson County (average of 3,850 ft² per day from 10 tests), versus low values in Bladen (average of 1,438 ft² per day from 4 tests) help to explain why the aguifer drawdown impacts are much less severe in Robeson, despite the high volume of pumping from various locations throughout the County. High transmissivity values in Robeson County are in part, explainable by the high thickness of

the aquifer relative to other parts of the study region as indicated by an isopach map (plate 40).

Upper Cape Fear Confining Unit

The Upper Cape Fear confining unit consists of clay, silt, and thin interbedded sands that are part of the Upper Cretaceous age Cape Fear Formation and lower part of the Black Creek Formation. The unit thickens and thins in a non-uniform pattern between 20 and 145 feet across the study area, with an average of 59 feet. Areas of maximum thickness are found in southern Robeson and northern Bladen Counties (plate 42).

Upper Cape Fear Aquifer

The Upper Cape Fear aquifer is composed of alternating beds of sand, clay, and silt which are part of the Upper Cretaceous Cape Fear Formation. The sands are made up of quartz and feldspar, and are fine to coarse grained, subrounded to subangular, poorly sorted with minor to abundant iron oxide staining. Also present are accessory iron oxide minerals such as pyrite, marcasite, and siderite. Fine gravel is present in some well samples. Clay and silt beds are generally red, pink, to yellowish gray in color.

The top of the aquifer ranges in elevation between 38 feet above sea level to 905 feet below sea level at Kure Beach in southern New Hanover County. The top of the aquifer dips to the southeast at a rate that varies from 5 feet per mile to 29 feet per mile in the eastern part of the study area. The unit is wedge shaped in cross sectional profile, thickening generally toward the southeast from a minimum of 44 feet in Robeson County to a maximum of 208 feet in northern New Hanover County. A prominent northwest-southeast trending basement arch is present in the northern part of the study area, the axis of which roughly follows the Cumberland-Sampson and Bladen-Sampson County lines (plate 43). The influence of the basement arch is evident on an elevation map of the top of the Upper Cape Fear aquifer. Elevation contour maps of the underlying Lower Cape Fear aquifer and confining unit do not express the influence of the arch due to a lack of well penetrations of sufficient depth in this area.

A potentiometric surface map prepared from water level data collected in July and August of 2005 reveals a very large cone of depression that covers western Bladen, eastern Robeson, southern Cumberland, and western Columbus Counties. Combined pumping from the Black Creek and Upper Cape Fear aquifers (1,974 gallons per day) at Smithfield Foods Inc. near Tarheel in Bladen County, and from the Elizabethtown-White Lake area (903,000 gpd) has produced large cones of depression in both aquifers. Upper Cape Fear water levels at the center of the Smithfield Foods cone of depression have been drawn down to approximately 114 feet below sea level. Due to reductions in the volume of water withdrawn from the Upper Cape Fear aquifer, water levels have been

recovering at Smithfield Foods since early 2001 (SCP Cap Use Inv., 2004). Because of a lack of water level data specific to the Upper Cape Fear aquifer, the effects of pumping in the Elizabethtown-White Lake area are not apparent on the map. Reductions in pumping rates have occurred there because of the closure of Alamac Knit Fabrics, which pumped large volumes of water from the Upper Cape Fear and Black Creek aquifers combined. Water levels in the Upper Cape Fear aquifer are being affected in Columbus and southern Robeson Counties by pumping from South Carolina. This is apparent on hydrographs from the Boardman, Marietta, Nakina and Clarendon stations, which indicate slow, steady declines in an area of the study region where little to no pumping from the Upper Cape Fear occurs. Under natural conditions, ground water flow lines in this aquifer would point generally southeastward toward the coast, or toward other areas of major natural discharge. Instead, due to pumping and formation of large cones of depression, natural gradients have been altered and much of the flow is toward pumping centers.

The Upper Cape Fear aquifer is particularly sensitive to pumping because it is well confined by thick overlying clay beds which highly limit the amount of vertical recharge (plate 42). The aquifer is also relatively thin in the Tarheel-Elizabethtown area, which limits transmissivity, and large cones of depression are able to form due to relatively low volume pumping (plates 44 and 52). Careful well field design, including adequate spacing between wells is necessary to prevent excessive drawdown in this aquifer.

In Sampson County at the Ivanhoe and Six Runs monitoring stations the aquifer is under artesian flowing pressure. At these locations water level elevations are a few feet above land surface, and are under minimal influence from pumping centers. At Calabash monitoring station in southwestern Brunswick County, the Upper Cape Fear water level is about 13 feet above land surface, again, indicating flowing artesian pressure. Areas where this occurs are where ground water discharge is taking place. Hydraulic heads are at a higher elevation in deeper aquifers than in shallow, thus an upward component of flow is occuring at a very slow rate through the subsurface under the prevailing hydraulic gradient.

The Upper Cape Fear aquifer is used in Sampson County by the towns of Clinton, Garland, Roseboro, and Turkey and also by the town of Parkton in Robeson County. In Bladen County, as mentioned earlier, it is used for municipal supply by Elizabethtown and White Lake, and by Smithfield Foods, Inc. for industrial purposes. Table 3 from GMA-Wooten Co. (2004) lists the volumes of ground water used for industrial, agricultural and domestic purposes in Bladen, Columbus, Robeson and Sampson Counties. Due to limitations of the survey it is unknown how much ground water is withdrawn from individual aquifers.

The aquifer contains salt water in Brunswick, New Hanover, southern Columbus, southeastern Duplin, and most of Pender Counties as indicated by the location of the fresh water-salt water transition zone delineated in this study (plate 43). The transition zone was defined by chloride analysis of water samples and by use of Time Domain

Electromagnetic soundings. TDEM cross sectional a-a', b-b' and c-c' (plates 25, 26 and 27) indicate resistivity value ranges of 5 to 10.5 ohm-meters in the fresh water area of the Upper Cape Fear aquifer and 0 to 4 ohm-meters in the salt water portions of the aquifer. Low average resistivity values in the fresh area of the aquifer are apparently due to a high percentage of clay, which suppresses values of electrical resistivity. For this reason, the position of the transition zone is rather subtle based on interpretation of TDEM response.

Lower Cape Fear Confining Unit

The Lower Cape Fear confining unit is made up of red, pink to yellow-brown colored silts, clays, and thin sand interbeds of the Upper Cretaceous Cape Fear Formation. The Lower Cape Fear aquifer is separated from the Upper Cape Fear aquifer on the basis of significant hydraulic head differences observed at several ground water monitoring stations. Hydrographs from screens positioned above and below the confining unit are shown on hydrogeologic cross sections F'-F", I-I' (plates 8 and 11). The confining unit pinches out approximately along a line though southeastern Robeson, western Bladen, central Sampson, and northern Duplin Counties. The unit is present only to the east of the dashed line. Thickness of the confining unit varies from zero where its updip limit occurs, to a maximum of 146 feet at Supply monitoring station in Brunswick County. Its average thickness across the study region is 55 feet, based on 41 well penetrations.

Lower Cape Fear Aquifer

The Lower Cape Fear Aquifer is lithologically similar to the Upper Cape Fear with the exception that it contains in its lower part, reworked materials from the underlying basement. Sediments that comprise the aquifer are part of the Upper Cretaceous Cape Fear Formation.

According to an elevation contour map, the top of the aquifer dips to the southeast at a rate that varies from 9 feet per mile to 31 feet per mile in the eastern-most section of the study area (plate 47). The approximate updip limit of the aquifer corresponds to the same updip limit line of the confining unit. The average thickness is 151 feet, with a range between zero where it pinches out, to 430 feet near the town of Southport in Brunswick County.

The Lower Cape Fear aquifer is the deepest aquifer in the study region and is thus recharged at the lowest rate. It pinches out against the basement surface as exhibited in cross sections F-F', H-H' I-I', P-P', and U-U' (plates 7, 10, 11, 17 and 22) and thus, does not appear anywhere in the shallow subsurface where it can receive higher recharge rates.

The aquifer is used very little in the study region, due mostly to the fact that it contains salt water over the majority of the area. The position of the fresh water-salt

water transition zone occurs in southern Bladen, the southern tip of Sampson, and southern-most Duplin Counties. Consequently, the area of fresh water occurrence between the transition zone and the up dip limit if the aquifer is rather limited, although the aquifer might provide a viable source of water for the population within that area. It is used in conjunction with other aquifers by the towns of Clinton in Sampson County, and Elizabethtown in Bladen County. The only aquifer test information available is reported in Peek and Heath (1973). A 24 hour test was performed at the Hercules Inc. site, north of Wilmington, in New Hanover County in 1968, which yielded a transmissivity value of 9,000 gpd/ft or 1,206 ft²/day.

Water level data is available from six monitoring stations in the Southern Coastal Plain Counties. Existing data indicates that the aquifer is under anomalous artesian flowing pressure in the southeastern part of the study area, as presented in the following table.

<u>County</u>	Monitoring Station	_	ver CF Aquifer water and surface (August,
		<u>2005)</u>	
			elev. rel. to MSL
Brunswick	Bear Pen	30.77	+91.11
Brunswick	Sunset Harbor	63.7	+89.1
Brunswick	Calabash	53.29	+101.27
Columbus	Waccamaw	14.5	+77.93
Bladen	Kelly	40.62	+70.94
Sampson	Six Runs	6.63	+68.12

The resulting potentiometric surface map (plate 53) drawn from water levels at these well sites indicates a rather anomalous high centered at Calabash monitoring station. Ground water flow lines emanating from the high at Calabash are to the northwest, north and northeast. Under non-pump influenced conditions, the general ground water flow direction in a deep confined aquifer such as the Lower Cape Fear would be southeastward, and generally perpendicular to aquifer elevation contours. High heads in the Lower Cape Fear aquifer can not be explained by high recharge rates or proximity to recharge area because the aquifer pinches out against the basement surface at deep depths as indicated by cross sections I-I', F-F', H-H', P-P', and U-U' (plates 11, 7, 10, 17, and 22). Under these conditions recharge rates are certainly very low.

The anomalous nature of hydraulic heads in this area were recognized and discussed by Peek and Heath (1973) and Peek and Register (1975). Peek and Register (1975) attributed the anomalous pressures to a rise in elevation of the land surface in southeastern North Carolina related to seismic activity, and the resulting compression of sediments. Other possible causes such as high recharge rates, osmotic pressure, high geothermal gradient, and natural gas were ruled out. A reevaluation of bench mark data

used to arrive at the conclusion that land surface had been rising has proven that, if anything, land surface has slowly been subsiding. This has been proven to be in case in the Central North Carolina Coastal Plain, where subsidence has occurred as a result of heavy pumping from Cretaceous aquifers (North Carolina Division of Water Resources). There is no question that high temperatures are not responsible for the anomalous head conditions in the Lower Cape Fear aquifer as the water temperatures at the well sites range in the low to mid 70s in degrees Fahrenheit.

Of the possible causes of anomalous pressure introduced by Peek and Register (1975), natural gas accumulation seemed the most likely. The idea was tested using a GEM-500 Landfill Gas Monitor to conduct well site analysis of methane (CH₄) concentrations. The GEM-500 measures CH₄ as a percent by volume. Ground water monitoring wells in the test area are equipped with spigots by which a pressure gauge may be attached to measure pressure in pounds per square inch. Values measured are then converted to total hydraulic head using a multiplier of 2.31 feet/psi. At each well tested a short hose was attached to the spigot and then bent upward to direct the water flow into an inverted plastic container with an opening just large enough to accept the spout of the hose. After the water was allowed to flow into the container for 10 minutes the GEM-500 probe was inserted into the top of the container for 2 to 3 minutes in order to measure the percentage of CH₄. Subsequently, at each site, another small plastic container was filled with water, then agitated, and allowed to sit in sunlight for a period of 20-25 minutes. The cap was then removed and the GEM-500 probe was quickly placed inside to measure CH₄ percentage. The results of each test are presented in table 3. As the table indicates, methane gas was detected by the GEM-500 at several monitoring sites. Where detected, CH₄ levels range between .1 percent at Kelly Station to 5.8 percent at Bear Pen Station. It is interesting to note that a 3.5 percent reading was taken from the Upper Cape Fear aquifer monitoring well at Calabash, which currently shows a head of 13.22 feet above land surface. The 5.8 percent maximum reading was taken from the Lower Cape Fear aquifer well at Bear Pen Station, which displays a head of 30.77 feet above land surface.

Monitoring Station	Aquifer	topographic quad/well no.	Screened Interval in feet below ls	test 1 %CH4	test 2 %CH4
Calabash	Lower Cape Fear	hh39j2	1042-1052	0.5	2.1
Calabash	Upper Cape Fear	hh39j6	810-820	3.5	not measured
Sunset Harbor	Lower Cape Fear	gg34s2	1294-1304	0.1	0.6
Bear Pen	Lower Cape Fear	ee36k2	1038-1048	5.8	0.7
Kelly	Lower Cape Fear	aa35n2	610-620	0	0.1
Lake	Lower	cc38b7	668-678	0	0
Waccamaw	Cape Fear				
Six Runs	Lower Cape Fear	y35t4	370-380	0	0
Six Runs	Black Creek	y35t5	63-83	0	0
Six Runs	Upper Cape Fear	y35t6	240-266	0	0
Six Runs	Black Creek	y35t7	196-206	0	0
Six Runs	Upper Cape Fear	y35t8	258-268	0	0
Ivanhoe	Black Creek	y34p4	328-338	0	0

Table 3: Methane Concentration by volume at selected well locations in the North Carolina Southern Coastal Plain

The following observations can be made about the methane findings:

- 1. It is unknown at this time whether or not these levels reflect the actual concentrations in the aquifers. An in situ method such as those available through geophysical logging techniques and use of the Archie equation would allow for direct measurement. Follow up work with laboratory measurements of ground water samples and other analysis methods will be necessary.
- 2. Detectable levels of CH₄ were found in the area of highest head located on the Lower and Upper Cape Fear potentiometric surface maps. No methane was detected at Six Forks, Lake Waccamaw and Ivanhoe Stations, which are located several miles to the north. By the process of

elimination, one could ascertain that pressures related to methane gas accumulation are wholly or partially the cause of the highest head values at Calabash, Sunset Harbor and Bear Pen. Localized methane accumulation could have occurred due to a permeability barrier related to diagenetic factors or facies variations from sand to clay.

3. There are two types of methane, biogenic and thermogenic. Biogenic methane is formed by the breakdown of carbon dioxide by bacteria in the presence of hydrogen to form CH₄. Biogenic methane is a common constituent of ground waters around the world (Gorody, Baldwin and Scott, 2005). Thermogenic methane is formed by the thermal breakdown of organic material from marine source beds. It is unknown at this time whether the methane was formed in the deeper subsurface by thermogenic means and migrated upgradient to its present position, or if it was generated through a biogenic process.

Further investigation of these findings will be conducted by the Division of Water Resources in order to gain additional information about methane concentrations and their influence on hydraulic head in this area.

Basement

The Quaternary through Cretaceous age sediments of the Southern Coastal Plain are underlain by a basement complex of pre-Mesozoic rocks which vary in type between volcanic, plutonic, and metamorphic. Also included are slightly metamorphosed sedimentary rocks such as mudstone, siltstone, and greywacke (Lawrence and Hoffman, 1993).

According to a structural map of its elevation (plate 49), the basement surface dips to the southeast at a rate that varies from 10 feet per mile in the western portion of the area, to 35 feet per mile near the coast. Available data indicates that its elevation ranges between 200 feet above sea level in northwestern Hoke and Scotland Counties, to 1,525 feet below sea level near Southport in New Hanover County.

In 2004, the Division of Water Resources installed two monitoring stations in southeastern Cumberland County, the DWR Bushy Lake Station and Cedar Creek Firetower Station. Pilot holes at both sites encountered basement material (slightly metamorphosed mudstone) at much shallower depths than was expected from correlation of regional borehole data. An updated contour map (plate 49) reveals the existence of an arch on the basement surface in Cumberland and Bladen Counties, the axis of which approximately follows the Cape Fear River. It is possible that this is a northward, more prominent extension of the Cape Fear Arch, which is visible on the southwestern part of the map by a slight bowing of contours along the Cape Fear River underneath New Hanover, Brunswick, Pender, Columbus, and Sampson Counties.

The morphology of the basement surface has a strong affect in some areas on the thickness patterns of overlying sediments. Examples of this are illustrated on cross section b-b' (plate 3) which clearly shows thinning of the sediment column over a basement high. Thickening of the sedimentary section occurs in a basement low that is visible in southern Robeson County on a structural map (plate 49) and cross section C-C' (plate 4).

Summary and Conclusions

Population growth in the Southern North Carolina Coastal Plain has led to increased reliance on ground water for water supply needs. This has fueled the need to understand in more detail, the system of aquifers and confining beds that underlie the region, and in particular how the aquifers are being affected by current pumping conditions. A better and more detailed understanding of the hydrogeologic framework will allow for development of strategies for dealing with water level declines in the confined aquifers of the Southern Coastal Plain.

This study was accomplished by correlation and interpretation of borehole geophysical and lithologic logs, water level and chloride measurements taken from a network of observation and other types of wells, aquifer test data, and time domain electromagnetic soundings. Much additional information has been made available from new ground water monitoring station sites that have been added to the North Carolina ground water monitoring network by the Division of Water Resources Moreover, new information has been made available through public and private water system wells that have been drilled in the past few years.

The hydrogeologic system in the study region, from basement to land surface, consists of six regionally significant aquifers and the intervening confining units that separate them. Included are the surficial, Castle Hayne, Peedee, Black Creek, Upper and Lower Cape Fear aquifers. Each aquifer was mapped and described in as much detail as available data would allow in order to define them in terms of regional elevation, thickness and lateral distribution, hydraulic properties, relationship to stratigraphic units, ground water movement, and chloride distribution. The approximate position of 250 parts per million chloride interfaces was plotted, where applicable on cross sections and elevation maps prepared for the study. Water level data from a regional network of monitoring wells was used to construct up-to-date potentiometric surface maps for each of the confined aquifers in the study region.

The results of this study indicate that ample ground water supplies exist in the Southern Coastal Plain to provide for present and future needs, in balance with surface water use. However, it is also clear that careful consideration must be taken in the placement and design of new well fields in order to avoid excessive drawdown situations such as what has occurred in Bladen County in the Black Creek and Upper Cape Fear

Aquifers. Confined aquifers in areas such as Bladen County are particularly sensitive to relatively small pumping volumes due to low aquifer transmissivity. Excessive drawdown can lead to dewatering of a confined aquifer, which will result in compaction, loss of pore space, and permanent loss of yield ability. Moreover, excessive drawdown can lead to salt water encroachment if salt water sources are within reach of a cone of depression, or if a source exists below the zone of pumping. Careful monitoring of aquifers in the Southern Coastal Plain via the Division of Water Resources monitoring network is necessary in order to track water level decline rates, the growth of cones of depression, and changes in chloride concentration in areas affected by pumping. Expansion of this network is badly needed in order to gain adequate coverage of areas experiencing water level declines.

Additional ground water monitoring stations are needed near the cities of Elizabethtown, White Lake and Tarheel in Bladen County to monitor water level declines in the Black Creek and Upper Cape Fear aquifers. Additional monitoring stations are needed in the vicinity of Lumberton in Robeson County to monitor declines in the Black Creek aquifer. Wells are needed in Scotland and Hoke Counties in order to better understand the hydrogeologic framework and monitor Black Creek and Upper Cape Fear aquifer water levels. The Turkey Station in Sampson County needs to be replaced because of well construction problems along with the Magnolia and Red Banks stations in Robeson County. A big gap in the Division of Water Resources monitoring network exists in Pender County, where there is only one station at Burgaw. Additional stations are needed there in order to gain a better understanding of ground water conditions. Monitoring stations are badly needed in New Hanover County on order to monitor stresses on the Peedee and Castle Hayne aquifers, particularly in the northern half where the majority of the population lives and where ground water withdrawals are heaviest.

References

Bain, G.L., 1970, Geology and Ground-Water Resources of New Hanover County, North Carolina", U.S. Geological Survey Ground Water Bulletin No. 17, 79 p.,

Gorody, A.W., Baldwin, D. and Scott, C., 2005, Dissolved Methane in Groundwater, San Juan Basin, La Plata County Colorado: Analysis of Data Submitted in Response to COGCC Orders 112-156 @ 112-157. Proceedings of 12th Annual International Petroleum Environmental Conference, 2005.

Harden, S.L., Fine, J.M., and Spruill, T.B., 2003, Hydrogeology and Ground-Water Quality of Brunswick County, North Carolina, U.S. Geological Survey Report 03-4051, 90 p.

Heath, R.C., 1997, Aquifer Sensitivity Map of Brunswick County, North Carolina, unpublished report for the Brunswick County Planning Department, 21 p.

Heath, R. C. ,1994, Ground-Water Recharge in North Carolina, unpublished report prepared for the North Carolina Dept. of Environment. Health and Natural Resources, 52 p.

Keyes, W.S., (1990) Borehole Geophysics Applied to Ground-Water Investigations, in Techniques of Water Resources Investigations: U.S Geological Survey, Book 2, Chapter E2, 149p.

Lautier, J.C., 2002 "Hydrogeologic Framework and Ground Water Conditions in the North Carolina Central Coastal Plain", North Carolina Division of Water Resources.

Lautier, J.C., 1998, Hydrogeologic Assessment of the Proposed Deepening of the Wilmington Harbor Shipping Channel, North Carolina Dept. of Environment, Health and Natural Resources. Division of Water Resources, 125 p.

Lawrence D.P., and Hoffman C.W., 1993, Geology of Basement Rocks Beneath the North Carolina Coastal Plain, North Carolina Geological Survey, Bulletin 95, 30 p.

North Carolina Division of Water Resources, 1993, Internet Website Report at: http://www.ncwater.org/Permits_and_Registration/Capacity_Use/Central_Coastal_Plain/landsub.php

North Carolina Division of Water Resources, 2004, Southern Coastal Plain Capacity Use Investigation, NC Department of Environment and Natural Resources, 23 p.

North Carolina Division of Water Resources, 2002, Bladen County Preliminary Capacity Use Assessment, North Carolina Department of Environment and Natural Resources, 11 p.

Peek, H.M., and Register, L.A., 1975, A Preliminary Report on Anomalous Pressures in Deep Artesian Aquifers in Southeastern North Carolina, North Carolina Dept. of Natural and Economic Resources, Investigation Report No. 10, 20 p.

Peek, H.M., and Heath, R.C., 1973, Feasibility Study of Liquid Waste Injection into Aquifers Containing Salt Water, Wilmington, North Carolina, Symposium on Underground Waste Management and Artificial Recharge, New Orleans, La., v. 2, p. 851-875.


Strickland, A.G., 2000, "Water Level Conditions in the Black Creek Aquifer, 1992-1998, in Parts of Bladen, Hoke, Robeson, and Scotland Counties, North Carolina," U.S. Geological Survey Water Resources Investigations Report 00-4138, 23 p.


Strickland, A.G., 1999, "Water-Level Conditions in the Upper Cape Fear Aquifer, 1994-98, in Parts of Bladen and Robeson Counties, North Carolina," U.S. Geological Survey Water Resources Investigations Report 99-4127


"Southern Coastal Plain Water Source Plan 2040 – A Regional Water Supply Plan for the Southern Coastal Plain of North Carolina," 2004, Groundwater Management Associates, The Wooten Company, 2004.

Winner, M. and Coble, R., 1989, "Hydrogeologic Framework of the North Carolina Coastal Plain Aquifer System," U.S. Geological Survey Open File Report 87-690, 155 p.

Plate 1: North Carolina Division of Water Resources Cross Section Location Map North Carolina Southern Coastal Plain











Plate 2. Southwest to Northeast Hydrogeologic Cross Section A-A' through Robeson, Cumberland, and Sampson Counties, NC







Plate 3. Southwest to Northeast Hydrogeologic Cross Section B-B' through Robeson, Bladen, Cumberland, and Sampson Counties, NC









Plate 4. Southwest to Northeast Hydrogeologic Cross Section C-C' through Robeson and Bladen Counties, NC







Limestone

Basement

Bed or beds composed of silt, or silt, clay or sand/limestone combinations





Plate 6: Southwest to Northeast Hydrogeologic Cross Section E-E' through Columbus, Bladen, Sampson and Duplin Counties, NC







Plate 7: Northwest to Southeast Hydrogeologic Cross Section F-F' through Robeson, Bladen, and Columbus Counties, NC








Plate 8. Northwest to Southeast Hydrogeologic Cross Section F'-F" through Columbus and Brunswick Counties, NC









Plate 9. Northwest to Southeast Hydrogeologic Cross Section G-G' through Robeson and Bladen Counties, NC







Plate 10. Northwest to Southeast Hydrogeologic Cross Section H-H' through Robeson and Bladen Counties, NC










Plate 11. Northwest to Southeast Hydrogeologic Cross Section I-I' through Scotland, Robeson, Columbus and Brunswick Counties, NC









Cross Section






Plate 13. Northwest to Southeast Hydrogeologic Cross Section K-K' through Brunswick County, NC









Plate 14: Northwest to Southeast Hydrogeologic Cross Section L-L' through Brunswick County, NC







Plate 15. Southwest to Northeast Hydrogeologic Cross Section N-N' through Brunswick County, NC







Plate 16. Southwest to Northeast Hydrogeologic Cross Section O-O' through Scotland and Hoke Counties, NC









Plate 17. Northwest to Southeast Hydrogeologic Cross Section P-P' through Cumberland and Bladen Counties, NC













Plate 20. Northwest to Southeast Hydrogeologic Cross Section S-S' through Brunswick, New Hanover and Pender Counties, NC











Plate 21. Northwest to Southeast Hydrogeologic Cross Section T-T' through Bladen. Sampson. Pender. and New Hanover Counties, NC







Plate 23: North Carolina Division of Water Resources TDEM Profile Location Map North Carolina Southern Coastal Plain






Plate 24. Time Domain Electromagnetic Resistivity Profile a-a' through Columbus and Brunswick Counties, NC

Legend:



Hydrogeologic Unit Correlation Line (unit tops are based on contour map elevations and not necessarily on TDEM response)



Approximate 250 ppm Chloride Interface Position







Plate 25. Time Domain Electromagnetic Resistivity Profile b-b' through Bladen, Brunswick and Columbus Counties, NC

Legend:



Approximate 250 ppm Chloride Interface Position

lem			
100			



0 10 20 30 40 50 60 70 80 90

Plate 26. Time Domain Electromagnetic Resistivity Profile c-c' through Sampson, Pender, and New Hanover Counties, NC

50000

Legend:

Hydrogeologic Unit Correlation Line (unit tops are based on contour map elevations and not necessarily on TDEM response)

Approximate 250 ppm Chloride Interface Position

Plate 27. North Carolina Division of Water Resources **Map Showing Hydrogeologic Framework Well Locations and Numbers** North Carolina Southern Coastal Plain \square 95 96 [№]173 ₁₇₂ •99 105 106 •180 •¹⁰¹/ • Framework Well Locations and Well Numbers City Boundaries County Boundaries •33 20 Miles 116

Plate 28: North Carolina Division of Water Resources
Elevation Map: Top of the Castle Hayne Confining Unit in the North Carolina Southern Coastal Plain
Contour Interval = 50 feet




Plate 29. North Carolina Division of Water Resources
Thickness Map of the Castle Hayne Confining Unit in the North Carolina Southern Coastal Plain
Contour Interval = 10 feet




Plate 30. North Carolina Division of Water Resources
Elevation Map: Top of the Castle Hayne Aquifer in the North Carolina Southern Coastal Plain
Contour Interval= 50 feet




Plate 31. North Carolina Division of Water Resources
Thickness Map of the Castle Hayne Aquifer in the North Carolina Southern Coastal Plain
Contour Interval= 20 feet




Plate 32. North Carolina Division of Water Resources
Elevation Map: Top of the Peedee Confining Unit in the North Carolina Southern Coastal Plain
Contour Interval: 50 feet




Plate 33. North Carolina Division of Water Resources
Thickness of the Peedee Confining Unit in the North Carolina Southern Coastal Plain
Contour Interval= 20 feet




Plate 34. North Carolina Division of Water Resources
Elevation of the Top of the Peedee Aquifer in the North Carolina Southern Coastal Plain
Contour Interval= 50 feet




Plate 35. North Carolina Division of Water Resources
Thickness Map of the Peedee Aquifer in the North Carolina Southern Coastal Plain
Contour Interval = 40 feet




Plate 36. North Carolina Division of Water Resources
Elevation Map of the Top of the Black Creek Confining Unit in the North Carolina Southern Coastal Plain
Contour Interval= 100 feet




Plate 37. North Carolina Division of Water Resources
Thickness Map of the Black Creek Confining Unit in the North Carolina Southern Coastal Plain
Contour Interval= 20 feet





Plate 38. North Carolina Division of Water Resources Elevation Map of the top of the Black Creek Aquifer in the North Carolina Southern Coastal Plain Contour Interval= 100 feet



5<u>0</u> <u>5</u>0 Miles

Plate 39. North Carolina Division of Water Resources
Thickness Map of the Black Creek Aquifer in the North Carolina Southern Coastal Plain




Plate 40: North Carolina Division of Water Resources Elevations Contours: Top of the Upper Cape Fear Confining Unit Contour Interval= 100 feet




Plate 41: North Carolina Division of Water Resources Thickness Contours: Upper Cape Fear Confining Unit Contour Interval=20 feet



Plate 42. North Carolina Division of Water Resources
Elevation Map of the Top of the Upper Cape Fear Aquifer in the North Carolina Southern Coastal Plain
Contour Interval= 100 feet




Plate 43. North Carolina Division of Water Resources
Thickness Map of the Upper Cape Fear Aquifer in the North Carolina Southern Coastal Plain
Contour Interval= 40 feet




Plate 44. North Carolina Division of Water Resources
Elevation Map of the Top of the Lower Cape Fear Confining Unit
Contour Interval= 100 feet




Plate 45. North Carolina Division of Water Resources
Thickness Map of the Lower Cape Fear Confining Unit
Contour Interval= 20 feet




Plate 46. North Carolina Division of Water Resources
Elevation Map: Top of the Lower Cape Fear Aquifer in the North Carolina Southern Coastal Plain
Contour Interval= 100 feet




Plate 47. North Carolina Division of Water Resources
Thickness Map of the Lower Cape Fear Aquifer in the North Carolina Southern Coastal Plain
Contour Interval= 20 feet




Plate 48: North Carolina Division of Water Resources
Elevation Map of the Top of Basement in the North Carolina Southern Coastal Plain
Contour Interval= 100 feet




Plate 49. North Carolina Division of Water Resources
August, 2005 Potentiometric Surface Map of the Peedee Aquifer in the North Carolina Southern Coastal Plain
Contour Interval= 10 feet




Plate 50. North Carolina Division of Water Resources
August, 2005 Potentiometric Surface of the Black Creek Aquifer in the North Carolina Southern Coastal Plain
Contour Interval= 20 feet




Plate 51. North Carolina Division of Water Resources
August, 2005 Potentiometric Surface Map of the Upper Cape Fear Aquifer in the North Carolina Southern Coastal Plain
Contour Interval= 20 feet





Plate 52: North Carolina Division of Water Resources
August, 2005 Potentiometric Surface Map of the Lower Cape Fear Aquifer in the North Carolina Southern Coastal Plain
Contour Interval= 20 feet



SCP Appendix

County	Bladen		Latitude	34.632920
Well Name	Town of Elizabethtown		Longitude	-78.620500
Well Number	1		Well Depth	501
Quad	Y 39M		Land Surface Elevation	105
	Hydr	rogeologic U	nit Top Elevations	
Surficial aquife	er	105	Upper Cape Fear confining unit	-162
Castle Hayne c	onfining unit	not present	Upper Cape Fear aquifer	-247
Castle Hayne a	quifer	not present	Lower Cape Fear confining unit	-319
Peedee confinii	ng unit	not present	Lower Cape Fear Aquifer	-343
Peedee Aquifer		not present	Basement	-371
Black Creek co	onfining unit	20		
Black Creek aq	uifer	-29		
County	Bladen		Latitude	34.615913
Well Name	Town of Elizabethtown		Longitude	-78.603751
Well Number	2		Well Depth	485
Quad	Y 39S		Land Surface Elevation	100
	Hydr	ogeologic U	nit Top Elevations	
Surficial aquife		100	Upper Cape Fear confining unit	-152
Castle Hayne c		not present	Upper Cape Fear aquifer	-230
Castle Hayne a		not present	Lower Cape Fear confining unit	-331
Peedee confinii		not present	Lower Cape Fear Aquifer	-350
Peedee Aquifer	_	not present	Basement	not penetrated
Black Creek co		32		1
Black Creek aq		-4		
County	Bladen		Latitude	34.541663
Well Name	DWR, Bladenboro Station		Longitude	-78.791667
Well Number	3		Well Depth	539
Quad	Z 41M		Land Surface Elevation	107
	•		nit Top Elevations	
Surficial aquife		107	Upper Cape Fear confining unit	-193
Castle Hayne c		not present	Upper Cape Fear aquifer	-253
Castle Hayne a		not present	Lower Cape Fear confining unit	?
Peedee confinii	ng unit	not present	Lower Cape Fear Aquifer	?
Peedee Aquifer		not present	Basement	-432
Black Creek co	_	10		
Black Creek ag	uifer	-33		
County	Bladen		Latitude	34.506753
Well Name	DWR, Bladenboro Station		Longitude	-78.754306
Well Number	4		Well Depth	575
Quad	Z 41U		Land Surface Elevation	105
	Hydr	ogeologic U	nit Top Elevations	
Surficial aquife	· · · · · · · · · · · · · · · · · · ·	105	Upper Cape Fear confining unit	-227
Castle Hayne c		not present	Upper Cape Fear aquifer	-274
Castle Hayne a	_	not present	Lower Cape Fear confining unit	-381
Peedee confinii	-	57	Lower Cape Fear Aquifer	-419
Peedee Aquifer	_	40	Basement	-470
Black Creek co		-25		
Black Creek ag	_	-44		
	1			

County Well Name Well Number	Bladen Town of Dublin 5		Latitude Longitude Well Depth	34.653329 -78.727226 465
Quad	Y 40D	TT 1	Land Surface Elevation	135
CC			nit Top Elevations	200
Surficial aquife		135	Upper Cape Fear confining unit Upper Cape Fear aquifer	-209 -255
Castle Hayne o		not present not present	Lower Cape Fear confining unit	not present
Peedee confini		not present?	Lower Cape Fear Aquifer	not present
Peedee Aquifer	0	?	Basement	not penetrated
Black Creek co		19		F
Black Creek ac	_	-21		
County	Bladen		Latitude	34.679445
Well Name	Black Lake		Longitude	-78.417780
Well Number	6		Well Depth	440
Quad	X 37U		Land Surface Elevation	85
		Hydrogeologic U.	nit Top Elevations	
Surficial aquife	er	85	Upper Cape Fear confining unit	-148
Castle Hayne o	confining unit	not present	Upper Cape Fear aquifer	-175
Castle Hayne a	•	not present	Lower Cape Fear confining unit	not penetrated
Peedee confini	0	not present	Lower Cape Fear Aquifer	
Peedee Aquifer		not present	Basement	
Black Creek co		19		
Black Creek ac	-	9		
County	Bladen		Latitude	34.734722
Well Name	Town of Tar Heel		Longitude	-78.791667
Well Number	7 X 41C		Well Depth Land Surface Elevation	236
Quad	X 41C	Undrogaologia II		130
Surficial aquife	2 h.	130	nit Top Elevations Upper Cape Fear confining unit	not penetrated
Castle Hayne of		not present	Upper Cape Fear aquifer	not penetrated
Castle Hayne a		not present	Lower Cape Fear confining unit	
Peedee confini	-	not present	Lower Cape Fear Aquifer	
Peedee Aquifer	0	not present	Basement	
Black Creek co	onfining unit	94		
Black Creek ac	quifer	58		
County	Bladen		Latitude	34.741668
Well Name	Town of White Oak		Longitude	-78.708333
Well Number	8		Well Depth	340
Quad	X 40C		Land Surface Elevation	75
		Hydrogeologic U	nit Top Elevations	
Surficial aquifo		75	Upper Cape Fear confining unit	-61
Castle Hayne	0	not present	Upper Cape Fear aquifer	-197
Castle Hayne a Peedee confinit		not present	Lower Cape Fear confining unit Lower Cape Fear Aquifer	not penetrated
Peedee Aquifer	0	not present not present	Basement	
Black Creek co		43	Dasement	
Black Creek ac	_	33		
County	Bladen		Latitude	34.455982
Well Name	DWR Kelly Station		Latitude Longitude	-78.307832
Well Number	9		Well Depth	670
Quad	AA 35N		Land Surface Elevation	30
_		Hydrogeologic U	nit Top Elevations	
Surficial aquife	er	30	Upper Cape Fear confining unit	-348
Castle Hayne o		not present	Upper Cape Fear aquifer	-385
Castle Hayne a		not present	Lower Cape Fear confining unit	-514
Peedee confinii		-24	Lower Cape Fear Aquifer	-570
Peedee Aquifer		-44	Basement	-633
Black Creek co		-148		
Black Creek ac	Juifer	-182		

County Well Name Well Number	Bladen Smithfield Packing	; Co.	Latitude Longitude Well Depth	34.745043 -78.806776 450
Quad	X 41D		Land Surface Elevation	126
		Hydrogeologic U	nit Top Elevations	
Surficial aquife		126	Upper Cape Fear confining unit	-134
Castle Hayne c		not present	Upper Cape Fear aquifer	-182
Castle Hayne a		not present	Lower Cape Fear confining unit	not present
Peedee confinir	ng unit	not present	Lower Cape Fear Aquifer	not present
Peedee Aquifer		not present	Basement	not penetrated
Black Creek co Black Creek aq	0	70 60		
	·			
County	Bladen	Dutana Chartan	Latitude	34.655278
Well Name Well Number	DWR White Lake 1	Prison Station	Longitude Well Depth	-78.522500 497
Quad	Y 38B		Land Surface Elevation	70
Quau	1 30 D	Hydrogeologic II	nit Top Elevations	70
Surficial aquife	ar	70	Upper Cape Fear confining unit	-186
Castle Hayne c		not present	Upper Cape Fear aquifer	-210
Castle Hayne a	_	not present	Lower Cape Fear confining unit	-324
Peedee confinir		not present	Lower Cape Fear Aquifer	-360
Peedee Aquifer	0	not present	Basement	-410
Black Creek co	onfining unit	10		
Black Creek aq	uifer	-15		
County	Bladen		Latitude	34.390004
Well Name	East Arcadia		Longitude	-78.321662
Well Number	12		Well Depth	250
Quad	BB 35F		Land Surface Elevation	50
			nit Top Elevations	
Surficial aquife		50	Upper Cape Fear confining unit	
Castle Hayne c		not present	Upper Cape Fear aquifer	
Castle Hayne a Peedee confinir	_	not present -22	Lower Cape Fear confining unit Lower Cape Fear Aquifer	
Peedee Aquifer	ig unit	-22 -42	Basement	
Black Creek co	onfining unit	-184	Dascincit	
Black Creek aq	_	not penetrated		
County	Bladen	<u>-</u>	Latitude	34.376404
Well Name	East Arcadia		Longitude	-78.334491
Well Number	13		Well Depth	328
Quad	BB 36K		Land Surface Elevation	63
		Hydrogeologic U	nit Top Elevations	
Surficial aquife		63	Upper Cape Fear confining unit	not penetrated
Castle Hayne c	0	not present	Upper Cape Fear aquifer	
Castle Hayne a		not present	Lower Cape Fear confining unit	
Peedee confinir	ig unit	-17	Lower Cape Fear Aquifer	
Peedee Aquifer Black Creek co	nfining unit	-33 -202	Basement	
Black Creek aq	_	-202 -221		
	·		T -4:4 J -	24 (59224
County Well Name	Bladen Town of Dublin		Latitude Longitude	34.658334 -78.723892
Well Number	14		Well Depth	450
Quad	Y 40D		Land Surface Elevation	135
•		Hydrogeologic U	nit Top Elevations	
Surficial aquife	er	135	Upper Cape Fear confining unit	-173
Castle Hayne c		not present	Upper Cape Fear aquifer	-209
Castle Hayne a	_	not present	Lower Cape Fear confining unit	not penetrated
Peedee confinir	_	not present	Lower Cape Fear Aquifer	
Peedee Aquifer		not present	Basement	
Black Creek co	_	5		
Black Creek aq	uifer	-15		

Well Name Well Number	Bladen White Lake Farm 15		Latitude Longitude Well Depth	34.664444 -78.493609 258
Quad	Y 37E	Hydrogaologia II	Land Surface Elevation	85
Surficial aquifer Castle Hayne co Castle Hayne aq Peedee confining Peedee Aquifer Black Creek con Black Creek aqu	nfining unit uifer 3 unit ıfining unit	85 not present not present not present not present not present 41 -9	nit Top Elevations Upper Cape Fear confining unit Upper Cape Fear aquifer Lower Cape Fear confining unit Lower Cape Fear Aquifer Basement	not penetrated
·	Bladen		Latitude	34.643614
	Cogentrix		Longitude	-78.642502
Well Number	16 Y 39G		Well Depth	445
Quad	1 39G	Hydrogaologia II	Land Surface Elevation nit Top Elevations	130
Surficial aquifor		130	Upper Cape Fear confining unit	-126
Surficial aquifer Castle Hayne co		not present	Upper Cape Fear comming unit Upper Cape Fear aquifer	-120 -194
Castle Hayne aq	<u> </u>	not present	Lower Cape Fear confining unit	not penetrated
Peedee confining		not present	Lower Cape Fear Aquifer	net penetrates
Peedee Aquifer	,	not present	Basement	
Black Creek con		52		
Black Creek aqu	ifer	-20		
County	Bladen		Latitude	34.649441
	West Point Pepperell		Longitude	-78.643611
Well Number	17		Well Depth	504
Quad	Y 39G	II 1 1 II	Land Surface Elevation	135
CC			nit Top Elevations	121
Surficial aquifer		135	Upper Cape Fear confining unit	-131 -241
Castle Hayne co Castle Hayne aq		not present not present	Upper Cape Fear aquifer Lower Cape Fear confining unit	-241 -305
Peedee confining		not present	Lower Cape Fear Aquifer	-319
Peedee Aquifer	,	not present	Basement	not penetrated
Black Creek con	fining unit	35		•
Black Creek aqu	ifer	3		
County	Bladen		Latitude	34.645558
	West Point Pepperell		Longitude	-78.644446
Well Number	18		Well Depth	518
Quad	Y 39G	TT 1 1 • T7	Land Surface Elevation	130
C		• 0 0	nit Top Elevations	126
Surficial aquifer Castle Hayne co		not present	Upper Cape Fear confining unit Upper Cape Fear aquifer	-136 -234
Castle Hayne aq	_	not present	Lower Cape Fear confining unit	-311
Peedee confining		not present	Lower Cape Fear Aquifer	-330
Peedee Aquifer	,	not present	Basement	-366
Black Creek con	_	14		
Black Creek aqu	ifer	2		
•	Bladen		Latitude	34.643614
	West Point Pepperell		Longitude	-78.642502
Well Number	19 V. 20G		Well Depth	503
Quad	Y 39G	Hydrogaalagia II	Land Surface Elevation	130
Surficial conifer		130	nit Top Elevations	-106
Surficial aquifer Castle Hayne co		not present	Upper Cape Fear confining unit Upper Cape Fear aquifer	-106 -184
Castle Hayne aq		not present	Lower Cape Fear confining unit	-280
Peedee confining		not present	Lower Cape Fear Aquifer	-298
Peedee Aquifer	•	not present	Basement	not penetrated
Black Creek con	_	41		-
Black Creek aqu	ifer	20		

County Well Name	Bladen Wade Taylor		Latitude Longitude	34.645968 -78.698845
Well Number	20		Well Depth	274
Quad	Y 40I		Land Surface Elevation	140
		Hydrogeologic Ui	nit Top Elevations	
Surficial aquife Castle Hayne c	onfining unit	not present	Upper Cape Fear confining unit Upper Cape Fear aquifer	not penetrated
Castle Hayne a		not present	Lower Cape Fear confining unit	
Peedee confinir	_	not present	Lower Cape Fear Aquifer	
Peedee Aquifer		not present	Basement	
Black Creek co	U	17		
Black Creek aq	·	-4		
County	Bladen		Latitude	34.843612
Well Name	Dupont Corp.		Longitude	-78.838333
Well Number	21		Well Depth	384
Quad	V 42U	TT 1 1 • T7	Land Surface Elevation	147
~ ~			nit Top Elevations	
Surficial aquife		147	Upper Cape Fear confining unit	-53
Castle Hayne c	_	not present	Upper Cape Fear aquifer	-173
Castle Hayne a		not present	Lower Cape Fear Confining unit	not present
Peedee confinir	ig unit	not present	Lower Cape Fear Aquifer	not present
Peedee Aquifer Black Creek co	onfining unit	not present 84	Basement	-237
Black Creek aq	U	84 65		
	•	03	<u> </u>	04.554.55
County	Bladen	G 1 1	Latitude	34.551716
Well Name	USGS Elizabethtow	n Corehole	Longitude	-78.516095
Well Number	22		Well Depth	567
Quad	Z 38J	TT 1 1 • T7	Land Surface Elevation	109
~ ~			nit Top Elevations	400
Surficial aquife		109	Upper Cape Fear confining unit	-189
Castle Hayne c		not present	Upper Cape Fear aquifer	-211
Castle Hayne a	_	not present	Lower Cape Fear confining unit	-389
Peedee confinir Peedee Aquifer	ig unit	41	Lower Cape Fear Aquifer Basement	-445
Black Creek co	nfining unit	24 -4	Dasement	not penetrated
Black Creek aq	_	-16		
			T (4, 1	24.642.672
County Well Name	Bladen Town of Dublin		Latitude Longitude	34.642673 -78.674491
Well Number	23		Well Depth	-/8.6/4491 499
Quad	Y 40J		Land Surface Elevation	125
Quau	1 403	Hydrogeologic U	nit Top Elevations	123
Surficial aquife	ar	125	Upper Cape Fear confining unit	-139
Castle Hayne c		not present	Upper Cape Fear aquifer	-243
Castle Hayne a		not present	Lower Cape Fear confining unit	-302
Peedee confinir		not present	Lower Cape Fear Aquifer	-322
Peedee Aquifer	8	not present	Basement	not penetrated
Black Creek co	onfining unit	14		-
Black Creek aq	_	-28		
County	Bladen		Latitude	34.810934
Well Name	Bladen Co. Water D	District	Longitude	-78.877222
Well Number	24		Well Depth	197
Quad	W 42H		Land Surface Elevation	152
		Hydrogeologic U	nit Top Elevations	
Surficial aquife	er	152	Upper Cape Fear confining unit	not penetrated
Castle Hayne c		not present	Upper Cape Fear aquifer	
Castle Hayne a	quifer	not present	Lower Cape Fear confining unit	
Peedee confinir	ng unit	not present	Lower Cape Fear Aquifer	
Peedee Aquifer		not present	Basement	
		F		
Black Creek co Black Creek aq		124 118		

County Well Name Well Number	Bladen Smithfield Packing Co. MW 25	7-3	Latitude Longitude Well Depth	34.745216 -78.802800 420
Quad	X 41D		Land Surface Elevation	132
Quau		rogeologic U	nit Top Elevations	132
Surficial aquife Castle Hayne co Castle Hayne ac	r onfining unit	132 not present not present	Upper Cape Fear confining unit Upper Cape Fear aquifer Lower Cape Fear confining unit	-162 -196 not present
Peedee confinin	g unit	not present	Lower Cape Fear Aquifer	not present
Peedee Aquifer		not present	Basement	not penetrated
Black Creek co	9	97		
Black Creek aq	uifer	72		
County	Bladen		Latitude	34.760652
Well Name	Smithfield Packing Co. MW	7-1	Longitude	-78.802567
Well Number	26		Well Depth	420
Quad	W 41X		Land Surface Elevation	141
	•		nit Top Elevations	
Surficial aquife		141	Upper Cape Fear confining unit	-149
Castle Hayne co		not present	Upper Cape Fear aquifer	-189
Castle Hayne ac	•	not present	Lower Cape Fear confining unit	not present
Peedee confinin	g unit	not present	Lower Cape Fear Aquifer	not present
Peedee Aquifer Black Creek co	nfining unit	not present 106	Basement	not penetrated
Black Creek aq	_	81		
		01		
County	Bladen		Latitude	34.602022
Well Name	Elizabethtown Well No. 5		Longitude	-78.623250
Well Number Quad	27 Y 39R		Well Depth Land Surface Elevation	280 104
Quau		voqeelogie U		104
Surficial aquife		104	nit Top Elevations Upper Cape Fear confining unit	not panatrated
Castle Hayne co		not present	Upper Cape Fear comming unit Upper Cape Fear aquifer	not penetrated
Castle Hayne ac		not present	Lower Cape Fear confining unit	
Peedee confinin	-	44	Lower Cape Fear Aquifer	
Peedee Aquifer	9	31	Basement	
Black Creek co	nfining unit	-41		
Black Creek aq	uifer	-62		
County	Bladen		Latitude	34.647775
Well Name	DWR Bladen Community C	College Sta	Longitude	-78.730947
Well Number	28	C	Well Depth	516
Quad	Y 40G		Land Surface Elevation	143
	Hyd	rogeologic U	nit Top Elevations	
Surficial aquife		143	Upper Cape Fear confining unit	-175
Castle Hayne co	onfining unit	not present	Upper Cape Fear aquifer	-232
Castle Hayne ac	9	•		
•	quifer	not present	Lower Cape Fear confining unit	not present
Peedee confinin	quifer	not present	Lower Cape Fear Aquifer	not present
Peedee confinin Peedee Aquifer	quifer g unit	not present not present not present		-
Peedee confinin Peedee Aquifer Black Creek co	quifer g unit nfining unit	not present not present not present 32	Lower Cape Fear Aquifer	not present
Peedee confinin Peedee Aquifer Black Creek co Black Creek aq	quifer g unit nfining unit uifer	not present not present not present	Lower Cape Fear Aquifer Basement	not present -373
Peedee confinin Peedee Aquifer Black Creek co Black Creek aq County	quifer g unit nfining unit uifer Bladen	not present not present not present 32 -5	Lower Cape Fear Aquifer Basement Latitude	not present -373
Peedee confinin Peedee Aquifer Black Creek co Black Creek aq County Well Name	quifer g unit nfining unit uifer Bladen Bladen County Water Distri	not present not present not present 32 -5	Lower Cape Fear Aquifer Basement Latitude Longitude	not present -373 34.642674 -78.674491
Peedee confinin Peedee Aquifer Black Creek co Black Creek aq County Well Name Well Number	quifer g unit nfining unit uifer Bladen Bladen County Water Distri	not present not present not present 32 -5	Lower Cape Fear Aquifer Basement Latitude Longitude Well Depth	not present -373 34.642674 -78.674491 500
Peedee confinin Peedee Aquifer Black Creek co Black Creek aq County Well Name	quifer g unit nfining unit uifer Bladen Bladen County Water Distri 29 Y 40J	not present not present not present 32 -5	Lower Cape Fear Aquifer Basement Latitude Longitude Well Depth Land Surface Elevation	not present -373 34.642674 -78.674491
Peedee confinin Peedee Aquifer Black Creek co Black Creek aq County Well Name Well Number Quad	quifer g unit Infining unit uifer Bladen Bladen County Water District 29 Y 40J Hyd	not present not present not present 32 -5	Lower Cape Fear Aquifer Basement Latitude Longitude Well Depth Land Surface Elevation nit Top Elevations	34.642674 -78.674491 500 125
Peedee confinin Peedee Aquifer Black Creek co Black Creek aq County Well Name Well Number Quad Surficial aquife	quifer g unit nfining unit uifer Bladen Bladen County Water District 29 Y 40J Hyden Hyden	not present not present not present 32 -5 ct rogeologic Un 125	Lower Cape Fear Aquifer Basement Latitude Longitude Well Depth Land Surface Elevation nit Top Elevations Upper Cape Fear confining unit	not present -373 34.642674 -78.674491 500 125
Peedee confinin Peedee Aquifer Black Creek co Black Creek aq County Well Name Well Number Quad Surficial aquife Castle Hayne co	quifer g unit nfining unit uifer Bladen Bladen County Water District 29 Y 40J Hydi r onfining unit	not present not present not present 32 -5 ct rogeologic Ut 125 not present	Lower Cape Fear Aquifer Basement Latitude Longitude Well Depth Land Surface Elevation nit Top Elevations Upper Cape Fear confining unit Upper Cape Fear aquifer	not present -373 34.642674 -78.674491 500 125 -139 -243
Peedee confinin Peedee Aquifer Black Creek co Black Creek aq County Well Name Well Number Quad Surficial aquife Castle Hayne co Castle Hayne ac	quifer g unit nfining unit uifer Bladen Bladen County Water District 29 Y 40J Hyde r onfining unit quifer	not present not present not present 32 -5 et rogeologic Un 125 not present not present	Lower Cape Fear Aquifer Basement Latitude Longitude Well Depth Land Surface Elevation nit Top Elevations Upper Cape Fear confining unit Upper Cape Fear aquifer Lower Cape Fear confining unit	not present -373 34.642674 -78.674491 500 125
Peedee confinin Peedee Aquifer Black Creek co Black Creek aq County Well Name Well Number Quad Surficial aquife Castle Hayne co Castle Hayne ac Peedee confinin	quifer g unit nfining unit uifer Bladen Bladen County Water District 29 Y 40J Hyde r onfining unit quifer	not present not present not present 32 -5 ct rogeologic Ut 125 not present	Lower Cape Fear Aquifer Basement Latitude Longitude Well Depth Land Surface Elevation nit Top Elevations Upper Cape Fear confining unit Upper Cape Fear aquifer	not present -373 34.642674 -78.674491 500 125 -139 -243 -302
Peedee confinin Peedee Aquifer Black Creek co Black Creek aq County Well Name Well Number Quad Surficial aquife Castle Hayne co Castle Hayne ad	quifer g unit nfining unit uifer Bladen Bladen County Water District 29 Y 40J Hyde r onfining unit quifer g unit	not present not present not present 32 -5 et rogeologic Ut 125 not present not present not present	Lower Cape Fear Aquifer Basement Latitude Longitude Well Depth Land Surface Elevation nit Top Elevations Upper Cape Fear confining unit Upper Cape Fear aquifer Lower Cape Fear confining unit Lower Cape Fear Aquifer	not present -373 34.642674 -78.674491 500 125 -139 -243 -302 -322

County Well Name Well Number	Bladen DWR Dupont Station 30		Latitude Longitude Well Depth	34.845259 -78.850955 332
Quad	V 42V	TT 1 1 • T7	Land Surface Elevation	150
Surficial aquife Castle Hayne of Castle Hayne a Peedee confinit Peedee Aquifer Black Creek of Black Creek aq	er confining unit quifer ng unit onfining unit	150 not present not present not present not present not present soft 55 40	nit Top Elevations Upper Cape Fear confining unit Upper Cape Fear aquifer Lower Cape Fear confining unit Lower Cape Fear Aquifer Basement	-72 -148 not present not present -182
County Well Name Well Number Quad	Bladen Wilber Barnes 184 W 38S		Latitude Longitude Well Depth Land Surface Elevation	34.779722 -78.528333 135 111
_		Hydrogeologic U	nit Top Elevations	
Surficial aquife Castle Hayne of Castle Hayne a Peedee confinit Peedee Aquifer Black Creek con Black Creek ag	onfining unit quifer ng unit onfining unit	not present not present not present not present not present 51 27	Upper Cape Fear confining unit Upper Cape Fear aquifer Lower Cape Fear confining unit Lower Cape Fear Aquifer Basement	not penetrated
County Well Name Well Number Quad	Brunswick Grissetown Station 31 GG 37O		Latitude Longitude Well Depth Land Surface Elevation	33.960556 -78.494444 500 42
Surficial aquife Castle Hayne of Castle Hayne a Peedee confinit Peedee Aquifer Black Creek of Black Creek aq	er confining unit quifer ng unit onfining unit	not present not present 15 2 -361 -405	nit Top Elevations Upper Cape Fear confining unit Upper Cape Fear aquifer Lower Cape Fear confining unit Lower Cape Fear Aquifer Basement	not penetrated
County Well Name Well Number Quad	Brunswick DWR Shallotte Station 32 GG 37B		Latitude Longitude Well Depth Land Surface Elevation nit Top Elevations	33.991779 -78.438010 197 70
Surficial aquifo Castle Hayne of Castle Hayne a Peedee confinit Peedee Aquifer Black Creek of Black Creek aq	er confining unit quifer ng unit onfining unit	70 not present not present 18 8 not penetrated	Upper Cape Fear confining unit Upper Cape Fear aquifer Lower Cape Fear confining unit Lower Cape Fear Aquifer Basement	
County Well Name Well Number Quad	Brunswick DWR Bear Pen Station 33 EE 36K		Latitude Longitude Well Depth Land Surface Elevation nit Top Elevations	34.128756 -78.338547 1,118 61
Surficial aquifor Castle Hayne of Castle Hayne a Peedee confinit Peedee Aquifer Black Creek con Black Creek ag	er confining unit quifer ng unit onfining unit	61 not present not present 39 19 -279 -375	Upper Cape Fear confining unit Upper Cape Fear aquifer Lower Cape Fear confining unit Lower Cape Fear Aquifer Basement	-534 -570 -722 -811 -1057

County Well Name Well Number	Brunswick DWR Maco Fire Tow 34	er Station	Latitude Longitude Well Depth	34.289277 -78.156671 251
Quad	CC 33O		Land Surface Elevation	60
		Hydrogeologic Un	nit Top Elevations	
Surficial aquife Castle Hayne of Castle Hayne a Peedee confinit Peedee Aquifer Black Creek of Black Creek ac	confining unit quifer ng unit onfining unit	not present not present 47 40 not penetrated	Upper Cape Fear confining unit Upper Cape Fear aquifer Lower Cape Fear confining unit Lower Cape Fear Aquifer Basement	
County Well Name Well Number	Brunswick Woodward Clyde Con 35	sultants	Latitude Longitude Well Depth	34.181388 -78.010277 150
Quad	DD 32U		Land Surface Elevation	22
Quan.	22020	Hydrogeologic Ut	nit Top Elevations	
Surficial aquife	a r	22	Upper Cape Fear confining unit	
Castle Hayne of		not present	Upper Cape Fear aquifer	
Castle Hayne a		not present	Lower Cape Fear confining unit	
Peedee confini	-	1	Lower Cape Fear Aquifer	
Peedee Aquifer	_	-8	Basement	
Black Creek co		not penetrated		
Black Creek ac	quifer	-		
County	Brunswick		Latitude	34.140278
Well Name	Colonial Trask No. 3		Longitude	-77.960833
Well Number	36		Well Depth	1,254
Quad	EE 31H		Land Surface Elevation	14
		Hydrogeologic U	nit Top Elevations	
Surficial aquife		14	Upper Cape Fear confining unit	-656
Castle Hayne o		unconfined	Upper Cape Fear aquifer	-720
Castle Hayne a		unconfined	Lower Cape Fear confining unit	-920
Peedee confini	_	-26	Lower Cape Fear Aquifer	-966
Peedee Aquifer		-42	Basement	-1219
Black Creek co	_	-436 506		
Black Creek ac	luner	-506		
County	Brunswick		Latitude	33.955556
Well Name	DWR Southport Statio	on 1	Longitude	-78.012500
Well Number	37		Well Depth	189
Quad	GG 32K	Undraggalagia II	Land Surface Elevation nit Top Elevations	24
Surficial aquife	ar.	Hyarogeologic Ol	Upper Cape Fear confining unit	
Castle Hayne of		-12	Upper Cape Fear aquifer	
Castle Hayne a	_	-32	Lower Cape Fear confining unit	
Peedee confini	-	-68	Lower Cape Fear Aquifer	
Peedee Aquifer	_	-93	Basement	
Black Creek co	onfining unit	not penetrated		
Black Creek ac	quifer			
County	Brunswick		Latitude	33.942013
Well Name	DWR Southport Station	on	Longitude	-78.009724
Well Number	38		Well Depth	189
Quad	GG 32T		Land Surface Elevation	20
			nit Top Elevations	
Surficial aquife		20	Upper Cape Fear confining unit	
Castle Hayne o	_	-24	Upper Cape Fear aquifer	
Castle Hayne a		-42	Lower Cape Fear confining unit	
Peedee confini		-64	Lower Cape Fear Aquifer	
Pleals Greats as		-96	Basement	
Black Creek co		not penetrated		
Black Creek ac	լաուշո			

County Well Name Well Number	Brunswick Brunswick County 39	Well P-4	Latitude Longitude Well Depth	33.944440 -78.094444 156
Quad	GG 33T		Land Surface Elevation	45
C 1		Hydrogeologic U	nit Top Elevations	
Surficial aquife Castle Hayne c	onfining unit	45 9	Upper Cape Fear confining unit Upper Cape Fear aquifer	
Castle Hayne a		-9 25	Lower Cape Fear confining unit	
Peedee confining Peedee Aquifer	ig unit	-35 -55	Lower Cape Fear Aquifer Basement	
Black Creek co	onfining unit	not penetrated	Dasement	
Black Creek ag		not penetrates		
County	Brunswick		Latitude	33.914722
Well Name	DWR Holden Bea	ch Station	Longitude	-78.271111
Well Number	40		Well Depth	201
Quad	HH 35B		Land Surface Elevation	11
		Hydrogeologic U	nit Top Elevations	
Surficial aquife		11	Upper Cape Fear confining unit	
Castle Hayne c		not present	Upper Cape Fear aquifer	
Castle Hayne a	-	not present	Lower Cape Fear confining unit	
Peedee confinii	ng unit	-25	Lower Cape Fear Aquifer	
Peedee Aquifer	mfining!	-44	Basement	
Black Creek co	U	not penetrated		
County	Brunswick		Latitude	33.941368
Well Name	DWR Sunset Harb	oor Station	Longitude	-78.198650
Well Number	41	or station	Well Depth	1,368
Quad	GG 34S		Land Surface Elevation	25
		Hydrogeologic U	nit Top Elevations	
Surficial aquife	er	25	Upper Cape Fear confining unit	-642
Castle Hayne c		not present	Upper Cape Fear aquifer	-671
Castle Hayne a		not present	Lower Cape Fear confining unit	-861
Peedee confining	ng unit	-15	Lower Cape Fear Aquifer	-995
Peedee Aquifer		-31	Basement	-1339
Black Creek co	_	-419		
Black Creek ag	uifer	-499		
County Well Name	Brunswick	DL	Latitude	33.944444
Well Number	VPI-DOE Phizer C	nemical Testnole	Longitude Well Depth	-77.997777 1,550
Quad	GG 31P		Land Surface Elevation	1,330
Quau	00 311	Hydrogeologic U	nit Top Elevations	23
Surficial aquife	er	25	Upper Cape Fear confining unit	-801
Castle Hayne c		-37	Upper Cape Fear aquifer	-871
Castle Hayne a		-55	Lower Cape Fear confining unit	-965
Peedee confining	ng unit	-95	Lower Cape Fear Aquifer	-1095
Peedee Aquifer		-109	Basement	-1525
Black Creek co	_	-451		
Black Creek aq		-619		
County	Brunswick		Latitude	34.171666
Well Number	Albert Glenn		Longitude	-78.165000
Well Number	43 DD 33V		Well Depth Land Surface Elevation	400
Quad	DD 33Y	Hydrogoologic U	nit Top Elevations	25
Surficial aquife	a r	11yurogeologic Cl	Upper Cape Fear confining unit	
Castle Hayne of		not present	Upper Cape Fear aquifer	
Castle Hayne a	_	not present	Lower Cape Fear confining unit	
Peedee confinii		15	Lower Cape Fear Aquifer	
	U			
Peedee Aquifer		-1	Basement	
Peedee Aquifer Black Creek co	onfining unit	-1 -335	Basement	

44		Longitude Well Depth	-78.144796 300
FF 33D		Land Surface Elevation	49
	Hydrogeologic Ui	nit Top Elevations	
r onfining unit juifer g unit nfining unit uifer	not present not present -27 -51 not penetrated	Upper Cape Fear confining unit Upper Cape Fear aquifer Lower Cape Fear confining unit Lower Cape Fear Aquifer Basement	
Brunswick		Latitude Longitude Well Depth Land Surface Elevation	34.014423 -78.083039 151 54
		<u>-</u>	
r onfining unit juifer g unit nfining unit uifer	not present not present -18 -31 not penetrated	Upper Cape Fear confining unit Upper Cape Fear aquifer Lower Cape Fear confining unit Lower Cape Fear Aquifer Basement	
Brunswick		Latitude	34.024918
	gs Lakes Statio		-78.101785
			80
FF 338	II. due a colonio II		55
r onfining unit quifer g unit nfining unit uifer	not present not present -21 not penetrated	Upper Cape Fear confining unit Upper Cape Fear aquifer Lower Cape Fear confining unit Lower Cape Fear Aquifer Basement	
Brunswick	rr	Latitude	34.008333
•	Hospital	9	-78.291667
			263 25
TT 33 W	Hydrogeologic U		23
r onfining unit	25	Upper Cape Fear confining unit	
uifer	not present	Lower Cape Fear confining unit	
g unit	13		
c • • • • • • • • • • • • • • • • • • •		Basement	
nfining unit uifer	not penetrated		
Brunswick Brunswick Tech		Latitude Longitude	34.040000 -78.229167
48			212
FF 34N	Unduanalaria II		20
r onfining unit quifer g unit nfining unit	not present 6 0 not penetrated	Upper Cape Fear confining unit Upper Cape Fear aquifer Lower Cape Fear confining unit Lower Cape Fear Aquifer Basement	
	onfining unit quifer g unit onfining unit quifer Brunswick DWR Boiling Sprin 45 FF 32Y onfining unit quifer g unit offining unit quifer Brunswick Brunswick Brunswick County 47 FF 35W onfining unit quifer g unit offining unit quifer g unit	onfining unit not present not present quifer not present quifer not present quifer Brunswick DWR Boiling Springs Lakes Statio 45 FF 32Y Hydrogeologic Unit not present quifer not present quifer not present quifer Brunswick DWR Boiling Springs Lakes Statio 45 Anfining unit not penetrated not present quifer no	Infining unit unit present gunit — not present gunit — 27

County Well Name Well Number	Brunswick Supply Station 49		Latitude Longitude Well Depth	34.061944 -78.311111 1,180
Quad	FF 35G		Land Surface Elevation	57
			nit Top Elevations	
Surficial aquifer Castle Hayne co Castle Hayne ac	onfining unit	57 not present not present	Upper Cape Fear confining unit Upper Cape Fear aquifer Lower Cape Fear confining unit	-590 -616 -747
Peedee confinin		33	Lower Cape Fear Aquifer	-893
Peedee Aquifer		13	Basement	-1123
Black Creek co		-335		
Black Creek aq	uifer	-432		
County	Brunswick		Latitude	34.053929
Well Name	DWR Clemmons T	Trail Station	Longitude	-78.236684
Well Number	50		Well Depth	153
Quad	FF 34F	Unduagaalagia U	Land Surface Elevation	41
Cfinial acceifor	_		nit Top Elevations	
Surficial aquifer Castle Hayne co		41 not present	Upper Cape Fear confining unit Upper Cape Fear aquifer	
Castle Hayne ac		not present	Lower Cape Fear confining unit	
Peedee confinin	-	13	Lower Cape Fear Aquifer	
Peedee Aquifer	s umit	7	Basement	
Black Creek cor Black Creek aqu	_	not penetrated		
County	Brunswick		Latitude	33.977222
Well Name	USGS International	l Paper C-2-79	Longitude	-78.160278
Well Number	51	_	Well Depth	157
Quad	GG 33F		Land Surface Elevation	46
		Hydrogeologic U	nit Top Elevations	
Surficial aquife		46	Upper Cape Fear confining unit	
Castle Hayne co		18	Upper Cape Fear aquifer	
Castle Hayne ac	_	12	Lower Cape Fear confining unit	
Peedee confinin Peedee Aquifer	g umi	-10 -24	Lower Cape Fear Aquifer Basement	
Black Creek con	nfining unit	not penetrated	Busement	
Black Creek aqu	_	•		
County	Brunswick		Latitude	33.873611
Well Name	Carolina Cape Fear	Corp. No. 8	Longitude	-78.000833
Well Number	52		Well Depth	310
Quad	HH 32K	** * * * * * * * * * * * * * * * * * * *	Land Surface Elevation	13
G # 1 1 14			nit Top Elevations	
Surficial aquifer Castle Hayne co		13 -51	Upper Cape Fear confining unit Upper Cape Fear aquifer	
Castle Hayne ac	_	-31 -81	Lower Cape Fear confining unit	
Peedee confinin		-145	Lower Cape Fear Comming unit Lower Cape Fear Aquifer	
Peedee Aquifer	o	-165	Basement	
Black Creek con	nfining unit	not penetrated		
Black Creek aqu	uifer			
County	Brunswick		Latitude	33.952778
Well Name	Heater Well Co-Br	unswick Co 4	Longitude	-78.107222
Well Number	53		Well Depth	259
Quad	GG 33L	** *	Land Surface Elevation	54
			nit Top Elevations	
Carrieral a saute		54	Upper Cape Fear confining unit	
Surficial aquifer			II C E 'e	
Castle Hayne co	onfining unit	24	Upper Cape Fear aquifer	
Castle Hayne co	onfining unit Juifer	24 14	Lower Cape Fear confining unit	
Castle Hayne co Castle Hayne ac Peedee confinin	onfining unit Juifer	24 14 -44	Lower Cape Fear confining unit Lower Cape Fear Aquifer	
Castle Hayne co	onfining unit Juifer g unit	24 14	Lower Cape Fear confining unit	

County Well Name Well Number	Brunswick DWR Southport Station 54	on 6	Latitude Longitude Well Depth	33.925833 -78.034444 240
Quad	GG 32W		Land Surface Elevation	20
		Hydrogeologic U	nit Top Elevations	
Surficial aquife Castle Hayne c Castle Hayne a Peedee confinin Peedee Aquifer Black Creek co	onfining unit quifer og unit	20 -16 -29 -74 -80 not penetrated	Upper Cape Fear confining unit Upper Cape Fear aquifer Lower Cape Fear confining unit Lower Cape Fear Aquifer Basement	
Black Creek aq	uifer			
County Well Name Well Number Quad	Brunswick Brunswick County We 55 DD 31F		Latitude Longitude Well Depth Land Surface Elevation	34.221944 -77.989722 300 15
		Hydrogeologic U	nit Top Elevations	
Surficial aquife Castle Hayne c Castle Hayne a Peedee confinin Peedee Aquifer Black Creek co Black Creek aq	onfining unit quifer ng unit nfining unit	not present not present 9 -14 not penetrated	Upper Cape Fear confining unit Upper Cape Fear aquifer Lower Cape Fear confining unit Lower Cape Fear Aquifer Basement	
County	Brunswick		Latitude	33.942500
Well Name	Stansbury Station		Longitude	-78.268889
Well Number	56 CC 255		Well Depth	160
Quad	GG 35S	Hydrogaologia II	Land Surface Elevation nit Top Elevations	35
Surficial aquife Castle Hayne c Castle Hayne ac Peedee confinin Peedee Aquifer Black Creek co Black Creek aq	onfining unit quifer ng unit nfining unit	not present not present -5 -17 not penetrated	Upper Cape Fear confining unit Upper Cape Fear aquifer Lower Cape Fear confining unit Lower Cape Fear Aquifer Basement	
County	Brunswick		Latitude	34.282500
Well Name	Oakwood Trailer Park		Longitude	-78.138056
Well Number	57 CC 33Q		Well Depth Land Surface Elevation	322 40
Quad	•	Hydrogeologic II	nit Top Elevations	40
Surficial aquife Castle Hayne c Castle Hayne ac Peedee confinin Peedee Aquifer Black Creek co Black Creek aq	r onfining unit quifer ig unit nfining unit	not present not present unconfined unconfined not penetrated	Upper Cape Fear confining unit Upper Cape Fear aquifer Lower Cape Fear confining unit Lower Cape Fear Aquifer Basement	
County Well Name Well Number Quad	Brunswick USGS C-3-79 58 FF 33H		Latitude Longitude Well Depth Land Surface Elevation	34.051110 -78.123333 82 40
•		Hydrogeologic U	nit Top Elevations	
Surficial aquife Castle Hayne c Castle Hayne ac Peedee confinin Peedee Aquifer Black Creek co Black Creek aq	r onfining unit quifer og unit nfining unit	not present not present -38 not penetrated	Upper Cape Fear confining unit Upper Cape Fear aquifer Lower Cape Fear confining unit Lower Cape Fear Aquifer Basement	

County Well Name Well Number	Brunswick Brunswick County V 59	Vell 7	Latitude Longitude Well Depth	33.991667 -78.119167 242
Quad	GG 33C		Land Surface Elevation	52
		Hydrogeologic U	nit Top Elevations	
Surficial aquifer Castle Hayne confining unit Castle Hayne aquifer Peedee confining unit Peedee Aquifer Black Creek confining unit Black Creek aquifer		unconfined unconfined unconfined unconfined unconfined not penetrated	Upper Cape Fear confining unit Upper Cape Fear aquifer Lower Cape Fear confining unit Lower Cape Fear Aquifer Basement	
County Well Name	Brunswick Brunswick County V	Wall 6	Latitude Longitude	33.986389 -78.112778
Well Number	60	ven o	Well Depth	254
Quad	GG 33B		Land Surface Elevation	52
		Hydrogeologic Un	nit Top Elevations	
Surficial aquife	er	52	Upper Cape Fear confining unit	
Castle Hayne confining unit		unconfined	Upper Cape Fear aquifer	
Castle Hayne aquifer		unconfined	Lower Cape Fear confining unit	
Peedee confinir	ng unit	unconfined	Lower Cape Fear Aquifer	
Peedee Aquifer Black Creek confining unit		unconfined	Basement	
Black Creek co	_	not penetrated		
	•		₩	22 002555
County Well Name	Brunswick Calabash Station		Latitude Longitude	33.892777 -78.589421
Well Number	61		Well Depth	1,335
Quad	НН 39Ј		Land Surface Elevation	47
C		Hydrogeologic Ur	nit Top Elevations	.,
Surficial aquife	er	47	Upper Cape Fear confining unit	-640
-	Castle Hayne confining unit		Upper Cape Fear aquifer	-697
Castle Hayne a	-	not present	Lower Cape Fear confining unit	-820
Peedee confinir	ng unit	-10	Lower Cape Fear Aquifer	-871
Peedee Aquifer Black Creek co	anfining unit	-65 -353	Basement	-1288
Black Creek ag	0	-333 -418		
	Brunswick	.10	Latitude	33.972778
County Well Name	Brunswick County V	Vell 0	Lantiude Longitude	-78.107222
Well Number	62	von y	Well Depth	251
Quad	GG 33I		Land Surface Elevation	54
		Hydrogeologic Ut	nit Top Elevations	
Surficial aquifer		54	Upper Cape Fear confining unit	
Castle Hayne confining unit		unconfined	Upper Cape Fear aquifer	
Castle Hayne a		unconfined unconfined	Lower Cape Fear confining unit	
Peedee confining unit Peedee Aquifer		unconfined	Lower Cape Fear Aquifer Basement	
Black Creek co	onfining unit	not penetrated	2my till til	
Black Creek aq	_	1		
County	Brunswick		Latitude	33.974722
Well Name	Unnamed		Longitude	-78.092500
Well Number	63		Well Depth	258
Quad	GG 33J	** *	Land Surface Elevation	52
o			nit Top Elevations	
Surficial aquifer		52	Upper Cape Fear confining unit	
Castle Hayne confining unit Castle Hayne aquifer		20 -8	Upper Cape Fear aquifer Lower Cape Fear confining unit	
Peedee confining unit			Lawer vane rear comminat HAM	
i cease commi	-		•	
Peedee Aquifer	-	-42	Lower Cape Fear Aquifer	
Peedee Aquifer Black Creek co	ng unit		•	

County Well Name Well Number	Brunswick DWR Boiling Springs 64	s Station 3	Latitude Longitude Well Depth	34.044440 -78.037778 100
Quad	FF 32M		Land Surface Elevation	36
		Hydrogeologic Un	nit Top Elevations	
Surficial aquife Castle Hayne c Castle Hayne a Peedee confinir Peedee Aquifer Black Creek co Black Creek aq	onfining unit quifer ng unit onfining unit	36 1 -4 not penetrated	Upper Cape Fear confining unit Upper Cape Fear aquifer Lower Cape Fear confining unit Lower Cape Fear Aquifer Basement	
County Well Name	Brunswick Colonial Oil and Gas	Horne No. 2	Latitude Longitude Well Dooth	34.097222 -78.032777
Well Number Quad	65 EE 32V		Well Depth Land Surface Elevation	640 45
Quau	LL 32 V	Hydrogeologic U	nit Top Elevations	73
Surficial aquife Castle Hayne c Castle Hayne a Peedee confinir Peedee Aquifer Black Creek co Black Creek aq	onfining unit quifer ng unit onfining unit	45 not present not present -15 -23 -425 -507	Upper Cape Fear confining unit Upper Cape Fear aquifer Lower Cape Fear confining unit Lower Cape Fear Aquifer Basement	not penetrated
County Well Name Well Number Quad	Brunswick DWR Boiling Springs 66 EE 32V	s Station 4	Latitude Longitude Well Depth Land Surface Elevation	34.090833 -78.017500 111 18
Surficial aquife Castle Hayne c Castle Hayne a Peedee confinin Peedee Aquifer Black Creek co Black Creek aq	onfining unit quifer ng unit nfining unit	18 not present not present not penetrated	nit Top Elevations Upper Cape Fear confining unit Upper Cape Fear aquifer Lower Cape Fear confining unit Lower Cape Fear Aquifer Basement	
County Well Name Well Number Quad	Brunswick Skippers Well Drilling 67 CC 32V	g <i>Hydrogeologic U</i> i	Latitude Longitude Well Depth Land Surface Elevation nit Top Elevations	34.250556 -78.029167 400 20
Surficial aquife Castle Hayne c Castle Hayne a Peedee confinir Peedee Aquifer Black Creek co Black Creek aq	onfining unit quifer ng unit onfining unit	20 not present not present -10 -26 not penetrated	Upper Cape Fear confining unit Upper Cape Fear aquifer Lower Cape Fear confining unit Lower Cape Fear Aquifer Basement	
County Well Name Well Number Quad	Brunswick Unnamed 68 FF 32V	Hodon of the	Latitude Longitude Well Depth Land Surface Elevation	34.006944 -78.030000 185 30
Surficial aquife Castle Hayne c Castle Hayne a Peedee confinin Peedee Aquifer Black Creek co Black Creek aq	onfining unit quifer ng unit onfining unit	Hydrogeologic Un 30 not logged not logged -54 -70 not penetrated	Upper Cape Fear confining unit Upper Cape Fear aquifer Lower Cape Fear confining unit Lower Cape Fear Aquifer Basement	

County Well Name Well Number	Brunswick DWR Southport Stat	tion 3	Latitude Longitude Well Depth	33.945000 -78.011667 190
Quad	GG 32T		Land Surface Elevation	26
		Hydrogeologic U	nit Top Elevations	
Surficial aquife Castle Hayne c Castle Hayne a	onfining unit	26 -11 -36	Upper Cape Fear confining unit Upper Cape Fear aquifer Lower Cape Fear confining unit	
Peedee confinii		-65	Lower Cape Fear Aquifer	
Peedee Aquifer	_	-91	Basement	
Black Creek co Black Creek ag	onfining unit	not penetrated		
County	Brunswick		Latitude	33.931389
Well Name	DWR Southport Stat	tion 5	Longitude	-78.015278
Well Number	70		Well Depth	103
Quad	GG 32U	TT 1 1 • T7	Land Surface Elevation	22
~ ~			nit Top Elevations	
Surficial aquife		22	Upper Cape Fear confining unit	
Castle Hayne		-22 26	Upper Cape Fear aquifer	
Castle Hayne a	-	-36 59	Lower Cape Fear confining unit	
Peedee confining Peedee Aquifer		-58	Lower Cape Fear Aquifer Basement	
Black Creek co		not penetrated	Dasement	
Black Creek ag	_			
	Brunswick		Latitude	34.262500
County Well Name	Town of Navassa		Lantiude Longitude	-78.003333
Well Number	71		Well Depth	160
Quad	CC 32U		Land Surface Elevation	20
Quiu	CC 320	Hydrogeologic U	nit Top Elevations	20
Surficial aquife	er	20	Upper Cape Fear confining unit	
Castle Hayne c		not present	Upper Cape Fear aquifer	
Castle Hayne a		not present	Lower Cape Fear confining unit	
Peedee confinii	-	-70	Lower Cape Fear Aquifer	
Peedee Aquifer		not penetrated	Basement	
Black Creek co	onfining unit			
Black Creek aq	_l uifer			
County	Brunswick		Latitude	33.978333
Well Name	Brunswick County		Longitude	-78.103333
Well Number	72		Well Depth	300
Quad	GG 33I		Land Surface Elevation	50
			nit Top Elevations	
Surficial aquife		50	Upper Cape Fear confining unit	
Castle Hayne c		not present	Upper Cape Fear aquifer	
Castle Hayne a Peedee confining	-	not present unconfined	Lower Cape Fear confining unit Lower Cape Fear Aquifer	
Peedee Confinit	0	unconfined	Basement	
Black Creek co		not penetrated	Dasement	
Black Creek ag	•	not penetrated		
County	Brunswick		Latitude	33.908333
Well Name	Town of Yaupon Bea	ach	Lattiude Longitude	-78.072500
Well Number	73		Well Depth	110
Quad	HH 32E		Land Surface Elevation	15
-		Hydrogeologic U	nit Top Elevations	
Surficial aquife	er	15	Upper Cape Fear confining unit	
Castle Hayne c		-22	Upper Cape Fear aquifer	
Castle Hayne a	_	-41	Lower Cape Fear confining unit	
Peedee confinii		-90	Lower Cape Fear Aquifer	
Peedee Aquifer		not penetrated	Basement	
Black Creek co	•			
Black Creek ag	ıuifer			

County Well Name Well Number	Brunswick Town of Long Beach 74		Latitude Longitude Well Depth	33.913333 -78.133055 147
Quad	НН 33С	TT 1 1 • TT	Land Surface Elevation	15
Surficial aquifo Castle Hayne o Castle Hayne a	confining unit	15 -17 -25	nit Top Elevations Upper Cape Fear confining unit Upper Cape Fear aquifer Lower Cape Fear confining unit	
Peedee confini		-43	Lower Cape Fear Aquifer	
Peedee Aquifer		-65	Basement	
Black Creek of Black Creek ag	_	not penetrated		
County	Brunswick		Latitude	33.955556
Well Name	CP and L Southport		Longitude	-78.012500
Well Number	75		Well Depth	240
Quad	GG 32K	II. duoqoologia II	Land Surface Elevation	24
Confinial acuif		• 0 0	nit Top Elevations	
Surficial aquife Castle Hayne o		24 -19	Upper Cape Fear confining unit Upper Cape Fear aquifer	
Castle Hayne a	S	-34	Lower Cape Fear confining unit	
Peedee confini		-78	Lower Cape Fear Aquifer	
Peedee Aquifer	C	-92	Basement	
Black Creek of Black Creek and	_	not penetrated		
County	Brunswick		Latitude	33.943611
Well Name	DWR Southport Stati	on 4	Longitude	-78.010556
Well Number	76		Well Depth	199
Quad	GG 32T	II. duoqoologia II	Land Surface Elevation	28
Cumficial acuif	\ 		nit Top Elevations	
Surficial aquife Castle Hayne o		28 -12	Upper Cape Fear confining unit Upper Cape Fear aquifer	
Castle Hayne a		-32	Lower Cape Fear confining unit	
Peedee confini	-	-67	Lower Cape Fear Aquifer	
Peedee Aquifer		-88	Basement	
Black Creek of Black Creek ac	_	not penetrated		
County	Brunswick		Latitude	34.016667
Well Name	Unnamed		Longitude	-78.271667
Well Number Quad	77 FF 35V		Well Depth Land Surface Elevation	42 34
Quau	TT 33 V	Hydrogeologic II	nit Top Elevations	34
Surficial aquife	>r	34	Upper Cape Fear confining unit	
Castle Hayne o		not present	Upper Cape Fear aquifer	
Castle Hayne a	quifer	not present	Lower Cape Fear confining unit	
Peedee confinii	_	10	Lower Cape Fear Aquifer	
Peedee Aquifer		2	Basement	
Black Creek of Black Creek ag	_	not penetrated		
County	Brunswick		Latitude	34.097222
Well Name	Colonial Oil and Gas	Jeffries N	Longitude	-78.032777
Well Number	78		Well Depth	1,124
Quad	EE 32V	Hydrogoologic II	Land Surface Elevation nit Top Elevations	18
Surficial aquife	a r	18	Upper Cape Fear confining unit	-666
Castle Hayne of		not logged	Upper Cape Fear aquifer	-692
Castle Hayne a	_	not logged	Lower Cape Fear confining unit	-866
Peedee confini	ng unit	not logged	Lower Cape Fear Aquifer	-932
Peedee Aquifer		not logged	Basement	not penetrated
Black Creek co	_	-432		
Black Creek ac	luifer	-506		

County Well Name Well Number	Brunswick DWR Waccamaw Station 79	1	Latitude Longitude Well Depth	34.063787 -78.513984 401
Quad	FF 38J		Land Surface Elevation	73
	H	<mark>lydrogeologic U</mark> i	nit Top Elevations	
Surficial aquife Castle Hayne of Castle Hayne a Peedee confinit Peedee Aquifer Black Creek of Black Creek aq	onfining unit quifer ng unit onfining unit	not present not present 31 15 not penetrated	Upper Cape Fear confining unit Upper Cape Fear aquifer Lower Cape Fear confining unit Lower Cape Fear Aquifer Basement	
County Well Name	Brunswick Colonial Oil and Gas Ra	bon No. 2	Latitude Longitude	34.193611 -77.989444
Well Number	80		Well Depth	338
Quad	DD 31P		Land Surface Elevation	10
			nit Top Elevations	
Surficial aquife		10	Upper Cape Fear confining unit	
Castle Hayne c		not present	Upper Cape Fear aquifer	
Castle Hayne a	•	not present	Lower Cape Fear confining unit	
Peedee confinii	0	-10	Lower Cape Fear Aquifer	
Peedee Aquifer		-14	Basement	
Black Creek co Black Creek ag		not penetrated		
	•			
County	Brunswick	N.T.	Latitude	34.143889
Well Name	Colonial Oil and Gas Ma	icrae No.	Longitude	-77.976944
Well Number	81 EE 31G		Well Depth Land Surface Elevation	1,261 15
Quad		Induagaalagia II		15
Cuufiaial aquif			nit Top Elevations Upper Cape Fear confining unit	676
Surficial aquife Castle Hayne c		15	Upper Cape Fear aquifer	-676 -735
Castle Hayne a		not present not present	Lower Cape Fear confining unit	-733 -895
Peedee confinii		-29	Lower Cape Fear Aquifer	-972
Peedee Aquifer	-5 umi	-35	Basement	-1090
Black Creek co	onfining unit	-439		
Black Creek ag	_	-525		
County	Brunswick		Latitude	33.971944
Well Name	Brunswick County P-1		Longitude	-78.107500
Well Number	82		Well Depth	300
Quad	GG 33I		Land Surface Elevation	50
	Н	<mark>lydrogeologic U</mark>	nit Top Elevations	
Surficial aquife		50	Upper Cape Fear confining unit	
Castle Hayne c	_	unconfined	Upper Cape Fear aquifer	
Castle Hayne a	-	unconfined	Lower Cape Fear confining unit	
Peedee confinii	0	-22	Lower Cape Fear Aquifer	
Peedee Aquifer		-38	Basement	
Black Creek co	_	not penetrated		
	·		T	24 221044
County Well Name	Brunswick Brunswick County Lelan	d OW-3	Latitude Longitude	34.221944 -77.988055
Well Number	83		Well Depth	300
Quad	DD 31F		Land Surface Elevation	25
• · · · ·		ydrogeologic U	nit Top Elevations	
Surficial aquife		25	Upper Cape Fear confining unit	
Castle Hayne c		not present	Upper Cape Fear aquifer	
Castle Hayne a	_	not present	Lower Cape Fear confining unit	
Peedee confinii		13	Lower Cape Fear Aquifer	
Peedee Aquifer		-15	Basement	
Black Creek co Black Creek ag	onfining unit	not penetrated		

County Well Name Well Number	Brunswick Brunswick County Hol 84	den Beach OW	Latitude Longitude Well Depth	33.946111 -78.254722 307
Quad	64 GG 35T		Land Surface Elevation	25
Quuu		Hvdrogeologic U	nit Top Elevations	23
Surficial aquife		25	Upper Cape Fear confining unit	
Castle Hayne c		not present	Upper Cape Fear aquifer	
Castle Hayne a	_	not present	Lower Cape Fear confining unit	
Peedee confinir	ng unit	-15	Lower Cape Fear Aquifer	
Peedee Aquifer		-27	Basement	
Black Creek co	_	not penetrated		
Black Creek aq	uifer			
County	Columbus		Latitude	34.418763
Well Name	DWR Carver Moore St	tation	Longitude	-78.602503
Well Number	85		Well Depth	671
Quad	AA 39V	TT 1 1 1 T	Land Surface Elevation	105
			nit Top Elevations	21.5
Surficial aquife		105	Upper Cape Fear confining unit	-315 -345
Castle Hayne c Castle Hayne a		not present not present	Upper Cape Fear aquifer Lower Cape Fear confining unit	-343 -445
Peedee confinir		not present 29	Lower Cape Fear Comming unit Lower Cape Fear Aquifer	-512
Peedee Aquifer	ig unit	13	Basement	-566
Black Creek co	onfining unit	-43		
Black Creek aq	_	-72		
County	Columbus		Latitude	34.263330
Well Name	DWR Lake Waccamaw	Station cc37x	Longitude	-78.474998
Well Number	86		Well Depth	522
Quad	CC 37X		Land Surface Elevation	53
			nit Top Elevations	
Surficial aquife		53	Upper Cape Fear confining unit	-364
Castle Hayne c		not present	Upper Cape Fear aquifer	-405
Castle Hayne a Peedee confinir		not present -27	Lower Cape Fear confining unit Lower Cape Fear Aquifer	not penetrated
Peedee Aquifer	ig unit	-27 -47	Basement	
Black Creek co	onfining unit	-215	240044	
Black Creek aq	_	-251		
County	Columbus		Latitude	34.325959
Well Name	DWR Lake Waccamaw	Station cc38b	Longitude	-78.529773
Well Number	87		Well Depth	860
Quad	CC 38B		Land Surface Elevation	63
~ ~			nit Top Elevations	
Surficial aquife Castle Hayne c		63	Upper Cape Fear confining unit Upper Cape Fear aquifer	-356 -426
Castle Hayne a	_	not present not present	Lower Cape Fear confining unit	-426 -505
Peedee confinir		7	Lower Cape Fear Aquifer	-568
Peedee Aquifer	-5 u	-38	Basement	-669
Black Creek co	onfining unit	-160		
Black Creek ag	uifer	-197		
County	Columbus		Latitude	34.125932
Well Name	DWR Nakina Station		Longitude	-78.663792
Well Number	88		Well Depth	1,028
Quad	EE 39O	II 1 1 •	Land Surface Elevation	59
0 00 0 00			nit Top Elevations	10.5
Surficial aquife		59	Upper Cape Fear confining unit	-435 471
Castle Hayne c Castle Hayne a	_	not present not present	Upper Cape Fear aquifer Lower Cape Fear confining unit	-471 -648
Peedee confinir	_	-35	Lower Cape Fear Aquifer	-743
Peedee Aquifer	_	-75	Basement	-948
Black Creek co		-272		7.10
Black Creek aq		-293		

County Well Name	Columbus DWR Clarendon Station	on	Latitude Longitude	34.210278 -78.896667
Well Number	89	011	Well Depth	879
Quad	DD 42N		Land Surface Elevation	107
		Hydrogeologic U	nit Top Elevations	
Surficial aquife	er	107	Upper Cape Fear confining unit	-333
Castle Hayne c		not present	Upper Cape Fear aquifer	-433
Castle Hayne a	quifer	not present	Lower Cape Fear confining unit	-555
Peedee confinir	ng unit	17	Lower Cape Fear Aquifer	-661
Peedee Aquifer		-7	Basement	-761
Black Creek co	nfining unit	-57		
Black Creek ag	uifer	-104		
County	Columbus		Latitude	34.202778
Well Name	DWR Green Swamp S	tation	Longitude	-78.433889
Well Number	90		Well Depth	933
Quad	DD 37L		Land Surface Elevation	46
		Hydrogeologic U	nit Top Elevations	
Surficial aquife	er	46	Upper Cape Fear confining unit	-449
Castle Hayne c	onfining unit	not present	Upper Cape Fear aquifer	-476
Castle Hayne a		not present	Lower Cape Fear confining unit	-600
Peedee confinir		-12	Lower Cape Fear Aquifer	-709
Peedee Aquifer		-32	Basement	-885
Black Creek co	onfining unit	-228		
Black Creek aq	uifer	-268		
County	Columbus		Latitude	34.153611
Well Name	Tabor City		Longitude	-78.863889
Well Number	91		Well Depth	330
Quad	EE 42B		Land Surface Elevation	85
		Hydrogeologic U	nit Top Elevations	
Surficial aquife	er	85	Upper Cape Fear confining unit	not penetrated
Castle Hayne c	onfining unit	not present	Upper Cape Fear aquifer	
Castle Hayne a	-	not present	Lower Cape Fear confining unit	
Peedee confinir	ng unit	3	Lower Cape Fear Aquifer	
Peedee Aquifer		-47	Basement	
Black Creek co	<u> </u>	-90		
Black Creek aq	uifer	-143		
County	Cumberland		Latitude	34.987500
Well Name	DWR Seabrook School	ol Station	Longitude	-78.754167
Well Number	92		Well Depth	280
Quad	U 41A	TT 1 1 • T7	Land Surface Elevation	130
0 6 1 16		• 0 0	nit Top Elevations	
Surficial aquife		130	Upper Cape Fear confining unit	-60
Castle Hayne c Castle Hayne a		not present	Upper Cape Fear aquifer Lower Cape Fear confining unit	
Peedee confinir	-	not present not present	Lower Cape Fear confining unit Lower Cape Fear Aquifer	not present not present
Peedee Aquifer	ig unit	not present	Basement	-110
Black Creek co	nfining unit	106	Duscincin	-110
Black Creek aq	_	95		
County	Cumberland		Latitude	34.958056
Well Name				
+ 1001111V			Langitude	-/8.851948
Well Number	Howard Williams 93		Longitude Well Depth	-78.851948 498
Well Number Quad	Howard Williams		Longitude Well Depth Land Surface Elevation	-/8.851948 498 130
	Howard Williams 93	Hydrogeologic U	Well Depth Land Surface Elevation	498
	Howard Williams 93 U 42L	Hydrogeologic Un	Well Depth	498
Quad	Howard Williams 93 U 42L		Well Depth Land Surface Elevation nit Top Elevations	498 130
Quad Surficial aquife	Howard Williams 93 U 42L er onfining unit	130	Well Depth Land Surface Elevation nit Top Elevations Upper Cape Fear confining unit	498 130 -2
Quad Surficial aquife Castle Hayne c	Howard Williams 93 U 42L or onfining unit quifer	not present	Well Depth Land Surface Elevation nit Top Elevations Upper Cape Fear confining unit Upper Cape Fear aquifer	498 130 -2 -76
Quad Surficial aquife Castle Hayne c Castle Hayne a	Howard Williams 93 U 42L or onfining unit quifer	not present not present	Well Depth Land Surface Elevation nit Top Elevations Upper Cape Fear confining unit Upper Cape Fear aquifer Lower Cape Fear confining unit	498 130 -2 -76 not present
Quad Surficial aquife Castle Hayne c Castle Hayne a Peedee confinir	Howard Williams 93 U 42L er onfining unit quifer ng unit	not present not present not present	Well Depth Land Surface Elevation nit Top Elevations Upper Cape Fear confining unit Upper Cape Fear aquifer Lower Cape Fear confining unit Lower Cape Fear Aquifer	498 130 -2 -76 not present not present

Surficial aquifer	County Well Name Well Number	Cumberland Bill Devault 94		Latitude Longitude Well Depth	34.986940 -78.831116 626
Surficial aquifer					
Castle Hayne confining unit not present not present Peedee Aquifer not present not present Lower Cape Fear Aquifer not present Lower Cape Fear Aquifer not present Hawker Cape Fear Aquifer not present Lower Cape Fear Aquifer not present			Hydrogeologic U	nit Top Elevations	
Black Creek quifer 7 7 7 7 7 7 7 7 7	Castle Hayne o Castle Hayne a	onfining unit quifer	not present not present	Upper Cape Fear aquifer Lower Cape Fear confining unit	? not present
County	-		-	Basement	-136
County Cumberland Well Name Town of Stedman Well Name Town of Stedman Well Name Possible Well Depth And Surficial aquifer Town of Stedman Well Name Town of Stedman Well Name Town of Stedman Town of Stedman Town of Stedman Well Name Town of Stedman Town of Sted		_			
Well Number Well Number 95 (New Figure 1) Longitude 1040 (New Figure 1) -78.698884 (New Figure 1) 478.698884 (New Figure 1) Well Depth (New Figure 1) 130 1349 (New Figure 1) 1349 (New F		•	· .	I atituda	35.012780
Well Number 95	•				
Name					
Name					
Surficial aquifer 130 Upper Cape Fear aquifer 130 Up			Hydrogeologic U	nit Top Elevations	
Castle Hayne confining unit not present Peedee Confining unit not present Black Creek confining unit not present Peedee Aquifer 76 County Cumberland Well Name Town of Stedman Well Name Poff Stedman Well Name Town of Stedman Well Name Poff Stedman Well Name Poff Stedman Well Name Peedee Aquifer 127 Castle Hayne confining unit not present Castle Hayne aquifer not present Peedee Confining unit not present Peedee Aquifer not present Black Creek aquifer 127 County Cumberland Well Name Im Dozer Peedee Aquifer 138 Black Creek aquifer 147 County Cumberland Well Name Im Dozer Peedee Aquifer 151 County Cumberland Well Name Im Dozer Peedee Aquifer 151 County Cumberland Well Name Im Dozer Peedee Aquifer 151 Castle Hayne aquifer 151 County Cumberland Well Name Im Dozer Peedee Aquifer 151 County Cumberland Well Name Im Dozer Peedee Aquifer 151 Castle Hayne aquifer 151 County Cumberland Well Name Im Dozer Peedee Aquifer 151 Castle Hayne aquif	Surficial aquife	er			11
Castle Hayne aquifer not present Peedee confining unit not present Peedee confining unit not present Peedee confining unit not present Black Creek confining unit not present Black Creek aquifer 76	-			••	
Peedee Aquifer not present Base ment -100			_		
Peedee Aquifer			•		•
County	Peedee Aquifer		•	•	•
County Cumberland Well Name Town of Stedman Well Number 96 Well Depth 283	Black Creek co	onfining unit	93		
Well Name Well Number Well Number Town of Stedman 96 Land Surface Elevation 278.691113 Quad T 40V Land Surface Elevations 127 Hydrogeologic Unit Top Elevations Surficial aquifer 127 Upper Cape Fear confining unit 17 Castle Hayne aquifer not present not present peedee Aquifer not present not present peedee Aquifer Lower Cape Fear confining unit not present not present peedee Aquifer Black Creek aquifer 51 Lower Cape Fear Aquifer not present lower Cape Fear Aquifer -87 County Cumberland Latitude Mell Name Jim Dozer Land Surface Elevation 34.973334 Well Number 97 Well Depth Mell Number	Black Creek ag	luifer	76		
Well Name Well Number Well Number Town of Stedman 96 Land Surface Elevation 278.691113 Quad T 40V Land Surface Elevations 127 Hydrogeologic Unit Top Elevations Surficial aquifer 127 Upper Cape Fear confining unit 17 Castle Hayne aquifer not present not present peedee Aquifer not present not present peedee Aquifer Lower Cape Fear confining unit not present not present peedee Aquifer Black Creek aquifer 51 Lower Cape Fear Aquifer not present lower Cape Fear Aquifer -87 County Cumberland Latitude Mell Name Jim Dozer Land Surface Elevation 34.973334 Well Number 97 Well Depth Mell Number	County	Cumberland		Latitude	35.010282
Well Number 96 Well Depth 283 Quad T 40V Hydrogeologic Unit Top Elevations 127 Surficial aquifer 127 Hydrogeologic Unit Top Elevations 17 Castle Hayne confining unit not present not present peedee Confining unit not present not present peedee Aquifer Lower Cape Fear aquifer not present laws aquifer Lower Cape Fear Aquifer 87 Black Creek confining unit 73 Black Creek aquifer 51 Latitude 34.973334 Well Name Jim Dozer Land Surface Elevation 78.850003 Well Name Jim Dozer Land Surface Elevation 80 Well Number 97 Upper Cape Fear confining unit 605 Castle Hayne confining unit not present not present peedee confining unit 0 Upper Cape Fear confining unit 0 Castle Hayne aquifer not present peedee Aquifer not present not present not present peedee Aquifer 1-12 Black Creek aquifer 88 Land Surface Elevation 1-134 Black Creek aquifer 10 present peedee Aquifer 1-134 Black Creek aquifer 4					
Surficial aquifer not present Castle Hayne aquifer not present Peedee Aquifer 97 Quad U 421	Well Number	96			283
Surficial aquifer not present not present Peedee Aquifer Not present Peedee		T 40V			127
Surficial aquifer not present not present Peedee Aquifer Not present Peedee			Hydrogeologic U	nit Top Elevations	
Castle Hayne aquifer Peedee confining unit Peedee Confining unit Peedee Aquifer	Surficial aquife	er			17
Peedee confining unit	Castle Hayne c	confining unit	not present	Upper Cape Fear aquifer	-23
Peedee Aquifer not present Black Creek confining unit 73 Black Creek aquifer 51	Castle Hayne a	quifer	_	Lower Cape Fear confining unit	not present
Black Creek aquifer 51 County Cumberland Well Name Jim Dozer Vell Number 97 Well Depth Quad U 421 Land Surface Elevation 80 Hydrogeologic Unit Top Elevations Surficial aquifer 80 Upper Cape Fear confining unit 0 Castle Hayne confining unit not present Peedee Aquifer not present Black Creek aquifer 44 County Cumberland Well Number 98 Well Depth Peedee Aquifer 88 Black Creek aquifer 44 County Cumberland Well Number 98	Peedee confinii	ng unit	not present	Lower Cape Fear Aquifer	not present
County Cumberland Cumber	Peedee Aquifer		not present	Basement	-87
County Cumberland Well Name Jim Dozer Pozer Longitude Jim Dozer Well Number 97 Well Depth G05 Well Number 97 Land Surface Elevation 80 Well Depth Land Surface Elevation 80 Upper Cape Fear confining unit Not present Lower Cape Fear aquifer Not present Not present Lower Cape Fear Aquifer Not present Lower Cape Fear Confining unit Not present Lower Cape Fear Confining unit Not present Lower Cape Fear Aquifer Not present Not present Lower Cape Fear Aquifer Not present Not present Not present Not present Lower Cape Fear Aquifer Not present Not p					
Well Name Well Number Well Number Quad Jim Dozer Up7 Longitude Well Depth Up 605 -78.850003 Hydrogeologic Unit Top Elevations Surficial aquifer 80 Upper Cape Fear confining unit Upper Cape Fear aquifer 0 Castle Hayne aquifer not present Peedee confining unit not present Peedee Aquifer Lower Cape Fear Aquifer not present Peedee Aquifer Lower Cape Fear Aquifer Not present Peedee Aquifer Lower Cape Fear Aquifer Not present Peedee Aquifer Ada Name Peedee Aquifer Not present Peedee Aquifer Latitude Peedee Aquifer Not present Peedee Aquifer Not present Peedee Aquifer Not present Peedee Aquifer Not present Peedee Confining unit Not present Peedee Aquifer	Black Creek ag	uifer	51		
Well Number Quad97 U 42ILand Surface Elevation Hydrogeologic Unit Top Elevations80Surficial aquifer80Upper Cape Fear confining unit0Castle Hayne confining unitnot present not presentUpper Cape Fear aquifer-112Castle Hayne aquifernot present not presentLower Cape Fear Aquifernot presentPeedee confining unitnot present not presentLower Cape Fear Aquifernot presentBlack Creek confining unit Black Creek aquifer68 Black Creek aquiferLatitude 4434.882533Well Name Well Number QuadDWR Bushy Lake Station V 39OLand Surface Elevation Land Surface Elevation116Hydrogeologic Unit Top ElevationsSurficial aquifer116Upper Cape Fear aquifer-2Castle Hayne confining unitnot present not presentLower Cape Fear confining unit-2Castle Hayne aquifernot present not presentLower Cape Fear confining unitnot present Lower Cape Fear Aquifernot present Lower Cape Fear Aquifernot present Lower Cape Fear Aquifernot present Lower Cape Fear Aquifernot present not present Lower Cape Fear Aquifernot present Lower Cape Fear AquiferPeedee Aquifernot present not presentLower Cape Fear Aquifernot present Lower Cape Fear AquiferPeedee Aquifernot present not presentLower Cape Fear Aquifernot present	County	Cumberland		Latitude	34.973334
Quad U 421 Land Surface Elevation 80 Hydrogeologic Unit Top Elevations Surficial aquifer 80 Upper Cape Fear confining unit 0 Castle Hayne aquifer not present Lower Cape Fear aquifer not present Peedee confining unit not present Lower Cape Fear Aquifer not present Black Creek confining unit 68 Black Creek aquifer 44 County Cumberland Latitude 34.882533 Well Name DWR Bushy Lake Station Land Surface Elevation 354 Quad V 39O Land Surface Elevations 116 Surficial aquifer 116 Upper Cape Fear confining unit -2 Castle Hayne confining unit not present Upper Cape Fear aquifer -56 Castle Hayne aquifer not present Lower Cape Fear confining unit not present Peedee confining unit not present Lower Cape Fear Aquifer not present Peedee confining unit not present Lower Cape Fear Aquifer not present Peeddee Aquifer not present Lower Cape Fear Aq	Well Name	Jim Dozer		Longitude	-78.850003
Surficial aquifer 80 Upper Cape Fear confining unit 0 Castle Hayne confining unit not present Peedee confining unit not present Peedee Aquifer not present Black Creek confining unit 68 Black Creek confining unit 68 Black Creek aquifer 44 County Cumberland Latitude Peel Number 98 Well Name DWR Bushy Lake Station Well Number 98 Quad V 39O Land Surface Elevation Hydrogeologic Unit Top Elevations Surficial aquifer 10t present Lower Cape Fear confining unit 10t present 116 Castle Hayne aquifer 10t present 10		97			605
Surficial aquifer 80 Upper Cape Fear confining unit 0 Castle Hayne confining unit not present Peedee confining unit not present Peedee Aquifer not present Black Creek confining unit 68 Black Creek aquifer 44 County Cumberland Black Creek aquifer 98 Well Name DWR Bushy Lake Station Well Number 98 Quad V 390 Hydrogeologic Unit Top Elevations Surficial aquifer 116 Castle Hayne confining unit not present Peedee Aquifer not present Peedee Aquifer not present Peedee Confining unit not present Lower Cape Fear Aquifer not present Lower Cape Fear Aquifer not present Peedee Confining unit not present Lower Cape Fear Aquifer not present Not present Lower Cape Fear Aquifer not present Lower Cape Fear Aquifer not present Not present Lower Cape Fear Aquifer not present Not present Lower Cape Fear Aquifer not present Not present Not present Lower Cape Fear Aquifer Not present Not	Quad	U 42I			80
Castle Hayne confining unit Castle Hayne aquifer not present Peedee confining unit not present Peedee Confining unit not present Peedee Aquifer not present Black Creek confining unit Black Creek aquifer County Cumberland Well Name DWR Bushy Lake Station Well Number 98 Well Number 98 Well Name Well Number 116 Well Nound Well Number 116 Well Depth 354 Upper Cape Fear confining unit -2 Castle Hayne confining unit not present Peedee confining unit not present Peedee confining unit not present Peedee Aquifer Not present Peedee				-	
Castle Hayne aquifer not present Peedee confining unit not present Peedee Confining unit not present Peedee Aquifer not present Black Creek confining unit 68 Black Creek aquifer 44 County Cumberland 44 County Cumberland Longitude 78 Well Name DWR Bushy Lake Station Well Number 98 Well Number 98 Well Number 98 Unand V 390 Land Surface Elevation 116 Hydrogeologic Unit Top Elevations Surficial aquifer 116 Castle Hayne confining unit not present Peedee Confining unit not present Peedee Confining unit not present Peedee Aquifer not present Peedee Confining unit not present Peedee Aquifer not present Peedee Aquifer not present Peedee Aquifer not present Peedee Confining unit not present Peedee Aquifer not present Peedee Aquifer not present Peedee Confining unit not present Peedee Confining unit not present Peedee Aquifer not present Peedee Aquifer not present Peedee Aquifer not present Peedee Confining unit Peede				11 1	
Peedee confining unit not present Lower Cape Fear Aquifer not present Peedee Aquifer not present 68 Black Creek confining unit 68 44 County Cumberland Latitude 34.882533 Well Name DWR Bushy Lake Station Longitude -78.657536 Well Number 98 Well Depth 354 Quad V 39O Land Surface Elevation 116 Hydrogeologic Unit Top Elevations Surficial aquifer 116 Upper Cape Fear confining unit -2 Castle Hayne confining unit not present Lower Cape Fear aquifer -56 Castle Hayne aquifer not present Lower Cape Fear confining unit not present Peedee confining unit not present Lower Cape Fear Aquifer not present Peedee Aquifer not present Basement -114 Black Creek confining unit ? -114	•	0	•		
Peedee Aquifer not present Basement -134 Black Creek confining unit 68 Black Creek aquifer 44 County Cumberland Latitude 34.882533 Well Name DWR Bushy Lake Station Longitude -78.657536 Well Number 98 Well Depth 354 Quad V 390 Land Surface Elevation 116 Well Depth 354 Castle Hayne confining unit not present Upper Cape Fear confining unit - 2 Castle Hayne aquifer not present Lower Cape Fear confining unit not present Peedee confining unit not present Lower Cape Fear Aquifer not present Peedee Aquifer not present Basement -114 Black Creek confining unit ?	•	-	-		•
Black Creek aquifer 44 County Cumberland 44 County Cumberland 54.882533 Well Name DWR Bushy Lake Station 98 Well Number 98 Well Depth Quad V 390 Land Surface Elevation 116 Hydrogeologic Unit Top Elevations Surficial aquifer 116 Upper Cape Fear confining unit -2 Castle Hayne confining unit not present Peedee confining unit not present Peedee Aquifer not present Peedee Aquifer not present Peedee Aquifer not present Peedee Confining unit ?		_	-		-
County Cumberland Latitude 34.882533 Well Name DWR Bushy Lake Station Longitude -78.657536 Well Number 98 Well Depth 354 Quad V 390 Land Surface Elevation 116 Hydrogeologic Unit Top Elevations Surficial aquifer 116 Upper Cape Fear confining unit -2 Castle Hayne confining unit not present Lower Cape Fear aquifer not present Lower Cape Fear confining unit not present Peedee confining unit not present Lower Cape Fear Aquifer not present Peedee Aquifer not present Basement -114 Black Creek confining unit ?	-		•	Basement	-134
County Cumberland Unit Cumberland Surface Elevation Unit Top Elevations Surficial aquifer 116 Upper Cape Fear confining unit 1-2 Castle Hayne confining unit 1 not present 1 Lower Cape Fear confining unit 1 not present 1 Lower Cape Fear Aquifer 1 not present 1 not present 1 Lower Cape Fear Aquifer 1 not present 1 Lower Cape		_			
Well Name DWR Bushy Lake Station Longitude -78.657536 Well Number 98 Well Depth 354 Quad V 39O Land Surface Elevation 116 Hydrogeologic Unit Top Elevations Surficial aquifer 116 Upper Cape Fear confining unit -2 Castle Hayne confining unit not present Upper Cape Fear aquifer -56 Castle Hayne aquifer not present Lower Cape Fear confining unit not present Peedee confining unit not present Lower Cape Fear Aquifer not present Peedee Aquifer not present Basement -114 Black Creek confining unit ?		-			
Well Number98Well Depth354QuadV 39OLand Surface Elevation116Hydrogeologic Unit Top ElevationsSurficial aquifer116Upper Cape Fear confining unit-2Castle Hayne confining unitnot presentUpper Cape Fear aquifer-56Castle Hayne aquifernot presentLower Cape Fear confining unitnot presentPeedee confining unitnot presentLower Cape Fear Aquifernot presentPeedee Aquifernot presentBasement-114Black Creek confining unit?	•		•		
QuadV 390Land Surface ElevationHydrogeologic Unit Top ElevationsSurficial aquifer116Upper Cape Fear confining unit-2Castle Hayne confining unitnot presentUpper Cape Fear aquifer-56Castle Hayne aquifernot presentLower Cape Fear confining unitnot presentPeedee confining unitnot presentLower Cape Fear Aquifernot presentPeedee Aquifernot presentBasement-114Black Creek confining unit?			tation		
Hydrogeologic Unit Top Elevations Surficial aquifer Castle Hayne confining unit Castle Hayne aquifer Peedee confining unit Peedee Aquifer not present not present not present not present not present Peedee Aquifer not present Peedee Aquifer not present not present not present Peedee Aquifer not present not present Peedee Aquifer not present not present Peedee Aquifer				-	
Surficial aquifer Castle Hayne confining unit Castle Hayne aquifer not present Peedee confining unit Peedee Aquifer not present Peedee Aquifer	Quau	¥ 37 0	Hydrogoologie II		110
Castle Hayne confining unit Castle Hayne aquifer not present Peedee confining unit Peedee Aquifer not present not present not present not present not present Peedee Aquifer not present Peedee Aquifer not present not present not present not present not present Peedee Aquifer not present -114	Surficial aquif	a r		=	2
Castle Hayne aquifernot presentLower Cape Fear confining unitnot presentPeedee confining unitnot presentLower Cape Fear Aquifernot presentPeedee Aquifernot presentBasement-114Black Creek confining unit?					
Peedee confining unitnot presentLower Cape Fear Aquifernot presentPeedee Aquifernot presentBasement-114Black Creek confining unit?			_		
Peedee Aquifer not present Basement -114 Black Creek confining unit ?			_		•
Black Creek confining unit ?		_	_	•	•
	-		•		111
		_			

Well Name DWR Cedar Creek Firetower Statio Well Number 99	Latitude 34.932655 Longitude -78.739156 Well Depth 240
Quad U 40Y	Land Surface Elevation 134
Hydrogeologic Unit Top El	
Surficial aquifer 134 Upper Control Castle Hayne confining unit 134 Upper Control Uppe	pe Fear confining unit -1 pe Fear aquifer -51
	npe Fear confining unit not present
	pe Fear Aquifer not present
Peedee Aquifer not present Basemen	-106
Black Creek confining unit 114	
Black Creek aquifer 96	
County Duplin	Latitude 35.008300
Well Name Duplin County Well E2	Longitude -78.131700
Well Number 100	Well Depth 425
Quad T 33W	Land Surface Elevation 154
Hydrogeologic Unit Top El	evations
Surficial aquifer 154 Upper C	pe Fear confining unit -106
•	pe Fear aquifer -126
	ppe Fear confining unit not penetrated
•	pe Fear Aquifer
Peedee Aquifer not present Basemen	
Black Creek confining unit 132	
Black Creek aquifer 106	
County Duplin	Latitude 34.750000
Well Name Duplin County C1	Longitude -77.778333
Well Number 101	Well Depth 513
Quad X 29B	Land Surface Elevation 77
Hydrogeologic Unit Top El	
	pe Fear confining unit not penetrated
	pe Fear aquifer
	npe Fear confining unit
	pe Fear Aquifer
Peedee Aquifer no log Basemen	•
Black Creek confining unit -278	
Black Creek aquifer -328	
County Duplin	Latitude 34.807700
Well Name Duplin County D2	Longitude -77.960100
Well Number 102	Well Depth 640
Quad W 31H	Land Surface Elevation 56
Hydrogeologic Unit Top El	evations
	pe Fear confining unit -234
•	pe Fear aquifer -290
· · · · · · · · · · · · · · · · · · ·	ppe Fear confining unit -348
· · · · · · · · · · · · · · · · · · ·	pe Fear Aquifer -364
Peedee Aquifer -31 Basemen	
Black Creek confining unit -66	
Black Creek aquifer -96	
County Duplin	Latitude 34.759800
Well Name Duplin County D1	Longitude -77.966900
Well Number 103	Well Depth 624
Quad W 31X	Land Surface Elevation 66
Hydrogeologic Unit Top El	evations
, , ,	pe Fear confining unit -244
•	pe Fear aquifer -322
• • • • • • • • • • • • • • • • • • • •	ppe Fear confining unit -384
	pe Fear Aquifer -436
Peedee Aquifer -24 Basemen	
Black Creek confining unit -86	-
Black Creek aquifer -105	

County Well Name	Duplin DWR Rose Hill Stati	on	Latitude Longitude	34.847826 -78.021278
Well Number	104		Well Depth	562
Quad	V 32V		Land Surface Elevation	80
		Hydrogeologic Ut	nit Top Elevations	
Surficial aquife	r	80	Upper Cape Fear confining unit	-190
Castle Hayne co		not present	Upper Cape Fear aquifer	-278
Castle Hayne ac	quifer	not present	Lower Cape Fear confining unit	-342
Peedee confinin	g unit	30	Lower Cape Fear Aquifer	-362
Peedee Aquifer		16	Basement	-480
Black Creek co	nfining unit	-34		
Black Creek aq	uifer	-44		
County	Duplin		Latitude	34.822222
Well Name	Town of Greenevers		Longitude	-77.933333
Well Number	105		Well Depth	362
Quad	W 31A		Land Surface Elevation	63
Quau	W 3111	Hydrogeologic U	nit Top Elevations	03
Surficial aquifo	14			252
Surficial aquife		63 11	Upper Cape Fear confining unit Upper Cape Fear aquifer	-253 -271
Castle Hayne co			Lower Cape Fear adulier Lower Cape Fear confining unit	
		-1 -24		not penetrated
Peedee confinin	g umi	-24 -33	Lower Cape Fear Aquifer Basement	
Peedee Aquifer Black Creek co	nfining unit	-33 -70	Daschicht	
Black Creek aq	_	-70 -83		
		-03		
County	Duplin		Latitude	34.824016
Well Name	Town of Chinquapin		Longitude	-77.812048
Well Number	106		Well Depth	822
Quad	W 29D		Land Surface Elevation	45
		Hydrogeologic U	nit Top Elevations	
Surficial aquife		45	Upper Cape Fear confining unit	-327
Castle Hayne co		9	Upper Cape Fear aquifer	-405
Castle Hayne ac	_	-1	Lower Cape Fear confining unit	-544
Peedee confinin	g unit	-95	Lower Cape Fear Aquifer	-579
Peedee Aquifer		-125	Basement	-743
Black Creek co	_	-153		
Black Creek aq	uifer ————————————————————————————————————	-173		
County	Duplin		Latitude	34.738056
Well Name	Town of Wallace		Longitude	-77.993050
Well Number	107		Well Depth	589
Quad	X 31E		Land Surface Elevation	58
		Hydrogeologic Ut	nit Top Elevations	
Surficial aquife	r	58	Upper Cape Fear confining unit	-292
Castle Hayne co		not present	Upper Cape Fear aquifer	-317
Castle Hayne ac	_	not present	Lower Cape Fear confining unit	-382
Peedee confinin	g unit	15	Lower Cape Fear Aquifer	-422
Peedee Aquifer		-10	Basement	not penetrated
Black Creek co	_	-52		
Black Creek aq	uifer	-74		
County	Hoke		Latitude	34.938900
Well Name	HO-A-4-83		Longitude	-79.341100
Well Number	108		Well Depth	100
Quad	U 48T		Land Surface Elevation	260
		Hydrogeologic U	nit Top Elevations	
Surficial aquife	r	260	Upper Cape Fear confining unit	not penetrated
Castle Hayne co	onfining unit	not present	Upper Cape Fear aquifer	
Castle Hayne ac	quifer	not present	Lower Cape Fear confining unit	
Peedee confinin	a unit	not present	Lower Cape Fear Aquifer	
	ց սոււ	not present	zower emperem riquirer	
Peedee Aquifer		not present	Basement	
Peedee Aquifer Black Creek co Black Creek aq	nfining unit	_		

County Well Name Well Number	Hoke Town of Raeford We 109	11 21	Latitude Longitude Well Depth	34.962900 -79.249700 253
Quad	U 46O	** * * * * *	Land Surface Elevation	260
Surficial aquife Castle Hayne of Castle Hayne a Peedee confinit Peedee Aquifer Black Creek co	confining unit quifer ng unit	not present not present not present not present not present 225	nit Top Elevations Upper Cape Fear confining unit Upper Cape Fear aquifer Lower Cape Fear confining unit Lower Cape Fear Aquifer Basement	55 33 not penetrated
Black Creek ag	0	214		
County Well Name Well Number Quad	Hoke HO-A-2-83 110 T 46U		Latitude Longitude Well Depth Land Surface Elevation	35.010300 -79.166700 96 225
			nit Top Elevations	
Surficial aquife Castle Hayne of Castle Hayne a Peedee confinit Peedee Aquifer Black Creek of Black Creek aq	confining unit quifer ng unit onfining unit	not present not present not present not present not present 195 173	Upper Cape Fear confining unit Upper Cape Fear aquifer Lower Cape Fear confining unit Lower Cape Fear Aquifer Basement	not penetrated
County	Hoke		Latitude	35.070300
Well Name	HO-T-1-86 Fort Brag	g	Longitude	-79.116700
Well Number Quad	111 T 45C		Well Depth Land Surface Elevation	166 290
Quau	1 430	Hydrogeologic U	nit Top Elevations	290
Surficial aquife Castle Hayne of Castle Hayne a Peedee confinit Peedee Aquifer Black Creek co Black Creek ag	confining unit quifer ng unit onfining unit	290 not present not present not present not present 254 244	Upper Cape Fear confining unit Upper Cape Fear aquifer Lower Cape Fear confining unit Lower Cape Fear Aquifer Basement	not penetrated
County	Hoke		Latitude	34.965000
Well Name	HO-A-3-83		Longitude	-79.275000
Well Number	112 U 47L		Well Depth Land Surface Elevation	100 260
Quad	U 4/L	Hydrogeologic U	nit Top Elevations	200
Surficial aquife	er	260	Upper Cape Fear confining unit	
Castle Hayne of Castle Hayne a Peedee confinite Peedee Aquifer Black Creek of Black Creek age	confining unit quifer ng unit onfining unit	not present not present not present not present 184 not penetrated	Upper Cape Fear aquifer Lower Cape Fear confining unit Lower Cape Fear Aquifer Basement	
County	Hoke	<u> </u>	Latitude	35.054800
Well Name Well Number Quad	McCain Sanitorium 113 T 48I		Longitude Well Depth Land Surface Elevation	-79.359400 207 348
G			nit Top Elevations	
Surficial aquife Castle Hayne of Castle Hayne a Peedee confinit Peedee Aquifer Black Creek co	confining unit quifer ng unit onfining unit	348 not present not present not present not present 340	Upper Cape Fear confining unit Upper Cape Fear aquifer Lower Cape Fear confining unit Lower Cape Fear Aquifer Basement	not penetrated
Black Creek aq	<u>quifer</u>	318		

County Well Name	New Hanover Hercules, Inc.		Latitude Longitude	34.315556 -77.980833
Well Number	114		Well Depth	1,011
Quad	CC 31G		Land Surface Elevation	13
		Hydrogeologic Ut	nit Top Elevations	
Surficial aquife	r	13	Upper Cape Fear confining unit	-611
Castle Hayne c		not present	Upper Cape Fear aquifer	-677
Castle Hayne a	quifer	not present	Lower Cape Fear confining unit	-885
Peedee confinin	g unit	no log	Lower Cape Fear Aquifer	-940
Peedee Aquifer		no log	Basement	not penetrated
Black Creek co	nfining unit	-317		
Black Creek aq	uifer	-409		
County	New Hanover		Latitude	34.133889
Well Name	Masonboro Utilities		Longitude	-77.877222
Well Number	115		Well Depth	203
Quad	EE 30H		Land Surface Elevation	26
Quuu	EE JOH	Hydrogeologic U	nit Top Elevations	20
Surficial aquifo	z.		=	
Surficial aquife Castle Hayne co		26 -62	Upper Cape Fear confining unit Upper Cape Fear aquifer	
		-62 -81	Lower Cape Fear aquifer Lower Cape Fear confining unit	
Castle Hayne ac Peedee confinin		-81 -130	1	
Peedee Aquifer	ig unit	-130 -150	Lower Cape Fear Aquifer Basement	
Black Creek co	nfining unit	not penetrated	Dasement	
Black Creek aq	_	not penetrated		
				00.075
County	New Hanover	1 1	Latitude	33.973389
Well Name	USGS Kure Beach Co	orehole	Longitude	-77.916556
Well Number	116		Well Depth	1,222
Quad	GG 30F	** * * * * * * * * * * * * * * * * * * *	Land Surface Elevation	10
		Hydrogeologic U	nit Top Elevations	
Surficial aquife		10	Upper Cape Fear confining unit	-809
Castle Hayne c		unconfined	Upper Cape Fear aquifer	-852
Castle Hayne ac	-	unconfined	Lower Cape Fear confining unit	-1058
Peedee confinin	g unit	-108	Lower Cape Fear Aquifer	-1115
Peedee Aquifer		-128	Basement	not penetrated
Black Creek co	_	-520		
Black Creek aq	uifer	-641		
County	New Hanover		Latitude	34.300000
Well Name	Coastal States Foy N	o. 1	Longitude	-77.780555
Well Number	117		Well Depth	1,304
Quad	CC 29L		Land Surface Elevation	29
		Hydrogeologic U	nit Top Elevations	
Surficial aquife		29	Upper Cape Fear confining unit	-713
Castle Hayne c		23	Upper Cape Fear aquifer	-759
Castle Hayne ac	-	7	Lower Cape Fear confining unit	-971
		-83	Lower Cape Fear Aquifer	-1016
Peedee confinin	g unit		_	1
Peedee Aquifer		-135	Basement	not penetrated
Peedee Aquifer Black Creek co	nfining unit	-135 -495	Basement	not penetrated
Peedee Aquifer	nfining unit	-135	Basement	not penetrated
Peedee Aquifer Black Creek co Black Creek aq County	nfining unit uifer New Hanover	-135 -495 -577	Latitude	34.324167
Peedee Aquifer Black Creek co Black Creek aq County Well Name	nfining unit uifer New Hanover General Electric Co.	-135 -495 -577	Latitude Longitude	-
Peedee Aquifer Black Creek co Black Creek aq County	nfining unit uifer New Hanover General Electric Co. 118	-135 -495 -577	Latitude Longitude Well Depth	34.324167
Peedee Aquifer Black Creek co Black Creek aq County Well Name	nfining unit uifer New Hanover General Electric Co.	-135 -495 -577 Well 4	Latitude Longitude Well Depth Land Surface Elevation	34.324167 -77.924722
Peedee Aquifer Black Creek co Black Creek aq County Well Name Well Number	nfining unit uifer New Hanover General Electric Co. 118	-135 -495 -577 Well 4	Latitude Longitude Well Depth	34.324167 -77.924722 110
Peedee Aquifer Black Creek co Black Creek aq County Well Name Well Number	nfining unit uifer New Hanover General Electric Co. 118 CC 31A	-135 -495 -577 Well 4	Latitude Longitude Well Depth Land Surface Elevation mit Top Elevations Upper Cape Fear confining unit	34.324167 -77.924722 110
Peedee Aquifer Black Creek co Black Creek aq County Well Name Well Number Quad Surficial aquife Castle Hayne co	nfining unit uifer New Hanover General Electric Co. 118 CC 31A r onfining unit	-135 -495 -577 Well 4 <i>Hydrogeologic Ut</i> 6 not present	Latitude Longitude Well Depth Land Surface Elevation nit Top Elevations Upper Cape Fear confining unit Upper Cape Fear aquifer	34.324167 -77.924722 110
Peedee Aquifer Black Creek co Black Creek aq County Well Name Well Number Quad Surficial aquife Castle Hayne co	nfining unit uifer New Hanover General Electric Co. 118 CC 31A r onfining unit quifer	-135 -495 -577 Well 4 <i>Hydrogeologic U</i>	Latitude Longitude Well Depth Land Surface Elevation mit Top Elevations Upper Cape Fear confining unit	34.324167 -77.924722 110
Peedee Aquifer Black Creek co Black Creek aq County Well Name Well Number Quad Surficial aquife Castle Hayne co	nfining unit uifer New Hanover General Electric Co. 118 CC 31A r onfining unit quifer	-135 -495 -577 Well 4 <i>Hydrogeologic Ut</i> 6 not present	Latitude Longitude Well Depth Land Surface Elevation nit Top Elevations Upper Cape Fear confining unit Upper Cape Fear aquifer	34.324167 -77.924722 110
Peedee Aquifer Black Creek co Black Creek aq County Well Name Well Number Quad Surficial aquife Castle Hayne co Castle Hayne ac Peedee confinin Peedee Aquifer	nfining unit uifer New Hanover General Electric Co. 118 CC 31A r onfining unit quifer g unit	-135 -495 -577 Well 4 <i>Hydrogeologic Un</i> 6 not present not present	Latitude Longitude Well Depth Land Surface Elevation nit Top Elevations Upper Cape Fear confining unit Upper Cape Fear aquifer Lower Cape Fear confining unit	34.324167 -77.924722 110
Peedee Aquifer Black Creek co Black Creek aq County Well Name Well Number Quad Surficial aquife Castle Hayne co Castle Hayne ac Peedee confining	nfining unit uifer New Hanover General Electric Co. 118 CC 31A r onfining unit quifer ng unit	-135 -495 -577 Well 4 <i>Hydrogeologic Un</i> 6 not present not present -63	Latitude Longitude Well Depth Land Surface Elevation nit Top Elevations Upper Cape Fear confining unit Upper Cape Fear aquifer Lower Cape Fear Aquifer	34.324167 -77.924722 110

County Well Name Well Number Quad	New Hanover CP and L Sutton Plant 119 CC 31Q		Latitude Longitude Well Depth Land Surface Elevation nit Top Elevations	34.283333 -77.976667 105 5
Surficial aquifo Castle Hayne of Castle Hayne a Peedee confinit Peedee Aquifer Black Creek co Black Creek ac	er confining unit quifer ng unit onfining unit	not present not present -55 not penetrated	Upper Cape Fear confining unit Upper Cape Fear aquifer Lower Cape Fear confining unit Lower Cape Fear Aquifer Basement	
County Well Name Well Number Quad	New Hanover Suggs and Harrison De 120 FF 31J		Latitude Longitude Well Depth Land Surface Elevation	34.060278 -77.917500 200 10
Surficial aquifo Castle Hayne of Castle Hayne a Peedee confinit Peedee Aquifer Black Creek co Black Creek ac	er confining unit quifer ng unit onfining unit	Hydrogeologic Un 10 unconfined unconfined not penetrated	nit Top Elevations Upper Cape Fear confining unit Upper Cape Fear aquifer Lower Cape Fear confining unit Lower Cape Fear Aquifer Basement	
County Well Name Well Number Quad	New Hanover Marine Science Center 121 GG 31K		Latitude Longitude Well Depth Land Surface Elevation	33.962778 -77.931389 158 7
Surficial aquifor Castle Hayne of Castle Hayne and Peedee confinity Peedee Aquifer Black Creek of Black Creek ac	er confining unit quifer ng unit onfining unit	Hydrogeologic Un 7 -91 -114 not penetrated	nit Top Elevations Upper Cape Fear confining unit Upper Cape Fear aquifer Lower Cape Fear confining unit Lower Cape Fear Aquifer Basement	
County Well Name Well Number Quad	New Hanover Carolina Beach Well 9 122 FF 30O	Hvdrogeologic U	Latitude Longitude Well Depth Land Surface Elevation nit Top Elevations	34.046111 -77.901389 223 30
Surficial aquifo Castle Hayne of Castle Hayne a Peedee confining Peedee Aquifer Black Creek co Black Creek ac	er confining unit quifer ng unit onfining unit	30 -116 -130 -172 not penetrated	Upper Cape Fear confining unit Upper Cape Fear aquifer Lower Cape Fear confining unit Lower Cape Fear Aquifer Basement	
County Well Name Well Number Quad	New Hanover Town of Kure Beach 123 FF 30Y	Hydrogaologia U	Latitude Longitude Well Depth Land Surface Elevation	34.010278 -77.910833 203 22
Surficial aquifo Castle Hayne of Castle Hayne a Peedee confinit Peedee Aquifer Black Creek co Black Creek ac	er confining unit quifer ng unit onfining unit	22 -41 -92 -168 not penetrated	nit Top Elevations Upper Cape Fear confining unit Upper Cape Fear aquifer Lower Cape Fear confining unit Lower Cape Fear Aquifer Basement	

New Hanover		Latitude	34.035556
	1	9	-77.896944 190
			190
	Hydrogeologic U		10
	• 0 0	<u>-</u>	
	-120		
=		•	
3		Basement	
nfining unit			
uifer			
New Hanover		Latitude	34.058056
	1 No. 3		-77.888611
	11,0.0	9	202
			5
	Avdrogeologic Ui		
	• 0 0	<u>-</u>	
	-123		
3	-145	•	
J	-175	Basement	
nfining unit	not penetrated		
uifer			
		Latitude	34.295278
	ent		-77.874722
-			252
CC 30M			40
	Avdrogeologic Ui		
		=	
	•		
g unit	-20	Lower Cape Fear Aquifer	
	-32	Basement	
nfining unit	not penetrated		
ıifer			
New Hanover		Latitude	34.303056
	ent		-77.872500
127		9	251
CC 30H		Land Surface Elevation	36
1	Hydrogeologic Ui	nit Top Elevations	
r	36	Upper Cape Fear confining unit	
onfining unit	not present	Upper Cape Fear aquifer	
uifer	not present	Lower Cape Fear confining unit	
g unit	-16	Lower Cape Fear Aquifer	
	-32	Basement	
nfining unit	not penetrated		
_			
uifer			
New Hanover		Latitude	34.296111
New Hanover New Hanover Schools I	aney School	Longitude	-77.870833
New Hanover New Hanover Schools I 128	aney School	Longitude Well Depth	-77.870833 212
New Hanover New Hanover Schools I 128 CC 30M	·	Longitude Well Depth Land Surface Elevation	-77.870833
New Hanover New Hanover Schools L 128 CC 30M	Hydrogeologic Ui	Longitude Well Depth Land Surface Elevation nit Top Elevations	-77.870833 212
New Hanover New Hanover Schools I 128 CC 30M	Hydrogeologic Un	Longitude Well Depth Land Surface Elevation nit Top Elevations Upper Cape Fear confining unit	-77.870833 212
New Hanover New Hanover Schools I 128 CC 30M	Hydrogeologic Ui	Longitude Well Depth Land Surface Elevation nit Top Elevations Upper Cape Fear confining unit Upper Cape Fear aquifer	-77.870833 212
New Hanover New Hanover Schools I 128 CC 30M onfining unit quifer	Hydrogeologic Un 30 not present not present	Longitude Well Depth Land Surface Elevation nit Top Elevations Upper Cape Fear confining unit Upper Cape Fear aquifer Lower Cape Fear confining unit	-77.870833 212
New Hanover New Hanover Schools I 128 CC 30M	Hydrogeologic Un 30 not present not present -26	Longitude Well Depth Land Surface Elevation nit Top Elevations Upper Cape Fear confining unit Upper Cape Fear aquifer Lower Cape Fear confining unit Lower Cape Fear Aquifer	-77.870833 212
New Hanover New Hanover Schools L 128 CC 30M Infining unit quifer g unit	Hydrogeologic Un 30 not present not present -26 -41	Longitude Well Depth Land Surface Elevation nit Top Elevations Upper Cape Fear confining unit Upper Cape Fear aquifer Lower Cape Fear confining unit	-77.870833 212
New Hanover New Hanover Schools I 128 CC 30M onfining unit quifer	Hydrogeologic Un 30 not present not present -26	Longitude Well Depth Land Surface Elevation nit Top Elevations Upper Cape Fear confining unit Upper Cape Fear aquifer Lower Cape Fear confining unit Lower Cape Fear Aquifer	-77.870833 212
	Town of Carolina Beach 124 FF 30N Infining unit Infining	Town of Carolina Beach 124 FF 30N Hydrogeologic Unit Infining unit Inf	Town of Carolina Beach 124

County Well Name Well Number	New Hanover Corning Glass 129		Latitude Longitude Well Depth	34.251111 -77.869167 160
Quad	CC 30W	Hydrogeologic II	Land Surface Elevation init Top Elevations	36
Surficial aquife Castle Hayne of Castle Hayne a Peedee confinit Peedee Aquifer Black Creek co Black Creek aq	onfining unit quifer ng unit onfining unit	36 unconfined unconfined unconfined unconfined unconfined not penetrated	Upper Cape Fear confining unit Upper Cape Fear aquifer Lower Cape Fear confining unit Lower Cape Fear Aquifer Basement	
County Well Name Well Number	New Hanover USGS C-1-79 130		Latitude Longitude Well Depth	34.295000 -77.860000 77
Quad	CC 30L		Land Surface Elevation	28
			nit Top Elevations	
Surficial aquife Castle Hayne of Castle Hayne a Peedee confinity Peedee Aquifer Black Creek of Black Creek ag	onfining unit quifer ng unit onfining unit	not present not present -32 not penetrated	Upper Cape Fear confining unit Upper Cape Fear aquifer Lower Cape Fear confining unit Lower Cape Fear Aquifer Basement	
County	New Hanover		Latitude	34.221389
Well Name	Town of Wrightsvil	le Beach	Longitude	-77.825278
Well Number Quad	131 DD 29F		Well Depth Land Surface Elevation	185 21
Quau	DD 29F	Hydrogaologic II	nit Top Elevations	21
Surficial aquife Castle Hayne of Castle Hayne a Peedee confinit Peedee Aquifer Black Creek of Black Creek aq	onfining unit quifer ng unit onfining unit	unconfined unconfined unconfined unconfined unconfined not penetrated	Upper Cape Fear confining unit Upper Cape Fear aquifer Lower Cape Fear confining unit Lower Cape Fear Aquifer Basement	
County	New Hanover		Latitude	34.226389
Well Name	D.G. Enterprises		Longitude	-77.783333
Well Number	132 DD 29I		Well Depth Land Surface Elevation	170 10
Quad	DD 291	Hydrogeologic II	nit Top Elevations	10
Surficial aquife	ar	11yurogeologic Ci	Upper Cape Fear confining unit	
Castle Hayne of		unconfined	Upper Cape Fear aquifer	
Castle Hayne a	0	unconfined	Lower Cape Fear confining unit	
Peedee confinii		unconfined	Lower Cape Fear Aquifer	
Peedee Aquifer		unconfined	Basement	
Black Creek co	_	not penetrated		
Black Creek ag	·			
County Well Name Well Number Quad	New Hanover USGS Test Hole NI 133 CC 30L	H-T-13 USGS PP.	Latitude Longitude Well Depth Land Surface Elevation	34.300000 -77.861111 684 25
		Hydrogeologic U	nit Top Elevations	
Surficial aquiformation Castle Hayne of Castle Hayne and Peedee confinity Peedee Aquifer Black Creek confinity	onfining unit quifer ng unit onfining unit	not present not present -34 -50 -415	Upper Cape Fear confining unit Upper Cape Fear aquifer Lower Cape Fear confining unit Lower Cape Fear Aquifer Basement	not penetrated
Black Creek aq	uifer	-509		

County Well Name Well Number	New Hanover Town of Carolina Bea 134	ch	Latitude Longitude Well Depth	34.033333 -77.908889 200
Quad	FF 30P		Land Surface Elevation	18
Surficial aquife Castle Hayne of Castle Hayne a Peedee confinin Peedee Aquifer Black Creek co	confining unit quifer ng unit onfining unit	Hydrogeologic Un 18 -70 -104 not penetrated	nit Top Elevations Upper Cape Fear confining unit Upper Cape Fear aquifer Lower Cape Fear confining unit Lower Cape Fear Aquifer Basement	
Black Creek aq	_{[uifer}			
County Well Name Well Number	New Hanover NC Oil and Gas Fort 135	Fisher No. 1	Latitude Longitude Well Depth	33.973611 -77.919444 1,303
Quad	GG 31J	Hydrogeologic II	Land Surface Elevation nit Top Elevations	5
Surficial aquife Castle Hayne of Castle Hayne a Peedee confinin Peedee Aquifer Black Creek of Black Creek aq	confining unit quifer ng unit onfining unit	no log no log unknown unknown -461 -539	Upper Cape Fear confining unit Upper Cape Fear aquifer Lower Cape Fear confining unit Lower Cape Fear Aquifer Basement	-835 -905 -1045 -1125 -1515
County Well Name Well Number Quad	New Hanover Carolina Power and L 136 CC 29Y	ight	Latitude Longitude Well Depth Land Surface Elevation	34.258333 -77.824722 123 25
Surficial aquife Castle Hayne of Castle Hayne a Peedee confinit Peedee Aquifer Black Creek of Black Creek aq	confining unit quifer ng unit onfining unit	unconfined unconfined unconfined unconfined unconfined not penetrated	Upper Cape Fear confining unit Upper Cape Fear aquifer Lower Cape Fear confining unit Lower Cape Fear Aquifer Basement	
County Well Name Well Number Quad	New Hanover Flemington Landfill 137 CC 31R	Hydrogeologic II	Latitude Longitude Well Depth Land Surface Elevation nit Top Elevations	34.273889 -77.963333 112 11
Surficial aquife Castle Hayne of Castle Hayne a Peedee confinin Peedee Aquifer Black Creek of Black Creek aq	confining unit quifer ng unit onfining unit	11 not present not present -76 not penetrated	Upper Cape Fear confining unit Upper Cape Fear aquifer Lower Cape Fear confining unit Lower Cape Fear Aquifer Basement	
County Well Name Well Number Quad	New Hanover Flemington Landfill 138 CC 31R	H. J	Latitude Longitude Well Depth Land Surface Elevation	34.273056 -77.960556 100 11
Surficial aquifor Castle Hayne of Castle Hayne a Peedee confinit Peedee Aquifer Black Creek of Black Creek aquifor	confining unit quifer ng unit onfining unit	not present not present not present -73 not penetrated	nit Top Elevations Upper Cape Fear confining unit Upper Cape Fear aquifer Lower Cape Fear confining unit Lower Cape Fear Aquifer Basement	

County Well Name Well Number	New Hanover Oliver Hutaff 139		Latitude Longitude Well Depth	34.274167 -77.920278 84
Quad	CC 31T		Land Surface Elevation	25
			nit Top Elevations	
Surficial aquife Castle Hayne a Castle Hayne a Peedee confinin Peedee Aquifer Black Creek co Black Creek aq	onfining unit quifer ng unit onfining unit	not present not present -14 not penetrated	Upper Cape Fear confining unit Upper Cape Fear aquifer Lower Cape Fear confining unit Lower Cape Fear Aquifer Basement	
County Well Name Well Number Quad	New Hanover Flemington Landfill 140 CC 31R		Latitude Longitude Well Depth Land Surface Elevation	34.279167 -77.965833 112 14
		Hydrogeologic U	nit Top Elevations	
Surficial aquife Castle Hayne of Castle Hayne a Peedee confining Peedee Aquifer Black Creek of Black Creek aquifer	onfining unit quifer ng unit onfining unit	not present not present -74 not penetrated	Upper Cape Fear confining unit Upper Cape Fear aquifer Lower Cape Fear confining unit Lower Cape Fear Aquifer Basement	
County Well Name Well Number Quad	New Hanover Coastal States Suggs 141 FF 30F	No. 1	Latitude Longitude Well Depth Land Surface Elevation	34.061666 -77.907777 1,183
Surficial aquife Castle Hayne of Castle Hayne a Peedee confinit Peedee Aquifer Black Creek of Black Creek aq	onfining unit quifer ng unit onfining unit	unconfined unconfined -154 -172 not penetrated	Upper Cape Fear confining unit Upper Cape Fear aquifer Lower Cape Fear confining unit Lower Cape Fear Aquifer Basement	
County Well Name Well Number Quad	New Hanover Town of Carolina Bea 142 FF 30G		Latitude Longitude Well Depth Land Surface Elevation nit Top Elevations	34.053889 -77.900000 220 5
Surficial aquife Castle Hayne of Castle Hayne a Peedee confining Peedee Aquifer Black Creek of Black Creek aq	onfining unit quifer ng unit onfining unit	unconfined -195 -213 not penetrated	Upper Cape Fear confining unit Upper Cape Fear aquifer Lower Cape Fear confining unit Lower Cape Fear Aquifer Basement	
County Well Name Well Number Quad	New Hanover General Electric Co. V 143 CC 31A		Latitude Longitude Well Depth Land Surface Elevation	34.324167 -77.924722 110 6
Surficial aquife Castle Hayne c Castle Hayne a Peedee confinin Peedee Aquifer Black Creek co Black Creek aq	onfining unit quifer ng unit onfining unit	Hydrogeologic Union 6 not present not present -63 not penetrated	nit Top Elevations Upper Cape Fear confining unit Upper Cape Fear aquifer Lower Cape Fear confining unit Lower Cape Fear Aquifer Basement	

County Well Name	Pender Burgaw Station		Latitude Longitude	34.604749 -77.856070
Well Number	144		Well Depth	928
Quad	Y 30S		Land Surface Elevation	18
	H	Iydrogeologic U	nit Top Elevations	
Surficial aquife		18	Upper Cape Fear confining unit	-540
Castle Hayne c		not present	Upper Cape Fear aquifer	-606
Castle Hayne a		not present	Lower Cape Fear confining unit	-766
Peedee confinir		-24	Lower Cape Fear Aquifer	-804
Peedee Aquifer	_	-46	Basement	-902
Black Creek co	onfining unit	-298		
Black Creek aq	uifer	-342		
County	Pender		Latitude	34.376389
Well Name	NC Oil and Gas Lea No.	. 1	Longitude	-77.733333
Well Number	145		Well Depth	1,253
Quad	BB 28N		Land Surface Elevation	34
		Ivdrogeologic U	nit Top Elevations	
Surficial aquife		34	Upper Cape Fear confining unit	-705
Castle Hayne c		no log	Upper Cape Fear aquifer	-744
Castle Hayne a	_	no log	Lower Cape Fear confining unit	-913
Peedee confinir	_	-111	Lower Cape Fear Aquifer	-997
Peedee Aquifer		-137	Basement	-1213
Black Creek co	onfining unit	-495		
Black Creek aq	_	-571		
County	Pender		Latitude	34.458611
Well Name	Moores Creek National I	Park	Longitude	-78.108333
Well Number	146		Well Depth	648
Quad	AA 33L		Land Surface Elevation	30
-	H	Iydrogeologic U	nit Top Elevations	
Surficial aquife		30	Upper Cape Fear confining unit	-514
Castle Hayne c	onfining unit	not present	Upper Cape Fear aquifer	-546
Castle Hayne a	quifer	not present	Lower Cape Fear confining unit	not penetrated
Peedee confinir	ng unit	0	Lower Cape Fear Aquifer	
Peedee Aquifer		-20	Basement	
Black Creek co	_	-214		
Black Creek aq	uifer	-288		
County	Pender		Latitude	34.399976
Well Name	DWR Topsail Station		Longitude	-77.678170
Well Number	147		Well Depth	1,349
Quad	BB 28J		Land Surface Elevation	60
		lydrogeologic U	nit Top Elevations	
Surficial aquife		60	Upper Cape Fear confining unit	-710
Castle Hayne c	_	2	Upper Cape Fear aquifer	-744 024
Castle Hayne a	_	-20	Lower Cape Fear confining unit	-924
Peedee confinir	ig unit	-110	Lower Cape Fear Aquifer	-1000
Peedee Aquifer	anfining poit	-180	Basement	-1286
Black Creek co Black Creek aq	_	-448 -505		
		-505		0.1.655000
County Well Name	Pender NC Oil and Gas Cowan	No. 1	Latitude Langituda	34.675000
Well Number	NC Oil and Gas Cowan	110. 1	Longitude Well Depth	-77.708333 730
Quad	X 28W		Land Surface Elevation	34
Anan		Ivdrogeologic II	nit Top Elevations	34
Surficial aquife		34	Upper Cape Fear confining unit	-654
Castle Hayne c		28	Upper Cape Fear aquifer	not penetrated
Castle Hayne a	_	18	Lower Cape Fear confining unit	not penetrated
Peedee confinir		-26	Lower Cape Fear Aquifer	
Peedee Aquifer	-5	-45	Basement	
	onfining unit		— 	
Black Creek co Black Creek aq		-376 -400		

County Well Name	Robeson DWR Green Grove School S	Station	Latitude Longitude	34.556392 -79.141384
Well Number	149		Well Depth	651
Quad	Z 45G		Land Surface Elevation	137
	Hyd	rogeologic U	nit Top Elevations	
Surficial aquife		137	Upper Cape Fear confining unit	-329
Castle Hayne c		not present	Upper Cape Fear aquifer	-363
Castle Hayne a	-	not present	Lower Cape Fear confining unit	not present
Peedee confinii	_	not present	Lower Cape Fear Aquifer	not present
Peedee Aquifer		not present	Basement	-435
Black Creek co	_	69 -17		
Black Creek ag	•	-1 /		
County	Robeson		Latitude	34.643333
Well Name	DWR Littlefield Station		Longitude	-78.905278
Well Number	150 Y 42F		Well Depth Land Surface Elevation	467
Quad		uogaalagia II		141
Cficial assuif			nit Top Elevations	106
Surficial aquife Castle Hayne c		141	Upper Cape Fear confining unit Upper Cape Fear aquifer	-186 -239
Castle Hayne a	_	not present not present	Lower Cape Fear confining unit	not present
Peedee confinii		not present	Lower Cape Fear Aquifer	not present
Peedee Aquifer	S	not present	Basement	not penetrated
Black Creek co		93		P
Black Creek aq	_	67		
County	Robeson		Latitude	34.709867
Well Name	DWR Magnolia School Sta	tion	Longitude	-79.001589
Well Number	151		Well Depth	452
Quad	X 44K		Land Surface Elevation	147
	Hyd	rogeologic U	nit Top Elevations	
Surficial aquife		147	Upper Cape Fear confining unit	-119
Castle Hayne c		not present	Upper Cape Fear aquifer	-171
Castle Hayne a		not present	Lower Cape Fear confining unit	not present
Peedee confinii		not present	Lower Cape Fear Aquifer	not penetrated
Peedee Aquifer		not present	Basement	-305
Black Creek co Black Creek ag	_	115 109		
		107		
County	Robeson		Latitude	34.623514
Well Name	DWR Lumberton Prison Sta	ation	Longitude	-79.075064
Well Number Quad	152 Y 44O		Well Depth Land Surface Elevation	495 126
Quau		rogeologic II	nit Top Elevations	120
Surficial aquife	•	126	Upper Cape Fear confining unit	-248
Castle Hayne o		not present	Upper Cape Fear aquifer	-279
Castle Hayne a	_	not present	Lower Cape Fear confining unit	not present
Peedee confinii	-	not present	Lower Cape Fear Aquifer	not present
Peedee Aquifer		not present	Basement	-369
Black Creek co	_	no log		
Black Creek ag	uifer	no log		
County	Robeson		Latitude	34.726944
Well Name	DWR Prevatte Station		Longitude	-79.092778
Well Number	153		Well Depth	469
Quad	X 45J		Land Surface Elevation	166
	•		nit Top Elevations	
Surficial aquife		166	Upper Cape Fear confining unit	-102
Castle Hayne c		not present	Upper Cape Fear aquifer	-184
Castle Hayne a		not present	Lower Cape Fear confining unit	not present
Peedee confining Peedee Aquifer		not present	Lower Cape Fear Aquifer Basement	not present -302
Black Creek co		not present 149	Daschicht	-302
Black Creek ag	_	134		
	·	15 1		

County Well Name	Robeson DWR Rex Rennert School	Station	Latitude Longitude	34.843151 -79.087593
Well Number	154		Well Depth	360
Quad	V 45U		Land Surface Elevation	185
	Hyd	lrogeologic U	nit Top Elevations	
Surficial aquife		185	Upper Cape Fear confining unit	17
Castle Hayne c		not present	Upper Cape Fear aquifer	-105
Castle Hayne a		not present	Lower Cape Fear confining unit	not present
Peedee confining	_	not present	Lower Cape Fear Aquifer	not present
Peedee Aquifer		not present	Basement	-167
Black Creek co		180 170		
	-	170		
County	Robeson		Latitude	34.706562
Well Name	DWR Red Banks Station		Longitude	-79.260885
Well Number	155 X 47K		Well Depth Land Surface Elevation	467
Quad	X 47K	luonaalania II		170
0 0 1 1 10			nit Top Elevations	1.40
Surficial aquife		170	Upper Cape Fear confining unit	-142
Castle Hayne c		not present	Upper Cape Fear aquifer	-200
Castle Hayne a	•	not present	Lower Cape Fear confining unit	not present
Peedee confining	S	not present	Lower Cape Fear Aquifer	not present
Pleals Greats as		not present	Basement	-297
Black Creek co		132 98		
	-	96		
County	Robeson		Latitude	34.373223
Well Name	DWR Marietta Station		Longitude	-79.127359
Well Number	156		Well Depth	552
Quad	BB 45M	l	Land Surface Elevation	91
Confinial aconif			nit Top Elevations	260
Surficial aquife		91	Upper Cape Fear confining unit Upper Cape Fear aquifer	-269 -373
Castle Hayne c Castle Hayne a		not present	Lower Cape Fear confining unit	
Peedee confinii	-	not present	Lower Cape Fear Aquifer	not present not present
Peedee Aquifer	_	-12	Basement	-454
Black Creek co		-36	Dasement	-434
Black Creek ag	O	-54		
County	Robeson		Latitude	34.532009
Well Name	DWR Rowland Station		Longitude	-79.296151
Well Number	157		Well Depth	548
Quad	Z 47R		Land Surface Elevation	144
	Hyd	rogeologic U	nit Top Elevations	
Surficial aquife		144	Upper Cape Fear confining unit	-163
Castle Hayne c	0	not present	Upper Cape Fear aquifer	-302
Castle Hayne a		not present	Lower Cape Fear confining unit	not present
Peedee confinin	S	87	Lower Cape Fear Aquifer	not present
Peedee Aquifer		78	Basement	-356
Black Creek co	_	60		
Black Creek aq	J uiier	32		
County	Robeson		Latitude	34.439458
Well Name	DWR Boardman Station		Longitude	-78.971663
Well Number	158		Well Depth	497
Quad	AA 43Q	luana a la a ! - 17	Land Surface Elevation	80
C6:-2-1 · · ·	The state of the s	~ ~	nit Top Elevations	107
Surficial aquife		80	Upper Cape Fear confining unit	-195 240
Castle Hayne o	_	not present	Upper Cape Fear aquifer	-340 -402
Castle Hayne a	-	not present	Lower Cape Fear confining unit	
Peedee confining Peedee Aquifer		52 38	Lower Cape Fear Aquifer Basement	not penetrated
Black Creek co		-12	Dascilicut	
Black Creek ag		-12 -28		
Diack Creek aq	lanci	-28		

County Well Name Well Number	Robeson Lumber Bridge Test W 159	ell 4	Latitude Longitude Well Depth	34.883330 -79.083332 162
Quad	V 44O	II. J 1	Land Surface Elevation	200
C (**) 'C		• • •	nit Top Elevations	1
Surficial aquife Castle Hayne co Castle Hayne ac Peedee confinin Peedee Aquifer	onfining unit quifer	not present not present not present not present not present	Upper Cape Fear confining unit Upper Cape Fear aquifer Lower Cape Fear confining unit Lower Cape Fear Aquifer Basement	not penetrated
Black Creek co	S	188	Dasement	
Black Creek aq	uifer	176		
County	Robeson		Latitude	34.891671
Well Name	Town of Parkton		Longitude	-79.008329
Well Number	160		Well Depth	305
Quad	V 44J	Undunganlagia II	Land Surface Elevation	175
Carafiaia) a sarifa		• 0 0	nit Top Elevations	5
Surficial aquifer Castle Hayne co		175	Upper Cape Fear confining unit Upper Cape Fear aquifer	-5 not penetrated
Castle Hayne ac		not present not present	Lower Cape Fear confining unit	not present
Peedee confinin	•	not present	Lower Cape Fear Aquifer	not present
Peedee Aquifer	s unit	not present	Basement	not penetrated
Black Creek co	nfining unit	171		1
Black Creek aq	uifer	162		
County	Robeson		Latitude	34.798609
Well Name	Town of Saint Pauls		Longitude	-78.934725
Well Number	161		Well Depth	362
Quad	W 43L		Land Surface Elevation	152
			nit Top Elevations	
Surficial aquife		152	Upper Cape Fear confining unit	-106
Castle Hayne co		not present	Upper Cape Fear aquifer	-176
Castle Hayne ac	-	not present	Lower Cape Fear confining unit Lower Cape Fear Aquifer	not present
Peedee confinin Peedee Aquifer	gumi	not present not present	Basement	not present not penetrated
Black Creek co	nfining unit	119	Daschient	not penetrated
Black Creek aq		110		
County	Robeson		Latitude	34.907221
Well Name	Town of Parkton		Longitude	-79.007225
Well Number	162		Well Depth	190
Quad	V 44A	TT 1 1 1 T	Land Surface Elevation	185
~ 			nit Top Elevations	
Surficial aquifer Castle Hayne co		185	Upper Cape Fear confining unit Upper Cape Fear aquifer	not penetrated
Castle Hayne ac	O	not present not present	Lower Cape Fear confining unit	
Peedee confinin		not present	Lower Cape Fear Aquifer	
Peedee Aquifer	5	not present	Basement	
Black Creek co	nfining unit	160		
Black Creek aq	uifer	141		
County	Robeson		Latitude	34.591669
Well Name	Alamac Spinning		Longitude	-78.987499
Well Number	163		Well Depth	534
Quad	Y 43Y	TT 1 1 •	Land Surface Elevation	125
G			nit Top Elevations	22.5
Surficial aquife		125	Upper Cape Fear confining unit	-225 -279
Castle Hayne co		not present not present	Upper Cape Fear aquifer Lower Cape Fear confining unit	not present
Peedee confinin	-	not present	Lower Cape Fear Comming unit Lower Cape Fear Aquifer	not present
Peedee Aquifer	5	not present	Basement	not penetrated
Black Creek co	nfining unit	50		ponomina
Black Creek aq	_	28		

County Well Name Well Number	Robeson Osterneck Corp. 164		Latitude Longitude Well Depth	34.607209 -78.976092 355
Quad	Y 43Q		Land Surface Elevation	150
	•		nit Top Elevations	
Surficial aquife Castle Hayne c Castle Hayne a Peedee confinir	onfining unit quifer	not present not present not present	Upper Cape Fear confining unit Upper Cape Fear aquifer Lower Cape Fear confining unit Lower Cape Fear Aquifer	not penetrated
Peedee Aquifer		not present	Basement	
Black Creek co		58		
Black Creek aq	uifer	24		
County	Robeson		Latitude	34.772500
Well Name	Campbell Soup Company		Longitude	-79.323333
Well Number	165		Well Depth	400
Quad	W 47P		Land Surface Elevation	195
	•		nit Top Elevations	
Surficial aquife		195	Upper Cape Fear confining unit	-35
Castle Hayne c		not present	Upper Cape Fear aquifer	-135
Castle Hayne a	•	not present	Lower Cape Fear confining unit	not present
Peedee confinir	_	not present	Lower Cape Fear Aquifer	not present
Peedee Aquifer		not present	Basement	not penetrated
Black Creek co		153		
Black Creek aq	uifer	131		
County	Sampson		Latitude	34.604530
Well Name	DWR Ivanhoe Station		Longitude	-78.241805
Well Number	166		Well Depth	583
Quad	Y 34P		Land Surface Elevation	19
G # 1 1 10			nit Top Elevations	224
Surficial aquife		19	Upper Cape Fear confining unit	-324
Castle Hayne c		not present	Upper Cape Fear aquifer	-363
Castle Hayne a	-	not present	Lower Cape Fear confining unit	-494
Peedee confinir	ig unit	-33	Lower Cape Fear Aquifer	-531
Peedee Aquifer Black Creek co		-45	Basement	not penetrated
Black Creek aq	C	-121 -141		
		111	T 1	24.052611
County Well Name	Sampson DWR Six Runs Station		Latitude Longitude	34.853611 -78.262500
Well Number	167		Well Depth	433
Quad	V 35T		Land Surface Elevation	61
Quau		drogeologic U	nit Top Elevations	01
Surficial aquife		61	Upper Cape Fear confining unit	-163
Castle Hayne c		not present	Upper Cape Fear aquifer	-178
Castle Hayne a		not present	Lower Cape Fear confining unit	-258
Peedee confinir		not present	Lower Cape Fear Aquifer	-303
Peedee Aquifer		not present	Basement	-372
Black Creek co	_	21		
Black Creek aq	uifer	16		
County	Sampson		Latitude	34.988052
Well Name	Town of Clinton		Longitude	-78.314999
Well Number	168		Well Depth	444
Quad	U 35D		Land Surface Elevation	155
a a			nit Top Elevations	
Surficial aquife		155	Upper Cape Fear confining unit	-83
Castle Hayne c		not present	Upper Cape Fear aquifer	-111
Castle Hayne a	-	not present	Lower Cape Fear confining unit	-169
Peedee confinir	_	not present	Lower Cape Fear Aquifer	-199
Peedee Aquifer		not present	Basement	-289
Black Creek co	_	107		
Black Creek aq	uner	67		

County Sampson Well Name Town of Clinton		Latitude Longitude	34.975275 -78.308337
Well Number 169		Well Depth	450
Quad U 35G	** 1 1 1 1 1	Land Surface Elevation	152
		nit Top Elevations	
Surficial aquifer	152	Upper Cape Fear confining unit	-70
Castle Hayne confining unit	not present	Upper Cape Fear aquifer	-114
Castle Hayne aquifer	not present	Lower Cape Fear confining unit	-184
Peedee confining unit	not present	Lower Cape Fear Aquifer	-206
Peedee Aquifer Black Creek confining unit	not present 100	Basement	-303
Black Creek confining unit Black Creek aquifer	79		
<u> </u>		T	25.100056
County Sampson		Latitude	35.188056
Well Name Mingo Well Number 170		Longitude Well Depth	-78.566111 322
Quad R 38Q		Land Surface Elevation	186
Quau K 38Q	Hydrogeologic II	nit Top Elevations	100
Surficial aquifor	186	Upper Cape Fear confining unit	60
Surficial aquifer Castle Hayne confining unit	not present	Upper Cape Fear aquifer	38
Castle Hayne aquifer	not present	Lower Cape Fear confining unit	not present
Peedee confining unit	not present	Lower Cape Fear Aquifer	not present
Peedee Aquifer	not present	Basement	-136
Black Creek confining unit	176	240044	100
Black Creek aquifer	160		
County Sampson		Latitude	34.999447
Well Name Town of Clinton		Longitude	-78.340836
Well Number 171		Well Depth	426
Quad U 36A		Land Surface Elevation	140
_	Hydrogeologic U.	nit Top Elevations	
Surficial aquifer	140	Upper Cape Fear confining unit	-43
Castle Hayne confining unit	not present	Upper Cape Fear aquifer	-89
Castle Hayne aquifer	not present	Lower Cape Fear confining unit	-182
Peedee confining unit	not present	Lower Cape Fear Aquifer	-200
Peedee Aquifer	not present	Basement	?
Black Creek confining unit	100		
Black Creek aquifer	80		
County Sampson		Latitude	34.971669
Well Name Town of Clinton		Longitude	-78.337227
Well Number 172		Well Depth	456
Quad U 36J	** * * * * * * * * * * * * * * * * * * *	Land Surface Elevation	150
		nit Top Elevations	
Surficial aquifer	150	Upper Cape Fear confining unit	-50
Castle Hayne confining unit	not present	Upper Cape Fear aquifer	-110
Castle Hayne aquifer Peedee confining unit	not present not present	Lower Cape Fear confining unit Lower Cape Fear Aquifer	-156 -192
Peedee Aquifer	not present	Basement	-192 ?
Black Creek confining unit	100	Dascincit	•
Black Creek aquifer	70		
<u> </u>		Latitude	24 090445
County Sampson Well Name Charles Underwood		Latitude Longitude	34.989445 -78.501672
Well Number 173		Well Depth	300
Quad U 38A		Land Surface Elevation	153
<u> </u>	Hydrogeologic U	nit Top Elevations	100
Surficial aquifer	153	Upper Cape Fear confining unit	37
Castle Hayne confining unit	not present	Upper Cape Fear aquifer	3
Castle Hayne aquifer	not present	Lower Cape Fear confining unit	not present
Peedee confining unit	not present	Lower Cape Fear Aquifer	not present
Peedee Aquifer	not present	Basement	?
Black Creek confining unit	101		
Black Creek aquifer	81		

County Well Name	Sampson Clement School		Latitude Longitude	35.104447 -78.589726
Well Number	174		Well Depth	365
Quad	S 39T		Land Surface Elevation	167
		Hydrogeologic U	nit Top Elevations	
Surficial aquife	er	167	Upper Cape Fear confining unit	47
Castle Hayne c		not present	Upper Cape Fear aquifer	3
Castle Hayne a		not present	Lower Cape Fear confining unit	not present
Peedee confinir		not present	Lower Cape Fear Aquifer	not present
Peedee Aquifer	_	not present	Basement	-96
Black Creek co		137		
Black Creek aq		129		
	•		T - 424 1	25 112606
County	Sampson		Latitude	35.113686
Well Name	DWR Halls Station		Longitude	-78.316614
Well Number	175		Well Depth	400
Quad	S 35Q	TT 1 1 1 T	Land Surface Elevation	177
			nit Top Elevations	
Surficial aquife		177	Upper Cape Fear confining unit	-51
Castle Hayne c		not present	Upper Cape Fear aquifer	-73
Castle Hayne a		not present	Lower Cape Fear confining unit	not present
Peedee confinir	ng unit	not present	Lower Cape Fear Aquifer	not present
Peedee Aquifer		not present	Basement	-223
Black Creek co	onfining unit	142		
Black Creek aq	uifer	123		
County	Sampson		Latitude	34.988899
Well Name	DWR Turkey Station		Longitude	-78.189357
Well Number	176		Well Depth	455
Quad	U 34B		Land Surface Elevation	142
Quau	О ЭТВ	Hydrogaologie II	nit Top Elevations	172
Confinial agoife	\ 			-124
Surficial aquife		142	Upper Cape Fear confining unit	
Castle Hayne c		not present	Upper Cape Fear aquifer	-148
Castle Hayne a	*	not present	Lower Cape Fear confining unit	-258
Peedee confinir	ig unit	not present	Lower Cape Fear Aquifer	-290
Peedee Aquifer	po • • • .	not present	Basement	-313
Black Creek co	O .	134		
Black Creek aq	luiter	86		
County	Sampson		Latitude	34.992225
Well Name	H.R. Barwick		Longitude	-78.357501
Well Number	177		Well Depth	349
Quad	U 36B		Land Surface Elevation	160
		Hydrogeologic U	nit Top Elevations	
Surficial aquife	er	160	Upper Cape Fear confining unit	-12
Castle Hayne c		not present	Upper Cape Fear aquifer	-96
Castle Hayne a		not present	Lower Cape Fear confining unit	not penetrated
Peedee confinir	*	not present	Lower Cape Fear Aquifer	.
Peedee Aquifer		not present	Basement	
Black Creek co	onfining unit	128		
Black Creek aq	_	117		
	Scotland		Latitude	34.812200
County Well Name	SC-A-4-83		Latitude Longitude	-79.674200
Well Number	5C-A-4-83 178		Well Depth	-79.674200 100
	W 52J		Weil Depth Land Surface Elevation	244
Quad	vv JZJ	Hydrogaologia II		∠ 44
0 0 1			nit Top Elevations	
Surficial aquife		244	Upper Cape Fear confining unit	not penetrated
Castle Hayne c	_	not present	Upper Cape Fear aquifer	
Castle Hayne a	_	not present	Lower Cape Fear confining unit	
Peedee confinir	ng unit	not present	Lower Cape Fear Aquifer	
Peedee Aquifer		not present	Basement	
Black Creek co				
Black Creek aq	uifer	unconfined		
·				

County Scotland Well Name SC-A-3-83 Well Number 179		Latitude Longitude Well Depth	34.832800 -79.587500 104
Quad W 51A		Land Surface Elevation	313
	Hydrogeologic U l 313	nit Top Elevations	mat manatuated
Surficial aquifer Castle Hayne confining unit	not present	Upper Cape Fear confining unit Upper Cape Fear aquifer	not penetrated
Castle Hayne aquifer	not present	Lower Cape Fear confining unit	
Peedee confining unit	not present	Lower Cape Fear Aquifer	
Peedee Aquifer	not present	Basement	
Black Creek confining unit	285		
Black Creek aquifer	271		
County Scotland Well Name SC-A-2-83		Latitude	34.861700 -79.499400
Well Number 180		Longitude Well Depth	-/9.499400 100
Quad V 49P		Land Surface Elevation	280
	Hydrogeologic U	nit Top Elevations	
Surficial aquifer	280	Upper Cape Fear confining unit	not penetrated
Castle Hayne confining unit	not present	Upper Cape Fear aquifer	
Castle Hayne aquifer	not present	Lower Cape Fear confining unit	
Peedee confining unit	not present	Lower Cape Fear Aquifer Basement	
Peedee Aquifer Black Creek confining unit	not present 262	Basement	
Black Creek aquifer	256		
County Scotland		Latitude	34.903300
Well Name SC-A-1-83		Longitude	-79.436100
Well Number 181		Well Depth	97
Quad V 49B		Land Surface Elevation	285
		nit Top Elevations	
Surficial aquifer	285	Upper Cape Fear confining unit	not penetrated
Castle Hayne confining unit Castle Hayne aquifer	not present	Upper Cape Fear aquifer Lower Cape Fear confining unit	
Peedee confining unit	not present not present	Lower Cape Fear Comming unit Lower Cape Fear Aquifer	
Peedee Aquifer	not present	Basement	
Black Creek confining unit	275		
Black Creek aquifer	257		
County Scotland		Latitude	34.738400
Well Name Town of Laurinburg W	ell No. 9	Longitude	-79.479500
Well Number 182		Well Depth	349
Quad X 49D	Hydrogaologia II	Land Surface Elevation nit Top Elevations	212
Surficial aquifer	212	Upper Cape Fear confining unit	-40
Castle Hayne confining unit	not present	Upper Cape Fear aquifer	-120
Castle Hayne aquifer	not present	Lower Cape Fear confining unit	not penetrated
Peedee confining unit	not present	Lower Cape Fear Aquifer	
Peedee Aquifer	not present	Basement	
Black Creek confining unit Black Creek aquifer	152 133		
<u> </u>	133	T (1)	24.761000
County Scotland Well Name Town of Gibson Well 1	No. 4	Latitude Longitude	34.761000 -79.597900
Well Number 183	10. 4	Well Depth	207
Quad W 51U		Land Surface Elevation	250
=	Hydrogeologic U	nit Top Elevations	
Surficial aquifer	250	Upper Cape Fear confining unit	not penetrated
Castle Hayne confining unit	not present	Upper Cape Fear aquifer	
Castle Hayne aquifer	not present	Lower Cape Fear confining unit	
Peedee confining unit Peedee Aquifer	not present not present	Lower Cape Fear Aquifer Basement	
Black Creek confining unit	200	DASCIIICIII	
Black Creek aquifer	170		

County	Scotland		Latitude	34.813333
Well Name	Carver School		Longitude	-79.556667
Well Number	185		Well Depth	105
Quad	W 50G		Land Surface Elevation	240
Hydrogeologic Unit Top Elevations				
Surficial aquifer		240	Upper Cape Fear confining unit	not penetrated
Castle Hayne confining unit		not present	Upper Cape Fear aquifer	
Castle Hayne aquifer		not present	Lower Cape Fear confining unit	
Peedee confining unit		not present	Lower Cape Fear Aquifer	
Peedee Aquifer		not present	Basement	
Black Creek confining unit		210		
Black Creek aquifer		200		